

UTAH BIG GAME ANNUAL REPORT

2001–2004



© 2005 UTAH DEPARTMENT OF NATURAL RESOURCES



Publication No. 06-20



UTAH BIG GAME ANNUAL REPORT

2001–2004

Prepared by:

Kent R. Hersey
Biometrist

Heather Hill
Wildlife Biologist

Darren L. DeBlois
Wildlife Biologist

and

Craig McLaughlin
Big Game Program Coordinator

Publication Number 06-20

Annual Performance Report for Federal Aid Project W-65-M-50, 51, 52, and 53

State of Utah
Department of Natural Resources
DIVISION OF WILDLIFE RESOURCES

An Equal Opportunity Employer

John Kimball
Director, 2001

Kevin Conway
Director, 2002–2004

Miles Moretti
Acting Director, 2004–2005

James F. Karpowitz
Director, 2005

TABLE OF CONTENTS

ANNUAL PERFORMANCE REPORT	1
INTRODUCTION.....	2
METHODS	2
MANAGEMENT UNIT BOUNDARIES.....	4
DEER	
Harvest.....	10
Trend data	65
ELK	
Harvest.....	85
Trend data	144
PRONGHORN	
Harvest	163
Trend data	180
MOOSE	
Harvest	192
Trend data	206
BISON	
Harvest	212
Trend data	215
DESERT BIGHORN	
Harvest	218
Trend data	221
ROCKY MOUNTAIN BIGHORN	
Harvest	226
Trend data	228
ROCKY MOUNTAIN GOAT	
Harvest.....	232
Trend data	235

ANNUAL PERFORMANCE REPORT

BIG GAME INVESTIGATIONS AND MANAGEMENT RECOMMENDATIONS

State: Utah

Grant No: W-65-M

Grant Title: Utah Division of Wildlife Resources Wildlife Management Program Federal Aid Grant Proposal

Grant Agreement Period: October 1, 2002 through September 30, 2007

Objective: The present mission statement of the Utah Division of Wildlife Resources was developed for our first Strategic Plan in 1987 and was revisited and publicly reviewed again for our current Strategic Plan:

“The mission of the Division of Wildlife Resources is to assure the future of protected wildlife for its intrinsic, scientific, educational, and recreational values through protection, propagation, management, conservation, and distribution throughout the state.”

In 2000, the DWR completed a strategic plan that used a public process to establish goals and objectives for wildlife in Utah. The plan contains 7 goals and 25 objectives. The Strategic Plan also contains an assessment of wildlife and wildlife issues. Sections then identify strategies and performance measures to guide the work carried out by the Division. The final goals contained in the plan are:

- Goal A: Conserve, protect, enhance and manage Utah's Wildlife.
- Goal B: Conserve, protect, enhance and manage Utah's ecosystems.
- Goal C: Enhance wildlife recreational experiences consistent with other DWR goals.
- Goal D: Provide for a broad base of economic benefits from wildlife consistent with other DWR goals.
- Goal E: Ensure broad-based public involvement in the management of Utah wildlife and ecosystems.
- Goal F: Foster an atmosphere which maximizes effectiveness, productivity, and quality within the Division.
- Goal G: Secure new and stabilize current funding sources to improve/enhance wildlife management and to benefit a broad base of traditional and new constituencies.

Abstract: Annual information pertaining to Utah's big game herds was gathered and will be presented in a 2001–2004 Big Game Annual Report (attached).

In addition to current data, all information collected for several years is compiled, allowing the maximum benefit to be obtained from trend studies. Data and information collected prior to this time can be found in previous Big Game Annual Report publications.

Harvest and hunting pressure trends are presented for each of the deer, elk, antelope, moose, bighorn, buffalo and mountain goat herd units.

Other investigative studies conducted to aid in the completion of the management program include ocular range studies, game-counting trend studies, preseason, postseason and spring classification counts, classification of harvest and highway mortality.

Location: Statewide

INTRODUCTION

This report is a summary of big game harvest information and monitoring efforts for eight species (mule deer, Rocky Mountain elk, pronghorn, Shiras moose, American bison, desert bighorn sheep, Rocky Mountain bighorn sheep, and Rocky Mountain goat) in the state of Utah. Those species are managed based on species management plans that have been developed through a public review process and approved by Utah's Wildlife Board. This report represents the big game portion of Federal Aid Project W-65-M, segments 50, 51, 52, and 53, grant agreement October 1, 2001 through December 31, 2002, January 1, 2003 through September 30, 2003, October 1, 2003 through September 30, 2004, and October 1 2004 through September 30, 2005, respectively. This Federal Aid project covers hunting seasons 2001–2002, 2002–2003, 2003–2004, and 2004–2005, and reports statewide trends for all big game species.

METHODS

Annual Harvest Surveys

Annual general season deer and elk harvest and antlerless deer, elk, and pronghorn harvest were determined through telephone surveys. Limited entry harvest for the 2001, 2002, and 2003 hunting seasons were also determined by telephone surveys, whereas 2004 limited entry results for all big game species were determined by mandatory online reporting. For the telephone surveys, random, statistically valid samples of approximately 25% of the total license holders were used to estimate harvest statistics. In 2004 mandatory online harvest reporting was instituted for all limited entry hunts in an attempt to obtain a complete census of limited entry harvest results. Prior to 2004, harvest data on moose, bighorn sheep, bison and Rocky Mountain goat were collected using a mail questionnaire with a follow up questionnaire to increase the number of returns

Based on results from the surveys and online reports, harvest data were projected by the total number of permits to obtain estimates of the number of animals harvested, number of hunters afield, and number of days hunted. To minimize error, harvest data for individual units, regions, and statewide totals were projected separately. As such, the sum of unit estimates and region estimates may not always equal the statewide totals. Additionally, success rates are calculated from the raw data and may not always equal the projected harvest divided by the projected number of hunters afield.

Harvest Sex and Age Composition

For limited entry units, the average age of harvested animals is obtained from counts of annual rings on teeth submitted by hunters. During general season hunts, check stations are used to gather information on age and antler size. The sex composition of harvested animals is determined through questions on telephone, online, and mail surveys.

Population Sex and Age Composition

Population sex and age composition is determined through the use of ground and/or aerial classification counts. Ground classification is done using a random process during early morning and evening hours, whereas aerial trend counts occur when counting conditions are favorable and

cover all appropriate fall, winter and/or spring use areas. Data collected during classification and trend counts are used to determine annual production and survival of young (doe: fawn, cow: calf ratios), as well as the ratio of bucks or bulls to females in the herds. For deer, annual ground classification counts are conducted immediately after the general season harvest and again during spring. For the remaining species, a combination of ground classification counts and aerial trend counts are used to determine population sex and age composition.

Population Modeling

All of the data collected on harvest, survival, recruitment, and population structure are used in computer modeling applications for big game populations in Utah. Computer models are used to help determine the current status of the population (i.e., growing, declining, stable), the future structure of the population under various harvest scenarios, and the number of permits to be allocated.

Big Game Movements and Seasonal Distribution

Ground observations are used to determine movements and seasonal distribution of big game species. Trapping and marking projects are carried on periodically where needed to determine direction and extent of herd movements. That information is obtained simply by tagging and use of color markers, or by using radio or GPS collars to help track movements. Those data are used to design hunts to insure proper harvest. Ground observations are also used to determine movements and seasonal distribution of big game species.

MANAGEMENT UNIT BOUNDARIES

Utah has thirty wildlife management units that serve as the basis for big game management recommendations. Locations and boundary description follow.

Unit 1: Box Elder

Box Elder, Tooele, Salt Lake, Davis and Weber counties - Boundary begins at the Utah-Idaho state line and I-15; west along this state line to the Utah-Nevada state line, south along this state line to I-80, east on I-80 to I-15, north on I-15 to the Utah-Idaho state line.

Unit 2: Cache

Cache, Rich, Weber, and Box Elder counties - Boundary begins at the Utah-Idaho state line and I-15; south on I-15 to US-91; northeast on US-91 to SR-101; east on SR-101 to Hardware Ranch and USFS Road 054 (Ant Flat); south on USFS 054 to SR-39; east on SR-39 to SR-16; southeast on SR-16 to the Utah-Wyoming state line; north along this state line to the Utah-Idaho state line; west along this state line to I-15.

Unit 3: Ogden

Weber, Box Elder, Cache, and Morgan counties - Boundary begins at Hyrum and SR-101; east on SR-101 to the Ant Flat Road (at Hardware Ranch); south on this road to SR-39; west on SR-39 to SR-167 (Trappers Loop Road); south on SR-167 to I-84; west on I-84 to I-15; north on I-15 to Exit 364 and U.S.-91: northeast on US-91 to SR-101; east on SR-101 to Hyrum.

Unit 4: Morgan-South Rich

Morgan, Rich, Summit, and Weber counties - Boundary begins at the junction of I-80 and I-84 near Echo, Utah; east on I-80 to the Utah-Wyoming state line; north along this state line to SR-16; north on SR-16 to SR-39 near Woodruff; west along SR-39 to SR-167 (Trappers Loop road); south on SR-167 to SR-30 at Mountain Green; west on SR-30 to I-84; east on I-84 to I-80.

Unit 5: East Canyon

Morgan, Summit, Salt Lake, and Davis counties - Boundary begins at the junction of I-80 and I-84 (Echo Junction); southwest on I-80 to I-15; north on I-15 to its junction with I-84 near Ogden; east on I-84 to Echo Junction and I-80.

Unit 6: Chalk Creek

Summit and Duchesne counties - Boundary begins at the junction of I-84 and I-80 near Echo; northeasterly on I-80 to the Utah-Wyoming state line; southeast along this state line to SR-150; south on SR-150 to Pass Lake and the Weber River Trail head; west on this trail to Holiday Park and the Weber River road; west on this road to SR-32; northwest on SR-32 to I-80 and Wanship; north on I-80 to I-84 near Echo.

Unit 7: Kamas

Summit and Wasatch counties - Boundary begins at the junction of I-80 and SR-32 (Wanship); south on SR-32 to the Weber Canyon Road at Oakley; east on this road to Holiday Park and the Weber River Trail; east on the Weber River Trail to SR-150 near Pass Lake; south on SR-150 to the North Fork of the Provo river; south along this river to the Provo River; south along this river to SR-35; west on SR-35 to Francis and SR-32; west on SR-32 to US-40 near Jordanelle; north on US-40 to I-80; north on I-80 to SR-32 (Wanship).

Unit 8: North Slope

Summit and Daggett counties - Boundary begins at the junction of SR-150 and the Summit-Duchesne county line (summit of the Uinta Mountains); north along SR-150 to the Utah-Wyoming state line; east along this state line to the Utah-Wyoming-Colorado state line (Three Corners); south along the Utah-Colorado state line to the Green River; west along the Green River to Flaming Gorge Reservoir; west along the south shoreline of this reservoir to Cart Creek; south along Cart Creek to US-191; south along US-191 to the Uintah-Daggett County line (summit of the Uinta Mountains); west along the summit of the Uinta mountains to SR-150.

Unit 9: South Slope

Wasatch, Summit, Daggett, Uintah, and Duchesne counties - Boundary begins at the junction of US-40 and SR-87 in Duchesne; north on SR-87 to SR-35; northwest on SR-35 to the Provo River; north along the Provo River to the North Fork Provo River; north along the North Fork Provo River to SR-150; north along SR-150 to the Summit/Duchesne county line (summit of the Uinta Mountains); east along the summit of the Uinta Mountains to US-191; north along US-191 to Cart Creek; north along Cart Creek to Flaming Gorge Reservoir; east along Flaming Gorge Reservoir to the Green River; east along the Green River to the Utah-Colorado state line; south along the Utah-Colorado state line to the White River; west along the White River to the Green River; north along the Green River to the Duchesne River; west along the Duchesne River to US-40 at Myton; west along US-40 to SR-87.

Unit 10: Book Cliffs

Uintah and Grand counties - Boundary begins at I-70 and the Green River (in Green River); northeast along the Green River to the White River; east along the White River to the Utah-Colorado state line; south along the Utah-Colorado state line to I-70; southwest along I-70 to the Green River. Inclusive of subunits 10a (Bitter Creek), 10b (Book Cliffs South) and 10c (Little Creek). **EXCLUDING ALL INDIAN TRUST LANDS.** USGS 1:100,000 maps: Westwater, Seep Ridge.

Unit 11: Anthro/Range Creek

Duchesne, Uintah, Carbon, and Emery counties - Boundary begins at Duchesne and US 191; southwest on US 191 to US 6; south on US 6 to I-70; east on I-70 to the Green River; north on the Green River to the Duchesne River; west along this river to Highway US-40; west on US-40 to Duchesne and US 191.

Unit 12: San Rafael

Carbon, Emery, Wayne, and Garfield counties - Boundary begins in Price at the junction of SR-10 and US-6; east on US-6 to I-70; east on I-70 to the Green River; south along the Green River to the Colorado River; south on the Colorado River and the west shore of Lake Powell to SR-95; north on SR-95 to SR-24; west on SR-24 to the Caineville to Fremont Junction Road; north on this road to the junction of I-70 and SR-10; north on SR-10 to Price.

Unit 13: La Sal

Grand and San Juan counties - Boundary begins at the junction of I-70 and the Green River; south on the Green River to the Colorado River; north on the Colorado River to US-191; south on US-191 to the Big Indian Road; east on this road to the Lisbon Valley Road; east on this road to the Island Mesa Road; east on this road to the Colorado State Line; north on this line to I-70; west on I-70 to the Green River.

Unit 14: San Juan

San Juan County - Boundary begins at the confluence of the San Juan and Colorado rivers; north along the Colorado river to US-191; south on this road to the Big Indian road; east on this road to the Lisbon Valley road; southeast on this road to the Island Mesa road; east on this road to the Colorado state line; south on this line to the Navajo Indian Reservation boundary; southwest along this boundary to the San Juan River; west on this river to the Colorado River.

Unit 15: Henry Mountains

Wayne and Garfield counties - Boundary begins in Hanksville at the junction of SR-24 and SR-95; south on SR-95 to Lake Powell; south along the west shore of Lake Powell to SR-276 at Bullfrog; north along SR-276 to the Bullfrog to Notom Road; north along this road to SR-24; east on SR-24 to Hanksville.

Unit 16: Central Mountains

Utah, Carbon, Emery, Juab, Sevier, and Sanpete counties - Boundary begins at the junction of US-6 and I-15 in Spanish Fork; southeast on US-6 to Price and SR-10; south on SR-10 to I-70; west on I-70 to US-89; north on US-89 to SR-28 at Gunnison; north on SR-28 to I-15 at Nephi; north on I-15 to US-6 in Spanish Fork.

Unit 17: Wasatch Mountains

Salt Lake, Summit, Wasatch, Duchesne, Carbon, and Utah counties - Boundary begins at the junction of I-15 and I-80 in Salt Lake City; east on I-80 to US-40; south on US-40 to SR-32; east on SR-32 to SR-35; southeast on SR-35 to SR-87; south on SR-87 to Duchesne and US-191; south on US-191 to US-6; northeast on US-6 to I-15; north on I-15 to I-80 in Salt Lake City.

Unit 18: Oquirrh-Stansbury

Salt Lake, Utah, and Tooele counties - Boundary begins at the junction of I-15 and I-80; south on I-15 to SR-73; west on SR-73 to SR-36; south on SR-36 to the Pony Express road located just south of Faust; west on this road to the Skull Valley-Dugway-Timpie Road; north on this road to I-80 at Rowley Junction; east on I-80 to I-15.

Unit 19: West Desert

Tooele, Utah, Juab, and Millard counties - Boundary begins at the Utah-Nevada state line and I-80 in Wendover; east on I-80 to the Dugway road at Rowley Junction; south on this road to the Pony Express Road; east on this road to SR-36; north on SR-36 to SR-73; east on SR-73 to I-15; south on I-15 to SR-132 at Nephi; west on SR-132 to US-6; southwest on US-6 to its junction with US-50 near Delta; west on US-50 & 6 to the Utah-Nevada state line; north along this state line to I-80 at Wendover.

Unit 20: Southwest Desert

Beaver, Iron, and Millard counties - Boundary begins at US-50&6 and the Utah-Nevada state line; east on US-50&6 to SR-257; south on SR-257 to SR-21; south on SR-21 to SR-130; south on SR-130 to I-15; south on I-15 to SR-56; west on SR-56 to the Lund Highway; northwest on the Lund Highway to the Union Pacific railroad tracks at Lund; southwest on the Union Pacific railroad tracks to the Utah-Nevada state line; north on this state line to US-50&6.

Unit 21: Fillmore

Millard, Sevier, Sanpete, and Juab counties - Boundary begins at I-70 and I-15; north on I-15 to the Black Rock road; west on the Black Rock road to SR-257; north on SR-257 to US-50 and 6; east on US-50 and 6 to US-6; north on US-6 to SR-132; east on SR-132 to SR-28; south on SR-28 to US-89; south on US-89 to I-70; west on I-70 to I-15.

Unit 22: Beaver

Iron, Garfield, Piute, Beaver, and Millard counties - Boundary begins at SR-130 and I-15; north on SR-130 to SR-21; north on SR-21 to SR-257; north on SR-257 to the Black Rock road; east on the Black Rock road to I-15; south on I-15 to I-70; east on I-70 to US-89; south on US-89 to SR-20; west on SR-20 to I-15; south on I-15 to SR-130.

Unit 23: Monroe

Piute and Sevier counties - Boundary begins at I-70 and US-89; south on US-89 to SR-62; northeast on SR-62 to SR-24; north on SR-24 to US-89; north on US-89 to I-70.

Unit 24: Mt. Dutton

Garfield and Piute counties - Boundary begins at US-89 and SR-62; south on US-89 to SR-12; east on SR-12 to the Widtsoe-Antimony Road; north on the Widtsoe-Antimony Road to SR-22; north on SR-22 to SR-62; west on SR-62 to US-89.

Unit 25: Plateau

Sevier, Garfield, Piute, and Wayne counties - Boundary begins at SR-24 and US-89 at Sigurd; south on SR-24 to SR-62; south on SR-62 to SR-22; south on SR-22 to the Widtsoe-Antimony road; south on the Widtsoe-Antimony road to SR-12; east on SR-12 to the Burr Trail at Boulder; east on the Burr Trail to the Notom Road; north on the Notom Road to SR-24; east on SR-24 to the Caineville Wash road; north on the Caineville Wash road to I-70; west on I-70 to US-89; south on US-89 to SR-24.

Unit 26: Kaiparowits

Kane and Garfield counties - Boundary begins at the Paria River and the Utah-Arizona state line; north along the Paria River to SR-12; east on SR-12 to the Burr Trail at Boulder; southeast on the Burr Trail to Lake Powell; southwest along the shore of Lake Powell to the Utah-Arizona state line; west along this state line to the Paria River.

Unit 27: Paunsaugunt

Garfield and Kane counties - Boundary begins at US-89A and the Utah-Arizona state line; north on US-89A to US-89; north on US-89 to SR-12; east on SR-12 to the Paria River; south along the Paria River to the Utah-Arizona state line; west along this state line to US-89A.

Unit 28: Panguitch Lake

Garfield, Iron, and Kane counties - Boundary begins SR-14 and US-89; north on US-89 to SR-20; west on SR-20 to I-15; south on I-15 to SR-14; east on SR-14 to US-89.

Unit 29: Zion

Iron, Kane and Washington counties - Boundary begins at I-15 and the Utah-Arizona state line; north on I-15 to SR-14; east on SR-14 to US-89; south on US-89 to US-89A; south on US-89A to the Utah-Arizona state line; west on the Utah-Arizona state line to I-15.

Unit 30: Pine Valley

Iron and Washington counties - Boundary begins at I-15 and the Utah-Arizona state line; north on I-15 to SR-56; west on SR-56 to the Lund Highway; northwest along the Lund Highway to the Union Pacific railroad tracks at Lund; southwest on the Union Pacific railroad tracks to the Utah-Nevada state line; south on this state line to the Utah-Arizona state line; west on this state line to I-15.

MULE DEER



Pronghorn Antelope

Statewide deer harvest statistics, Utah 1925–1975.

Year	Regular license harvest					Control permit harvest					Archery harvest					Total harvest		
	Buck	Doe	Total	Hunters afield	% success	Buck	Doe	Total	Hunters afield	% success	Buck	Doe	Total	Hunters afield	% success	Buck	Doe	Total
1925	1400	—	1400	5650	24.8	—	—	—	—	—	—	—	—	—	—	1400	—	1400
1926	2000	—	2000	7000	28.6	—	—	—	—	—	—	—	—	—	—	2000	—	2000
1927	3200	—	3200	9100	35.2	—	—	—	—	—	—	—	—	—	—	3200	—	3200
1928	4400	—	4400	11300	38.9	—	—	—	—	—	—	—	—	—	—	4400	—	4400
1929	5000	—	5000	12800	39.1	—	—	—	—	—	—	—	—	—	—	5000	—	5000
1930	6400	—	6400	15600	41.0	—	—	—	—	—	—	—	—	—	—	6400	—	6400
1931	7800	—	7800	19500	40.0	—	—	—	—	—	—	—	—	—	—	7800	—	7800
1932	7113	—	7113	16600	42.8	—	—	—	—	—	—	—	—	—	—	7113	—	7113
1933	8019	—	8019	17700	45.3	—	—	—	—	—	—	—	—	—	—	8019	—	8019
1934	11271	—	11271	21485	52.5	—	825	825	928	88.9	—	—	—	—	—	11271	825	12096
1935	9640	—	9640	23000	41.9	—	2008	2008	2598	77.3	—	—	—	—	—	9640	2008	11648
1936	13800	—	13800	29500	46.8	—	—	—	—	—	—	—	—	—	—	13800	—	13800
1937	21000	—	21000	38900	54.0	—	—	—	—	—	—	—	—	—	—	21000	—	21000
1938	25572	—	25572	50000	51.1	—	2428	2428	4500	54.0	—	—	—	—	—	25572	2428	28000
1939	28552	—	28552	60000	47.6	—	9448	9448	10612	89.0	—	—	—	—	—	28552	9448	38000
1940	32300	—	32300	60000	53.8	—	11700	11700	14437	81.0	—	—	—	—	—	32300	11700	44000
1941	34460	—	34460	60000	57.4	—	15540	15540	21461	72.4	—	—	—	—	—	34460	15540	50000
1942	35723	—	35723	65000	55.0	1058	26799	27857	33823	82.4	3	26	29	61	47.5	36784	26825	63609
1943	39690	—	39690	75000	52.9	450	15556	16006	21242	75.4	0	12	12	186	6.5	40140	15568	55708
1944	40743	—	40743	64672	63.0	—	11027	11027	16320	67.6	0	7	7	75	9.3	40743	11034	51777
1945	37235	—	37235	71734	51.9	1730	10924	12654	16160	78.3	1	0	1	110	0.9	38966	10924	49890
1946	41580	—	41580	89753	46.3	1685	10044	11729	16355	71.7	12	50	62	248	25.0	43277	10094	53371
1947	46940	—	46940	88401	53.1	2608	12274	14882	17224	86.4	9	41	50	296	16.9	49557	12315	61872
1948	53526	—	53526	95073	56.3	2222	13052	15274	18961	80.6	18	77	95	382	24.9	55766	13129	68895
1949	45414	—	45414	86124	52.7	2513	12579	15092	19862	76.0	5	23	28	244	11.5	47932	12602	60534
1950	49879	—	49879	93232	53.5	4496	19021	23517	28624	82.2	9	12	21	231	9.1	54384	19033	73417

Statewide deer harvest statistics, Utah 1925–1975 (cont.).

Year	Regular license harvest					Control permit harvest					Archery harvest					Total harvest		
	Buck	Doe	Total	Hunters afield	% success	Buck	Doe	Total	Hunters afield	% success	Buck	Doe	Total	Hunters afield	% success	Buck	Doe	Total
1951	63030	31244	94274	112911	83.5	4265	3041	7306	8530	85.7	34	23	57	316	18.0	67329	34308	101637
1952	52655	26296	78951	115887	68.1	3940	7228	11168	12358	90.4	12	30	42	429	9.8	56607	33554	90161
1953	52082	23196	75278	119958	62.8	3106	7403	10509	12419	84.6	26	66	92	613	15.0	65214	30665	95879
1954	65117	28327	93444	123231	75.8	2493	11959	14452	19176	75.4	69	108	177	745	23.8	67679	40394	108073
1955	72267	21274	93541	129303	72.3	2923	15163	18086	23121	78.2	129	161	290	1733	16.7	75319	36598	111917
1956	72947	21923	94870	133676	71.0	5191	21917	27108	29382	92.3	366	241	607	3159	19.2	78504	44081	122585
1957	55121	19757	74878	132797	56.4	5993	24111	30104	36289	83.0	361	256	617	4570	13.5	61475	44124	105599
1958	66933	23718	90651	141551	64.0	4477	21232	25709	27501	93.5	455	426	881	5605	15.7	71865	45376	117241
1959	72850	25450	98300	149908	65.6	2948	23830	26778	31298	85.6	683	554	1237	7440	16.6	76481	49834	126315
1960	74802	25959	100761	150401	67.0	3271	25087	28358	41034	69.1	919	907	1826	8831	20.7	78992	51953	130945
1961	71979	24397	96376	155037	62.2	5809	27915	33724	37379	90.2	1219	959	2178	9889	22.0	79007	53271	132278
1962	69778	27876	97654	163072	59.9	4454	16308	30762	36161	85.1	1232	908	2140	11546	18.5	75464	55092	130556
1963	63043	27013	90056	165531	54.4	3290	14013	17303	20920	82.7	1059	981	2040	12768	16.0	67392	42007	109399
1964	68612	29937	98549	169178	58.3	3658	11405	15063	18680	80.6	1088	900	1988	10910	18.2	73358	42242	115600
1965	51181	24869	76050	171466	44.4	1496	8822	10318	14195	72.7	1009	666	1675	12635	13.3	53686	34357	88043
1966	57915	30043	87958	161529	54.5	1043	1444	2487	3224	77.1	1271	1224	2495	12190	20.5	60229	32711	92940
1967	53261	31610	84871	156404	54.3	1356	1759	3115	4072	76.5	1181	886	2067	12108	17.1	55798	34255	90053
1968	60700	30846	91546	161209	56.8	519	498	1017	1272	80.0	1494	1104	2598	14164	18.3	62713	32448	95161
1969	50297	27218	77515	162265	47.8	640	1354	1994	2804	71.1	1350	1062	2412	14902	16.2	52287	29634	81921
1970	68243	30510	98753	178005	55.5	345	883	1228	1853	66.3	1819	1189	3008	16775	17.9	70407	32582	102989
1971	62924	31351	94275	185105	50.9	557	607	1164	1876	62.0	1913	1913	3826	18276	20.9	65394	33381	98775
1972	68712	34351	103063	197173	52.3	1085	1027	2112	3391	62.3	1834	1409	3243	20047	16.2	71631	36787	108418
1973	51587	30732	82319	198726	41.4	435	315	750	1841	40.7	1961	1540	3501	25156	13.9	53983	32587	86570
1974	45306	7537	52843	187711	28.2	169	254	423	1103	38.3	807	560	1367	16218	8.4	46282	8351	54633
1975	41356	—	41356	177056	23.4	1064	1667	2731	5869	46.5	1314	—	1314	17625	7.5	43734	1667	45401

Statewide deer harvest statistics, Utah 1976–2004.

Year	General season harvest			Restricted harvest			Total harvest		
	Bucks	Antlerless	Hunters afield	Bucks	Antlerless	Hunters afield	Bucks	Antlerless	Hunters afield
1976	56640	—	185661	288	95	1789	56928	95	187450
1977	67164	—	205104	500	751	3657	67664	751	208761
1978	65142	—	212201	55	3085	4750	65197	3085	216951
1979	60755	—	213547	121	5387	8580	60876	5387	222127
1980	65444	—	208154	—	9796	14388	65444	9796	222542
1981	80627	—	211467	—	10182	13706	80627	10182	225173
1982	75065	—	222305	29	10890	15531	75094	10890	237836
1983	82552	—	228907	—	13164	16711	82552	13164	245618
1984	63044	—	193662	—	4233	5766	63044	4233	199428
1985	59045	—	210313	37	5171	6801	59082	5171	217114
1986	60610	—	193977	103	6371	8572	60713	6371	202549
1987	65969	953	200746	546	6807	9770	66515	7760	210516
1988	68125	1057	222372	378	21178	26313	68503	22235	248685
1989	57381	1169	208031	350	19473	27681	57731	20642	235712
1990	57220	1021	207241	1588	15954	24191	58808	16975	231432
1991	51415	1337	203625	1927	12197	19356	53342	13534	222981
1992	54804	1266	213937	1729	11866	14810	56533	13132	228747
1993	24763	2192	140701	1261	2104	5307	26024	4296	146008
1994	27699	—	86121	1528	699	3859	29227	699	89980
1995	24594	—	97823	1818	1418	5248	26412	1418	103071
1996	32939	28	103892	1638	2554	5502	34577	2582	109394
1997	28144	—	105088	1656	3247	7303	29800	3246	112391
1998	30216	187	106201	1997	2688	6188	32213	2875	112389
1999	29583	139	93290	1880	2831	6561	31463	2970	99851
2000	30728	126	94304	2303	4394	9032	33031	4520	103336
2001	25355	112	88798	2157	4039	7726	27512	4151	96524
2002	21954	53	95264	2409	3092	7454	24363	3145	102718
2003	20906	89	85553	1619	2435	5217	22525	2524	90770
2004	25954	85	81260	1975	2154	5245	27929	2239	86505

*In 2002, total hunters afield were estimated.

Deer population estimates and objectives by management unit, Utah 2001–2004.

Management unit	Objective	Winter population estimate			
		2001	2002	2003	2004
Box Elder	24000	14500	12100	9500	10500
Cache	25000	19200	12800	13200	13700
Ogden	12000	7600	5500	5500	5700
Morgan-South Rich	12500	11500	10000	10100	11000
East Canyon	8500	8900	7200	7600	8100
Chalk Creek	11500	13600	14000	10500	10700
Kamas	9000	7400	7400	7500	7500
North Slope	5300	4550	4500	4400	4700
South Slope, Yellowstone	12000	10100	10400	10100	10600
South Slope, Vernal / Diamond Mtn.	13000	13000	11600	10200	9900
Book Cliffs	15000	7150	7100	7350	8000
Nine Mile	8500	3450	3400	4350	3400
San Rafael	1000	1100	1000	1000	1000
La Sal	19400	8300	7700	8700	9200
San Juan	20500	9150	8000	8900	9700
Henry Mountains	2000	570	550	580	680
Centrals Mountains, Manti	38000	26500	26000	28000	29900
Central Mountains, Nebo	22600	15000	14500	15000	15600
Wasatch Mountains, Diamond Fork / Heber / Timpanogos	20600	18200	17600	16300	16700
Wasatch Mountains, Currant Creek	15000	15000	13500	11500	10700
Wasatch Mountains, Avintaquin	3200	1950	1750	1600	1600
Wasatch Mountains, Salt Lake	2000	2500	2250	2000	2200
Oquirrh-Stansbury	10600	8900	8850	9100	9400
West Desert	11200	8500	7650	6200	6900
Southwest Desert	4000	1100	900	1700	1700
Fillmore	12500	9100	8200	7400	9700
Beaver	11000	8500	8200	8500	9500
Monroe	7500	6000	7000	4200	5100
Mount Dutton	2700	1900	1700	1800	1900
Plateau	25000	12900	13000	13200	15150
Kaiparowits	1000	400	400	400	400
Paunsaugunt	6500	6200	5400	3800	3975
Panguitch Lake	8500	6600	6200	6000	8500
Zion	9000	6000	5000	5000	8300
Pine Valley	16000	15400	10000	7000	8300

Number of buck deer / 100 does for public land management units, Utah 2001–2004.

Unit	Subunit	Objective	Postseason estimate				3 year average
			2001	2002	2003	2004	
Box Elder	Box Elder	15–20	12	13	12	17	14
Cache	Cache	15–20	12	12	16	20	16
Kamas	Kamas	15–20	22	21	20	22	21
North Slope	Summit	15–20	*	*	*	*	*
North Slope	West Daggett / Three Corners	15–20	15	14	20	14	16
South Slope	Yellowstone	15–20	15	8	12	10	10
South Slope	Vernal	15–20	6	9	14	9	11
Nine Mile	Anthro	15–20	*	*	10	10	10
Nine Mile	Range Creek	15–20	17	17	25	23	22
San Rafael	San Rafael	15–20	*	*	*	*	*
La Sal	LaSal Mountains	15–20	14	11	13	12	12
San Juan	Abajo	15–20	17	12	13	14	13
Central Mounains	Nebo	15–20	19	15	16	8	13
Central Mounains	Manti (Central)	15–20	14	10	13	8	10
Central Mounains	Manti (Southeastern)	15–20	11	13	17	15	15
Wasatch Mountains	DF / Heber / Timpanogos	15–20	17	13	21	13	16
Wasatch Mountains	Salt Lake	15–20	26	35	45	29	36
Wasatch Mountains	Currant Creek	15–20	19	14	19	15	16
Wasatch Mountains	Avintaquin	15–20	*	9	20	7	12
Oquirrh-Stansbury	Oquirrh-Stansbury	15–20	14	9	16	8	11
West Desert	West Desert, Other	15–20	*	*	11	*	11
Southwest Desert	Southwest Desert	15–20	30	24	24	28	25
Fillmore	Pahvant	15–20	18	18	15	12	15
Beaver	Beaver	15–20	19	12	12	14	13
Monroe	Monroe	15–20	17	18	12	7	12
Mt. Dutton	Mt. Dutton	15–20	13	14	14	16	15
Plateau	Fish Lake	15–20	13	18	15	9	14
Plateau	Boulder	15–20	22	17	16	20	18
Kaiparowits	Kaiparowits	15–20	*	*	*	*	*
Panguitch Lake	Panguitch Lake	15–20	15	12	7	14	11
Zion	Zion	15–20	11	11	12	20	14
Pine Valley	Pine Valley	15–20	22	20	17	17	18
Region averages							
Northern		15–20	14	14	16	19	16
Northeastern		15–20	16	12	18	12	14
Central		15–20	16	13	17	10	13
Southeastern		15–20	14	13	16	15	15
Southern		15–20	17	16	14	15	15

*Insufficient data.

Number of buck deer / 100 does for limited entry and private land management units, Utah
2001–2004.

Unit	Subunit	Objective	Postseason estimate				3 year average
			2001	2002	2003	2004	
Cache	Crawford Mountain	25–35	—	—	13	17	15
Ogden	Ogden	15	25	18	17	16	17
Morgan-South Rich	Morgan-South Rich	15	44	53	44	45	47
East Canyon	East Canyon	15	24	37	33	32	34
Chalk Creek	Chalk Creek	15	22	42	40	37	40
South Slope	Diamond Mountain	25–35	27	22	21	23	22
Book Cliffs	North	25–35	38	32	31	31	31
Book Cliffs	South	25–35	35	41	40	46	42
La Sal	Dolores Triangle	25–35	19	17	15	28	20
San Juan	Elk Ridge	25–35	24	25	24	23	24
Henry Mountains	Henry Mountains	35	36	46	33	41	40
West Desert	Vernon	25–35	18	28	18	31	26
Fillmore	Oak Creek	25–35	29	25	29	17	24
Plateau	Thousand Lakes	25–35	17	18	25	22	22
Paunsaugunt	Paunsaugunt	35	39	37	35	33	35

Number of fawn deer /100 does by management unit, Utah 1999–2004.

Unit	Subunit	Postseason estimate					
		1999	2000	2001	2002	2003	2004
Box Elder	Box Elder	55	42	44	63	65	71
Cache	Cache	82	65	71	42	78	88
Cache	Crawford Mountain	*	*	*	*	69	92
Ogden	Ogden	72	70	76	42	86	75
Morgan-South Rich	Morgan-South Rich	73	71	77	60	82	87
East Canyon	East Canyon	70	69	86	54	72	90
Chalk Creek	Chalk Creek	81	72	63	73	72	81
Kamas	Kamas	71	73	86	70	74	76
North Slope	Summit	*	*	*	*	*	*
North Slope	West Daggett / Three Corners	57	55	51	48	69	71
South Slope	Yellowstone	51	64	60	42	60	56
South Slope	Vernal	56	54	56	50	63	57
South Slope	Diamond Mountain	72	60	59	51	73	60
Book Cliffs	North	54	45	44	40	62	54
Book Cliffs	South	47	31	23	23	44	53
Nine Mile	Anthro	*	*	*	*	45	32
Nine Mile	Range Creek	70	57	46	37	50	65
San Rafael	San Rafael	*	*	*	*	*	*
La Sal	LaSal Mountains	40	45	34	29	56	47
La Sal	Dolores Triangle	39	37	32	27	55	42
San Juan	Abajo	57	46	40	24	64	61
San Juan	Elk Ridge	38	25	24	17	52	47
Henry Mountains	Henry Mountains	70	36	36	36	44	84

*Insufficient data.

Number of fawn deer /100 does by management unit, Utah 1999–2004 (cont.).

Unit	Subunit	Postseason estimate					
		1999	2000	2001	2002	2003	2004
Central Mounains	Nebo	70	68	73	48	59	65
Central Mounains	Mantti (Central)	75	70	60	60	65	70
Central Mounains	Manti (Southeastern)	65	59	51	52	63	69
Wasatch Mountains	Diamond Fork / Heber / Timpanogos	63	70	61	70	71	67
Wasatch Mountains	Salt Lake	69	54	71	65	65	58
Wasatch Mountains	Currant Creek	80	79	60	51	61	61
Wasatch Mountains	Avintaquin	65	56	*	43	67	50
Oquirrh-Stansbury	Oquirrh	63	51	57	57	71	65
West Desert	Vernon	77	64	55	43	78	75
West Desert	West Desert, Other	54	54	*	*	50	*
Southwest Desert	Southwest Desert	52	48	40	26	40	44
Fillmore	Oak Creek	61	50	44	32	47	54
Fillmore	Pahvant	57	40	33	34	35	53
Beaver	Beaver	63	53	56	36	55	62
Monroe	Monroe	68	58	48	57	64	63
Mt Dutton	Mount Dutton	63	64	57	42	57	68
Plateau	Fish Lake	78	67	47	44	63	73
Plateau	Thousand Lakes	79	72	48	60	59	59
Plateau	Boulder	89	70	49	41	49	84
Kaiparowits	Kaiparowits	*	*	*	*	*	*
Paunsaugunt	Paunsaugunt	70	47	42	30	63	62
Panguitch Lake	Panguitch Lake	59	55	58	47	55	57
Zion	Zion	60	48	57	54	53	75
Pine Valley	Pine Valley	71	58	53	40	58	59
Statewide averages		66	59	54	46	63	66

*Insufficient data.

Total deer harvest by management unit, Utah 2001.

Management unit	Buck harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	1123	388	1511	4421	3.5	30.6
Cache	1658	17	1675	8413	3.8	19.9
Ogden	681	73	754	2950	4.2	25.6
Morgan-South Rich	789	376	1165	3006	3.6	33.9
East Canyon	978	430	1408	4387	4.7	28.6
Chalk Creek	719	349	1068	2013	3.7	44.7
Kamas	481	49	530	2631	4.2	20.1
North Slope	394	41	435	2102	4.5	20.7
South Slope	2007	531	2538	6771	4.4	36.7
Book Cliffs	412	11	423	530	4.2	79.8
Nine Mile	388	0	388	1188	3.8	32.7
San Rafael	202	0	202	512	4.5	39.5
La Sal	465	31	496	1505	4.0	33.0
San Juan	917	47	964	2261	3.9	41.9
Henry Mountains	20	0	20	24	4.5	83.3
Central Mountains	4053	200	4253	15746	4.4	26.8
Wasatch Mountains	2736	737	3473	13833	4.5	25.1
Oquirrh-Stansbury	993	0	993	3220	3.7	30.8
West Desert	1106	0	1106	3737	3.8	29.6
Southwest Desert	90	0	90	352	4.0	25.6
Fillmore	930	92	1022	2899	4.3	35.3
Beaver	920	123	1043	3330	4.4	31.3
Monroe	731	144	875	2342	3.9	37.4
Mt Dutton	220	0	220	778	4.5	28.3
Plateau	1553	131	1684	4627	4.3	36.4
Kaiparowits	28	0	28	126	4.3	22.2
Paunsaugunt	184	225	409	528	5.0	68.0
Panguitch Lake	701	62	763	2675	4.5	28.5
Zion	611	0	611	1912	4.4	32.0
Pine Valley	1174	94	1268	3116	3.4	40.7
Unidentified	248	0	248	5379	4.2	4.6
Statewide totals	27512	4151	31663	96524	4.7	32.0

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

Total deer harvest by management unit, Utah 2002.

Management unit	Buck harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	922	170	1092	4352	4.4	24.0
Cache	885	44	929	7455	4.4	12.5
Ogden	401	0	401	3247	4.6	12.3
Morgan-South Rich	642	280	922	2903	4.5	28.5
East Canyon	642	290	932	4223	4.7	19.9
Chalk Creek	767	354	1121	2370	4.6	40.0
Kamas	583	39	622	3370	4.4	18.5
North Slope	620	65	685	2479	4.9	27.6
South Slope	1930	437	2367	6812	5.0	34.7
Book Cliffs	396	17	413	466	4.2	88.6
Nine Mile	336	0	336	1242	5.0	27.1
San Rafael	182	0	182	658	5.3	27.7
La Sal	540	0	540	1678	4.2	32.2
San Juan	734	22	756	2355	4.6	31.6
Henry Mountains	20	0	20	24	—	83.3
Central Mountains	3197	116	3313	15789	4.9	20.8
Wasatch Mountains	2779	779	3558	15488	4.6	23.0
Oquirrh-Stansbury	721	0	721	3036	4.2	23.7
West Desert	690	0	690	2773	4.0	24.9
Southwest Desert	125	0	125	786	5.3	15.9
Fillmore	901	86	987	3637	4.6	27.1
Beaver	936	59	995	4109	4.9	24.2
Monroe	746	118	864	2932	4.9	29.5
Mt Dutton	244	0	244	1150	5.4	21.2
Plateau	1490	104	1594	5081	5.0	31.4
Kaiparowits	46	0	46	153	3.8	30.1
Paunsaugunt	176	100	276	329	—	68.7
Panguitch Lake	827	31	858	3581	7.3	24.0
Zion	576	0	576	2356	5.2	24.4
Pine Valley	1095	34	1129	3841	4.2	29.4
Unidentified	214	0	214	1173	5.9	18.2
Statewide totals	24363	3145	27508	102718	4.7	26.3

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

**Statewide hunters afield were estimated based on the percentage of hunters that hunted multiple units in previous years.

Total deer harvest by management unit, Utah 2003.

Management unit	Buck harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	761	89	850	3102	3.9	26.7
Cache	1556	32	1588	8309	3.9	19.0
Ogden	529	32	561	2433	4.1	22.9
Morgan-South Rich	748	207	955	2270	3.8	38.6
East Canyon	875	321	1196	3715	3.9	30.6
Chalk Creek	749	323	1072	2022	3.8	47.6
Kamas	544	54	598	3042	4.1	19.6
North Slope	340	17	357	2078	4.5	17.2
South Slope	1382	439	1821	5618	4.6	30.7
Book Cliffs	347	10	357	422	4.9	84.6
Nine Mile	253	17	270	1032	3.9	25.6
San Rafael	130	18	148	527	3.5	27.3
La Sal	597	6	603	1764	4.3	34.2
San Juan	457	0	457	2097	5.2	21.8
Henry Mountains	22	0	22	23	4.4	95.7
Central Mountains	3116	226	3342	15310	4.4	21.5
Wasatch Mountains	2775	135	2910	14196	4.6	20.4
Oquirrh-Stansbury	969	66	1035	3374	4.0	30.0
West Desert	500	19	519	2187	4.4	23.4
Southwest Desert	120	4	124	447	4.8	27.7
Fillmore	746	99	845	3164	4.5	26.0
Beaver	587	35	622	3203	5.2	18.7
Monroe	863	130	993	2797	4.7	35.0
Mt Dutton	154	0	154	833	5.1	18.5
Plateau	1239	43	1282	4730	4.9	26.7
Kaiparowits	33	3	36	177	4.1	20.3
Paunsaugunt	118	120	238	262	5.0	74.0
Panguitch Lake	657	0	657	3211	5.0	20.5
Zion	417	6	423	1702	4.2	24.7
Pine Valley	725	73	798	3457	3.8	22.9
Unidentified	216	0	216	1131	4.2	19.1
Statewide totals	22525	2524	25049	90770	4.8	26.9

*Statewide totals for hunters afield do not equal the sum of the columns because some hunters could hunt multiple units.

Total deer harvest by management unit, Utah 2004.

Management unit	Buck harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	889	86	975	3320	3.7	28.8
Cache	1419	46	1465	7601	4.0	19.0
Ogden	662	4	666	2687	3.9	24.7
Morgan-South Rich	818	186	1004	2504	3.8	37.0
East Canyon	858	306	1164	3618	4.4	30.1
Chalk Creek	926	332	1258	2032	3.7	56.2
Kamas	480	37	517	2873	4.4	17.9
North Slope	723	5	728	2105	4.3	34.6
South Slope	2054	576	2630	6372	4.9	38.0
Book Cliffs	391	0	391	442	4.0	88.5
Nine Mile	329	29	358	1389	4.6	25.8
San Rafael	146	0	146	597	4.1	24.5
La Sal	580	0	580	1438	4.3	40.3
San Juan	753	0	753	1743	4.2	43.2
Henry Mountains	21	0	21	25	4.2	84.0
Central Mountains	4248	263	4511	15061	4.3	29.5
Wasatch Mountains	3157	232	3389	13376	4.3	25.0
Oquirrh-Stansbury	725	0	725	3053	4.2	23.7
West Desert	560	8	568	2335	4.4	24.3
Southwest Desert	129	4	133	451	4.9	29.5
Fillmore	1151	50	1201	3654	4.4	32.6
Beaver	1064	0	1064	3472	4.8	30.6
Monroe	884	67	951	3031	4.9	31.1
Mt Dutton	129	0	129	571	4.3	22.6
Plateau	1503	0	1503	4624	4.7	32.5
Kaiparowits	31	0	31	160	5.7	19.4
Paunsaugunt	142	0	142	200	6.3	71.0
Panguitch Lake	978	0	978	3273	5.2	29.9
Zion	798	0	798	2021	4.2	39.5
Pine Valley	944	3	947	3727	4.0	25.4
Unidentified	437	5	442	1758	3.9	25.1
Statewide totals	27929	2239	30168	86505	5.0	34.1

*Statewide totals for hunters afield do not equal the sum of the columns because some hunters could hunt multiple units.

General season any weapon deer harvest by management unit, Utah 2001.

Management unit	Buck harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	766	3055	3.2	25.1
Cache	1274	6548	3.4	19.5
Ogden	458	1811	3.2	25.3
Morgan-South Rich	428	1831	3.3	23.4
East Canyon	756	2289	3.1	33.0
Chalk Creek	498	1115	3.4	44.7
Kamas	318	1622	3.5	19.6
North Slope	240	1208	3.9	19.9
South Slope	1268	3619	3.7	35.0
Nine Mile	255	849	3.3	30.0
San Rafael	152	348	3.6	43.7
La Sal	259	967	3.3	26.8
San Juan	556	1486	3.1	37.4
Central Mountains	1703	7082	3.5	24.0
Wasatch Mountains	2277	9441	3.5	24.1
Oquirrh-Stansbury	742	2398	3.4	30.9
West Desert	765	2881	3.6	26.6
Southwest Desert	51	244	4.1	20.9
Fillmore	557	1739	3.9	32.0
Beaver	611	2009	4.0	30.4
Monroe	477	1234	2.9	38.7
Mt Dutton	146	535	4.1	27.3
Plateau	892	2402	3.8	37.1
Kaiparowits	25	106	4.6	23.6
Panguitch Lake	437	1594	3.7	27.4
Zion	397	1372	3.8	28.9
Pine Valley	877	2227	2.8	39.4
Unidentified	139	486	3.6	28.6
Region totals				
Northern Region	4588	17008	3.6	27.0
Northeastern Region	2662	9091	3.9	29.3
Central Region	3141	9816	3.8	32.0
Southern Region	4472	11990	4.0	37.3
Southeastern Region	2902	9011	3.9	32.2
Statewide totals	17722	56904	3.8	31.1

*Region totals are not the sum of management units because some units are in multiple regions.

**Region and statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General season any weapon deer harvest by management unit, Utah 2002.

Management unit	Buck harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	571	3021	4.3	18.9
Cache	592	5192	3.9	11.4
Ogden	260	2139	3.5	12.2
Morgan-South Rich	322	1692	4.4	19.0
East Canyon	478	2367	3.8	20.2
Chalk Creek	550	1325	4.4	41.5
Kamas	426	2121	3.6	20.1
North Slope	424	1428	4.6	29.7
South Slope	1146	3650	4.2	31.4
Nine Mile	220	685	4.2	32.1
San Rafael	120	355	5.6	33.8
La Sal	306	992	3.4	30.8
San Juan	337	1262	3.5	26.7
Central Mountains	2067	8410	3.8	24.6
Wasatch Mountains	1963	8642	3.6	22.7
Oquirrh-Stansbury	504	1944	3.4	25.9
West Desert	391	1887	3.8	20.7
Southwest Desert	47	215	5.2	21.9
Fillmore	528	1553	3.8	34.0
Beaver	565	1789	4.2	31.6
Monroe	461	1177	3.2	39.2
Mt Dutton	138	518	5.2	26.6
Plateau	740	1893	3.8	39.1
Kaiparowits	30	118	4.1	25.4
Panguitch Lake	403	1436	4.2	28.1
Zion	366	1261	4.4	29.0
Pine Valley	709	2017	3.0	35.2
Unidentified	107	586	5.4	18.3
Region totals				
Northern Region	—	—	—	—
Northeastern Region	—	—	—	—
Central Region	—	—	—	—
Southern Region	—	—	—	—
Southeastern Region	—	—	—	—
Statewide totals	14771	55505	4.2	26.6

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

**Statewide hunters afield were estimated based on the percentage of hunters that hunted multiple units in previous years

General season any weapon deer harvest by management unit, Utah 2003.

Management unit	Buck harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	450	2186	3.6	20.6
Cache	1319	6812	3.6	19.4
Ogden	366	1705	3.6	21.5
Morgan-South Rich	450	1392	3.4	32.3
East Canyon	732	2386	3.4	30.7
Chalk Creek	513	1161	3.4	44.2
Kamas	377	2019	3.5	18.7
North Slope	239	1334	3.9	17.9
South Slope	787	2911	3.8	27.0
Nine Mile	158	717	3.1	22.0
San Rafael	102	388	2.4	26.3
La Sal	311	941	3.0	33.0
San Juan	159	1093	3.3	14.5
Central Mountains	1973	8888	3.2	22.2
Wasatch Mountains	1809	8749	3.7	20.7
Oquirrh-Stansbury	707	2282	3.5	31.0
West Desert	339	1516	3.7	22.4
Southwest Desert	69	247	4.0	27.9
Fillmore	486	1970	3.9	24.7
Beaver	385	1958	4.3	19.7
Monroe	596	1516	3.8	39.3
Mt Dutton	89	535	3.8	16.6
Plateau	795	2408	3.9	33.0
Kaiparowits	28	142	3.5	19.7
Panguitch Lake	373	1844	3.8	20.2
Zion	263	1143	3.1	23.0
Pine Valley	547	2363	3.0	23.1
Unidentified	133	749	3.9	17.8
Region totals				
Northern Region	4321	17180	3.8	25.2
Northeastern Region	2013	9286	4.0	21.7
Central Region	2686	9494	3.9	28.3
Southern Region	3665	12903	4.1	28.4
Southeastern Region	1951	8593	3.1	22.7
Statewide totals	14555	57430	3.8	25.3

*Includes dedicated hunter harvest.

**Region totals are not the sum of management units because some units are in multiple regions.

***Region and statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units

General season any weapon deer harvest by management unit, Utah 2004.

Management unit	Buck harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	629	2295	3.3	27.4
Cache	1114	5597	3.6	19.9
Ogden	465	1704	3.3	27.3
Morgan-South Rich	455	1462	3.2	31.1
East Canyon	678	2140	3.4	31.7
Chalk Creek	639	1094	3.2	58.4
Kamas	339	1704	3.6	19.9
North Slope	546	1241	3.4	44.0
South Slope	1309	3272	3.6	40.0
Nine Mile	215	664	3.0	32.4
San Rafael	83	331	2.9	25.1
La Sal	272	722	3.2	37.7
San Juan	385	970	3.0	39.7
Central Mountains	2781	7577	3.0	36.7
Wasatch Mountains	2102	7193	3.2	29.2
Oquirrh-Stansbury	497	1888	3.8	26.3
West Desert	356	1492	3.8	23.9
Southwest Desert	72	200	4.5	36.0
Fillmore	725	1531	3.4	47.4
Beaver	646	1567	3.7	41.2
Monroe	574	1233	3.6	46.6
Mt Dutton	89	282	4.0	31.6
Plateau	820	1764	3.5	46.5
Kaiparowits	20	59	4.7	33.9
Panguitch Lake	580	1295	3.4	44.8
Zion	502	987	2.8	50.9
Pine Valley	584	1734	2.6	33.7
Unidentified	338	1049	3.5	32.2
Region totals				
Northern Region	4561	15572	3.7	29.3
Northeastern Region	3294	8733	3.6	37.7
Central Region	2742	8414	3.8	32.6
Southern Region	4688	10104	3.6	46.4
Southeastern Region	2556	7212	2.9	35.4
Statewide totals	17815	50053	3.5	35.6

*Region totals are not the sum of management units because some units are in multiple regions.

**Region and statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General season muzzleloader deer harvest by management unit, Utah 2001.

Management unit	Buck harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	112	475	4.1	23.6
Cache	217	866	4.0	25.1
Ogden	110	346	3.8	31.8
Morgan-South Rich	89	288	3.7	30.9
East Canyon	63	197	3.7	32.0
Chalk Creek	49	152	4.0	32.2
Kamas	77	281	3.9	27.4
North Slope	125	469	4.2	26.7
South Slope	424	1196	4.3	35.5
Nine Mile	54	159	3.4	34.0
San Rafael	8	28	4.2	28.6
La Sal	56	149	4.7	37.6
San Juan	145	327	4.6	44.3
Central Mountains	646	2194	4.7	29.4
Wasatch Mountains	429	1864	4.4	23.0
Oquirrh-Stansbury	165	471	4.1	35.0
West Desert	67	337	3.6	19.9
Southwest Desert	6	25	3.3	24.0
Fillmore	98	253	4.1	38.7
Beaver	85	380	4.0	22.4
Monroe	92	297	3.7	31.0
Mt Dutton	25	82	4.8	30.5
Plateau	187	547	4.3	34.2
Kaiparowits	3	16	3.6	18.8
Panguitch Lake	117	367	4.1	31.9
Zion	51	158	3.7	32.3
Pine Valley	85	231	4.1	36.8
Unidentified	11	88	4.7	12.5
Region totals				
Northern Region	759	2535	4.3	29.9
Northeastern Region	802	2721	4.6	29.5
Central Region	551	1766	4.6	31.2
Southern Region	750	2126	4.5	35.3
Southeastern Region	730	2185	4.8	33.4
Statewide totals	3596	11295	4.6	31.8

*Region totals are not the sum of management units because some units are in multiple regions.

**Region and statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General season muzzleloader deer harvest by management unit, Utah 2002.

Management unit	Buck harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	52	439	5.0	11.8
Cache	169	1223	4.3	13.8
Ogden	65	434	4.8	15.0
Morgan-South Rich	41	250	3.4	16.4
East Canyon	46	270	3.4	17.0
Chalk Creek	44	188	3.7	23.4
Kamas	90	385	4.1	23.4
North Slope	139	452	4.3	30.8
South Slope	465	1300	4.4	35.8
Nine Mile	24	106	3.8	22.6
San Rafael	24	32	1.7	75.0
La Sal	83	166	4.0	50.0
San Juan	79	348	4.6	22.7
Central Mountains	493	2027	4.6	24.3
Wasatch Mountains	327	1429	4.0	22.9
Oquirrh-Stansbury	129	493	4.2	26.2
West Desert	71	254	4.2	28.0
Southwest Desert	9	38	4.0	23.7
Fillmore	67	190	3.7	35.3
Beaver	90	283	4.1	31.8
Monroe	64	219	4.0	29.2
Mt Dutton	23	82	3.8	28.0
Plateau	166	423	3.7	39.2
Kaiparowits	3	9	3.9	33.3
Panguitch Lake	125	364	4.1	34.3
Zion	76	166	3.8	45.8
Pine Valley	105	251	3.6	41.8
Unidentified	57	229	4.5	24.9
Region totals				
Northern Region	—	—	—	—
Northeastern Region	—	—	—	—
Central Region	—	—	—	—
Southern Region	—	—	—	—
Southeastern Region	—	—	—	—
Statewide totals	3126	11340	4.5	27.6

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

**Statewide hunters afield were estimated based on the percentage of hunters that hunted multiple units in previous years.

General season muzzleloader deer harvest by management unit, Utah 2003.

Management unit	Buck harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	145	412	4.0	35.2
Cache	161	1043	4.4	15.4
Ogden	70	342	3.7	20.5
Morgan-South Rich	70	300	3.8	23.3
East Canyon	48	225	3.4	21.3
Chalk Creek	70	219	4.7	32.0
Kamas	102	417	3.9	24.5
North Slope	74	457	4.3	16.2
South Slope	387	1222	4.3	31.7
Nine Mile	36	127	3.8	28.3
San Rafael	10	51	5.3	19.6
La Sal	123	364	3.9	33.8
San Juan	144	359	4.6	40.1
Central Mountains	662	2497	4.2	26.5
Wasatch Mountains	501	2001	4.1	25.0
Oquirrh-Stansbury	193	592	4.3	32.6
West Desert	69	328	4.6	21.0
Southwest Desert	33	108	4.2	30.6
Fillmore	123	420	3.9	29.3
Beaver	137	481	4.3	28.5
Monroe	156	382	4.6	40.8
Mt Dutton	47	151	4.9	31.1
Plateau	193	717	4.5	26.9
Kaiparowits	5	14	4.1	35.7
Panguitch Lake	123	472	4.4	26.1
Zion	47	137	2.9	34.3
Pine Valley	104	420	4.0	24.8
Unidentified	46	170	3.3	27.1
Region totals				
Northern Region	722	3007	4.4	24.0
Northeastern Region	770	2837	4.4	27.1
Central Region	575	2006	4.5	28.7
Southern Region	972	3099	4.6	31.4
Southeastern Region	836	2740	4.3	30.5
Statewide totals	3879	13700	4.4	28.3

*Includes dedicated hunter harvest.

**Region totals are not the sum of management units because some units are in multiple regions.

***Region and statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General season muzzleloader deer harvest by management unit, Utah 2004.

Management unit	Buck harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	93	332	3.9	28.0
Cache	200	1174	4.4	17.0
Ogden	88	331	3.6	26.6
Morgan-South Rich	58	219	3.6	26.5
East Canyon	19	180	4.4	10.6
Chalk Creek	73	175	4.0	41.7
Kamas	58	331	3.8	17.5
North Slope	127	472	4.2	26.9
South Slope	431	1049	4.5	41.1
Nine Mile	28	119	4.1	23.5
San Rafael	14	92	3.7	15.2
La Sal	121	246	4.1	49.2
San Juan	135	285	3.7	47.4
Central Mountains	637	2214	4.2	28.8
Wasatch Mountains	526	1819	3.9	28.9
Oquirrh-Stansbury	133	403	3.5	33.0
West Desert	63	277	4.1	22.7
Southwest Desert	0	16	3.8	0.0
Fillmore	38	213	4.0	17.8
Beaver	73	232	4.4	31.5
Monroe	105	295	4.1	35.6
Mt Dutton	16	44	3.9	36.4
Plateau	156	417	4.3	37.4
Kaiparowits	6	6	2.2	100.0
Panguitch Lake	124	289	4.2	42.9
Zion	64	152	3.6	42.1
Pine Valley	83	270	4.3	30.7
Unidentified	50	190	4.0	26.3
Region totals				
Northern Region	648	2898	4.2	22.4
Northeastern Region	830	2429	4.5	34.2
Central Region	610	1722	4.1	35.4
Southern Region	673	1874	4.4	35.9
Southeastern Region	748	2404	4.3	31.1
Statewide totals	3519	11319	4.3	31.1

*Region totals are not the sum of management units because some units are in multiple regions.

**Region and statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General season archery deer harvest by management unit, Utah 2001.

Management unit	Buck harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	31	4	35	202	5.8	17.3
Cache	116	4	120	865	6.7	13.9
Ogden	67	13	80	650	7.3	12.3
Morgan-South Rich	18	0	18	229	7.1	7.9
East Canyon	85	27	112	1416	7.8	7.9
Chalk Creek	36	4	40	287	5.4	13.9
Kamas	76	9	85	668	6.3	12.7
North Slope	26	4	30	382	7.0	7.9
South Slope	161	13	174	1098	7.0	15.8
Nine Mile	31	0	31	126	7.7	24.6
San Rafael	9	0	9	103	7.8	8.7
La Sal	67	0	67	242	6.6	27.7
San Juan	49	0	49	215	8.2	22.8
Central Mountains	475	4	479	3541	6.4	13.5
Wasatch Mountains	408	26	434	3701	6.9	11.7
Oquirrh-Stansbury	49	0	49	314	5.2	15.6
West Desert	40	0	40	237	6.2	16.9
Southwest Desert	4	0	4	54	3.6	7.4
Fillmore	94	0	94	565	6.1	16.6
Beaver	63	0	63	565	6.2	11.2
Monroe	85	0	85	520	5.7	16.3
Mt Dutton	18	0	18	130	6.2	13.8
Plateau	192	0	192	1147	5.7	16.7
Kaiparowits	0	0	0	4	1.0	0.0
Panguitch Lake	72	4	76	560	7.1	13.6
Zion	58	0	58	273	8.0	21.2
Pine Valley	85	0	85	408	6.1	20.8
Unidentified	22	0	22	94	6.8	23.4
Statewide totals	2437	112	2549	14364	8.6	17.7

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General season archery deer harvest by management unit, Utah 2002.

Management unit	Buck harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	0	0	0	84	4.7	0.0
Cache	80	0	80	701	8.1	11.4
Ogden	35	0	35	493	9.5	7.1
Morgan-South Rich	26	4	30	211	6.4	14.2
East Canyon	44	9	53	973	7.0	5.4
Chalk Creek	26	0	26	255	6.3	10.2
Kamas	62	0	62	656	6.8	9.5
North Slope	43	0	43	405	6.8	10.6
South Slope	167	18	185	885	9.4	20.9
Nine Mile	31	0	31	167	8.8	18.6
San Rafael	9	0	9	70	5.8	12.9
La Sal	53	0	53	264	7.7	20.1
San Juan	106	0	106	388	8.0	27.3
Central Mountains	335	0	335	3000	7.9	11.2
Wasatch Mountains	285	22	307	2934	7.3	10.5
Oquirrh-Stansbury	62	0	62	339	8.3	18.3
West Desert	18	0	18	137	6.4	13.1
Southwest Desert	13	0	13	53	6.6	24.5
Fillmore	88	0	88	643	6.9	13.7
Beaver	106	0	106	736	7.4	14.4
Monroe	115	0	115	621	6.6	18.5
Mt Dutton	53	0	53	207	6.5	25.6
Plateau	216	0	216	1190	6.5	18.2
Kaiparowits	13	0	13	26	2.4	50.0
Panguitch Lake	207	0	207	929	13.5	22.3
Zion	44	0	44	313	8.8	14.1
Pine Valley	123	0	123	533	8.4	23.1
Unidentified	35	0	35	313	7.9	11.2
Statewide totals	2395	53	2448	14205	9.7	17.2

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

**Statewide hunters afield were estimated based on the percentage of hunters that hunted multiple units in previous years.

General season archery deer harvest by management unit, Utah 2003.

Management unit	Buck harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	27	5	32	124	7.4	25.8
Cache	55	0	55	397	6.8	13.9
Ogden	46	14	60	305	7.5	19.7
Morgan-South Rich	14	0	14	111	7.2	12.6
East Canyon	60	14	74	674	6.3	11.0
Chalk Creek	28	0	28	166	6.1	16.9
Kamas	65	5	70	549	6.3	12.8
North Slope	27	0	27	268	8.4	10.1
South Slope	88	23	111	775	8.3	14.3
Nine Mile	51	0	51	148	7.2	34.5
San Rafael	18	0	18	60	7.8	30.0
La Sal	106	0	106	388	7.9	27.3
San Juan	97	0	97	526	9.0	18.4
Central Mountains	434	5	439	3529	7.5	12.4
Wasatch Mountains	397	23	420	3239	7.2	13.0
Oquirrh-Stansbury	69	0	69	443	6.0	15.6
West Desert	18	0	18	190	9.4	9.5
Southwest Desert	18	0	18	88	7.8	20.5
Fillmore	106	0	106	600	6.7	17.7
Beaver	65	0	65	743	8.1	8.7
Monroe	111	0	111	678	6.6	16.4
Mt Dutton	18	0	18	138	8.5	13.0
Plateau	185	0	185	1416	6.9	13.1
Kaiparowits	0	0	0	18	8.7	0.0
Panguitch Lake	161	0	161	890	8.0	18.1
Zion	97	0	97	397	7.8	24.4
Pine Valley	74	0	74	563	7.3	13.1
Unidentified	37	0	37	212	5.7	17.5
Statewide totals	2472	89	2561	14423	9.0	17.8

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General season archery deer harvest by management unit, Utah 2004.

Management unit	Buck harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	25	0	25	175	6.9	14.3
Cache	60	0	60	492	7.1	12.2
Ogden	55	0	55	447	6.1	12.3
Morgan-South Rich	30	0	30	181	6.9	16.6
East Canyon	55	20	75	667	8.2	11.2
Chalk Creek	25	0	25	166	6.5	15.1
Kamas	60	0	60	552	7.1	10.9
North Slope	40	5	45	336	7.9	13.4
South Slope	190	35	225	1239	8.4	18.2
Nine Mile	50	0	50	446	7.5	11.2
San Rafael	25	0	25	100	6.9	25.0
La Sal	120	0	120	306	7.1	39.2
San Juan	95	0	95	306	8.2	31.0
Central Mountains	382	0	382	2539	7.3	15.0
Wasatch Mountains	230	20	250	2568	6.9	9.7
Oquirrh-Stansbury	15	0	15	251	6.7	6.0
West Desert	25	0	25	165	8.5	15.2
Southwest Desert	20	0	20	60	8.3	33.3
Fillmore	105	0	105	587	6.4	17.9
Beaver	110	0	110	612	7.1	18.0
Monroe	75	0	75	592	7.2	12.7
Mt Dutton	10	0	10	70	6.5	14.3
Plateau	205	0	205	938	6.4	21.9
Kaiparowits	5	0	5	30	7.9	16.7
Panguitch Lake	100	0	100	803	7.7	12.5
Zion	80	0	80	366	7.9	21.9
Pine Valley	75	0	75	497	7.9	15.1
Unidentified	20	5	25	171	7.5	14.6
Statewide totals	2287	85	2372	13347	8.5	17.8

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

Dedicated hunter any weapon, muzzleloader, and archery deer harvest by management unit, Utah 2001.

Management unit	Buck harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	14	—	—	—
Cache	25	—	—	—
Ogden	18	—	—	—
Morgan-South Rich	10	—	—	—
East Canyon	21	—	—	—
Chalk Creek	21	—	—	—
Kamas	10	—	—	—
North Slope	3	—	—	—
South Slope	13	—	—	—
Nine Mile	35	—	—	—
San Rafael	33	—	—	—
La Sal	14	—	—	—
San Juan	17	—	—	—
Central Mountains	178	—	—	—
Wasatch Mountains	116	—	—	—
Oquirrh-Stansbury	37	—	—	—
West Desert	41	—	—	—
Southwest Desert	29	—	—	—
Fillmore	154	—	—	—
Beaver	161	—	—	—
Monroe	77	—	—	—
Mt Dutton	31	—	—	—
Plateau	170	—	—	—
Kaiparowits	0	—	—	—
Panguitch Lake	75	—	—	—
Zion	94	—	—	—
Pine Valley	127	—	—	—
Unidentified	76	—	—	—
Region totals				
Northern Region	122	—	—	—
Northeastern Region	118	—	—	—
Central Region	302	—	—	—
Southern Region	918	—	—	—
Southeastern Region	64	—	—	—
Unknown	76	—	—	—
Statewide totals	1600	6235	—	25.7

*Only harvest data was collected by management unit.

Dedicated hunter any weapon, muzzleloader, and archery deer harvest by management unit, Utah 2002.

Management unit	Buck harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	7	99	—	7.1
Cache	14	175	—	8.0
Ogden	8	130	—	6.2
Morgan-South Rich	3	68	—	4.4
East Canyon	10	183	—	5.5
Chalk Creek	23	150	—	15.3
Kamas	5	158	—	3.2
North Slope	14	112	—	12.5
South Slope	14	217	—	6.5
Nine Mile	39	253	—	15.4
San Rafael	29	201	—	14.4
La Sal	23	163	—	14.1
San Juan	16	94	—	17.0
Central Mountains	172	1991	—	8.6
Wasatch Mountains	102	1198	—	8.5
Oquirrh-Stansbury	26	260	—	10.0
West Desert	26	276	—	9.4
Southwest Desert	56	480	—	11.7
Fillmore	174	1037	—	16.8
Beaver	175	1184	—	14.8
Monroe	106	726	—	14.6
Mt Dutton	30	343	—	8.7
Plateau	246	1200	—	20.5
Kaiparowits	0	0	—	—
Panguitch Lake	92	807	—	11.4
Zion	79	601	—	13.1
Pine Valley	158	992	—	15.9
Unidentified	15	45	—	33.3
Region totals				
Northern Region	—	—	—	—
Northeastern Region	—	—	—	—
Central Region	—	—	—	—
Southern Region	—	—	—	—
Southeastern Region	—	—	—	—
Statewide totals	1662	6013	—	27.6

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

**Statewide hunters afield were estimated based on the percentage of hunters that hunted multiple units in previous years.

Dedicated hunter any weapon deer harvest by management unit, Utah 2004.

Management unit	Buck harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	0	10	2.3	0.0
Cache	28	99	3.3	28.3
Ogden	0	38	3.8	0.0
Morgan-South Rich	28	42	2.8	66.7
East Canyon	38	71	3.2	53.5
Chalk Creek	0	9	5.8	0.0
Kamas	9	71	4.1	12.7
North Slope	0	0	—	—
South Slope	24	48	3.4	50.0
Nine Mile	0	20	2.3	0.0
San Rafael	10	25	1.4	40.0
La Sal	15	40	3.3	37.5
San Juan	0	0	—	—
Central Mountains	180	730	3.4	24.7
Wasatch Mountains	106	403	3.2	26.3
Oquirrh-Stansbury	50	167	3.9	29.9
West Desert	18	100	4.1	18.0
Southwest Desert	23	64	4.3	35.9
Fillmore	189	511	4.3	37.0
Beaver	179	451	4.6	39.7
Monroe	97	308	4.0	31.5
Mt Dutton	5	78	4.2	6.4
Plateau	161	488	4.0	33.0
Kaiparowits	0	37	6.0	0.0
Panguitch Lake	110	308	4.4	35.7
Zion	92	207	2.8	44.4
Pine Valley	133	478	2.9	27.8
Unidentified	19	140	2.4	13.6
Region totals				
Northern Region	104	326	3.6	31.9
Northeastern Region	57	158	3.2	36.1
Central Region	243	865	4.0	28.1
Southern Region	998	2802	4.2	35.6
Southeastern Region	111	483	2.9	23.0
Statewide totals	1514	4647	3.9	32.6

*Region totals are not the sum of management units because some units are in multiple regions.

**Region and statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

Dedicated hunter muzzleloader deer harvest by management unit, Utah 2004.

Management unit	Buck harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	0	0	—	—
Cache	5	90	2.9	5.6
Ogden	0	28	4.0	0.0
Morgan-South Rich	0	42	2.6	0.0
East Canyon	0	19	4.0	0.0
Chalk Creek	9	42	3.1	21.4
Kamas	9	66	3.0	13.6
North Slope	5	24	3.0	20.8
South Slope	5	34	3.9	14.7
Nine Mile	5	30	3.2	16.7
San Rafael	5	15	4.0	33.3
La Sal	5	30	4.4	16.7
San Juan	5	5	4.0	100.0
Central Mountains	128	745	4.2	17.2
Wasatch Mountains	74	432	3.5	17.1
Oquirrh-Stansbury	5	180	4.3	2.8
West Desert	14	95	3.7	14.7
Southwest Desert	14	74	3.9	18.9
Fillmore	37	419	4.4	8.8
Beaver	37	340	4.3	10.9
Monroe	28	294	4.3	9.5
Mt Dutton	9	55	4.3	16.4
Plateau	78	543	4.4	14.4
Kaiparowits	0	28	5.9	0.0
Panguitch Lake	55	308	4.7	17.9
Zion	23	138	4.1	16.7
Pine Valley	60	478	4.1	12.6
Unidentified	5	129	2.6	3.9
Region totals				
Northern Region	24	302	3.2	7.9
Northeastern Region	48	182	3.7	26.4
Central Region	77	780	4.2	9.9
Southern Region	340	2581	4.6	13.2
Southeastern Region	131	608	4.0	21.5
Statewide totals	620	4452	4.3	13.9

*Region totals are not the sum of management units because some units are in multiple regions.

**Region and statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

Dedicated hunter archery deer harvest by management unit, Utah 2004.

Management unit	Buck harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	0	0	—	—
Cache	0	93	6.5	0.0
Ogden	0	56	7.2	0.0
Morgan-South Rich	0	37	7.2	0.0
East Canyon	0	121	6.7	0.0
Chalk Creek	9	47	4.9	19.1
Kamas	5	112	5.4	4.5
North Slope	5	32	5.5	15.6
South Slope	0	56	7.3	0.0
Nine Mile	5	28	6.6	17.9
San Rafael	9	19	12.5	47.4
La Sal	0	33	6.5	0.0
San Juan	0	5	1.8	0.0
Central Mountains	38	810	7.1	4.7
Wasatch Mountains	29	600	8.6	4.8
Oquirrh-Stansbury	5	144	7.4	3.5
West Desert	5	70	7.9	7.1
Southwest Desert	0	33	6.5	0.0
Fillmore	5	256	6.5	2.0
Beaver	19	270	7.2	7.0
Monroe	5	191	8.0	2.6
Mt Dutton	0	42	4.1	0.0
Plateau	23	307	7.2	7.5
Kaiparowits	0	0	—	—
Panguitch Lake	9	270	9.0	3.3
Zion	14	144	6.7	9.7
Pine Valley	9	237	6.5	3.8
Unidentified	5	79	6.4	6.3
Statewide totals	199	3466	8.6	5.7

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General season deer harvest statistics by subunit and weapon type, Box Elder Unit, Utah.

Year	Hunt type	Subunit	Harvest	Hunters afield	Mean days hunted	Success rate (%)
2001	Archery	West Box Elder	26	121	5.2	21.5
		East Box Elder	9	81	6.6	11.1
	Any weapon	West Box Elder	348	1831	3.3	19.0
		East Box Elder	418	1224	3.1	34.2
	Muzzleloader	West Box Elder	68	339	4.1	20.1
		East Box Elder	44	136	4.1	32.4
2002	Archery	West Box Elder	0	53	3.6	0.0
		East Box Elder	0	31	6.5	0.0
	Any weapon	West Box Elder	363	1962	4.2	18.5
		East Box Elder	208	1059	4.5	19.6
	Muzzleloader	West Box Elder	38	297	5.4	12.8
		East Box Elder	14	142	4.2	9.9
2003	Archery	West Box Elder	23	78	6.4	29.5
		East Box Elder	9	46	9.1	19.6
	Any weapon	West Box Elder	283	1454	3.8	19.5
		East Box Elder	167	732	3.1	22.8
	Muzzleloader	West Box Elder	86	268	4.2	32.1
		East Box Elder	59	144	3.8	41.0
2004	Archery	West Box Elder	10	90	6.2	11.1
		East Box Elder	15	85	7.6	17.6
	Any weapon	West Box Elder	397	1530	3.4	25.9
		East Box Elder	232	765	3.1	30.3
	Muzzleloader	West Box Elder	78	244	4.1	32.0
		East Box Elder	15	88	3.6	17.0
	Dedicated hunter	West Box Elder	0	5	2.8	0.0
		East Box Elder	0	5	1.8	0.0

General season deer harvest statistics by subunit and weapon type, Cache Unit, Utah.

Year	Hunt type	Subunit	Harvest	Hunters afield	Mean days hunted	Success rate (%)
2001	Archery	Cache	71	489	6.9	14.5
		North Rich	31	282	6.7	11.0
		Wellsville	18	94	5.4	19.1
	Any weapon	Cache	607	3453	3.4	17.6
		North Rich	289	2100	3.5	13.8
		Wellsville	378	995	2.8	38.0
	Muzzleloader	Cache	89	414	4.1	21.5
		North Rich	84	307	3.9	27.4
		Wellsville	44	145	4.2	30.3
2002	Archery	Cache	31	326	8.1	9.5
		North Rich	40	260	8.3	15.4
		Wellsville	9	115	8.0	7.8
	Any weapon	Cache	218	2357	3.7	9.2
		North Rich	270	2357	4.1	11.5
		Wellsville	104	478	3.9	21.8
	Muzzleloader	Cache	74	609	4.6	12.2
		North Rich	65	431	4.0	15.1
		Wellsville	30	183	3.9	16.4
2003	Archery	Cache	32	254	6.9	12.6
		North Rich	23	92	6.6	25.0
		Wellsville	0	51	6.7	0.0
	Any weapon	Cache	743	4384	3.8	16.9
		North Rich	314	1758	3.4	17.9
		Wellsville	262	670	3.0	39.1
	Muzzleloader	Cache	96	583	4.2	16.5
		North Rich	54	364	4.7	14.8
		Wellsville	11	96	4.5	11.5
2004	Archery	Cache	30	241	6.4	12.4
		North Rich	15	176	6.6	8.5
		Wellsville	15	75	10.3	20.0
	Any weapon	Cache	726	3360	3.8	21.6
		North Rich	223	1511	3.5	14.8
		Wellsville	165	726	3.1	22.7
	Muzzleloader	Cache	83	648	4.6	12.8
		North Rich	63	351	3.8	17.9
		Wellsville	54	175	4.5	30.9
	Dedicated hunter	Cache	24	221	4.7	10.9
		North Rich	9	47	2.8	19.1
		Wellsville	0	14	2.4	0.0

General season deer harvest statistics by subunit and weapon type, North Slope Unit, Utah.

Year	Hunt type	Subunit	Harvest	Hunters afield	Mean days hunted	Success rate (%)
2001	Archery	Summit	22	211	6.5	10.4
		West Daggett	4	90	8.7	4.4
		Three Corners	4	81	6.5	4.9
	Any weapon	Summit	30	338	3.4	8.9
		West Daggett	138	628	4.3	22.0
		Three Corners	72	242	3.6	29.8
	Muzzleloader	Summit	33	131	4.0	25.2
		West Daggett	66	228	4.6	28.9
		Three Corners	26	110	3.7	23.6
2002	Archery	Summit	26	291	7.1	8.9
		West Daggett	13	79	6.6	16.5
		Three Corners	4	35	4.5	11.4
	Any weapon	Summit	93	529	5.5	17.6
		West Daggett	213	578	4.4	36.9
		Three Corners	118	321	3.5	36.8
	Muzzleloader	Summit	38	180	4.4	21.1
		West Daggett	66	202	4.4	32.7
		Three Corners	35	70	3.6	50.0
2003	Archery	Summit	18	148	8.3	12.2
		West Daggett	9	92	9.1	9.8
		Three Corners	0	28	6.9	0.0
	Any weapon	Summit	84	460	3.7	18.3
		West Daggett	81	585	3.9	13.8
		Three Corners	74	289	4.0	25.6
	Muzzleloader	Summit	32	193	4.3	16.6
		West Daggett	33	198	4.4	16.7
		Three Corners	9	66	3.9	13.6
2004	Archery	Summit	30	196	8.2	15.3
		West Daggett	10	90	7.7	11.1
		Three Corners	5	50	7.0	10.0
	Any weapon	Summit	107	358	3.4	29.9
		West Daggett	282	596	3.5	47.3
		Three Corners	157	287	3.0	54.7
	Muzzleloader	Summit	49	248	3.9	19.8
		West Daggett	37	142	4.6	26.1
		Three Corners	41	82	4.1	50.0
	Dedicated hunter	Summit	5	42	4.9	11.9
		West Daggett	5	5	2.8	100.0
		Three Corners	0	9	3.1	0.0

General season deer harvest statistics by subunit and weapon type, South Slope Unit, Utah.

Year	Hunt type	Subunit	Harvest	Hunters afield	Mean days hunted	Success rate (%)
2001	Archery	Yellowstone	53	444	6.7	11.9
		Vernal	121	641	7.4	18.9
		Bonanza	0	13	3.1	0.0
	Any weapon	Yellowstone	637	1965	3.7	32.4
		Vernal	587	1513	3.8	38.8
		Bonanza	44	141	3.7	31.2
	Muzzleloader	Yellowstone	210	574	4.0	36.6
		Vernal	210	587	4.6	35.8
		Bonanza	4	35	4.5	11.4
2002	Archery	Yellowstone	53	396	9.7	13.4
		Vernal	132	489	9.2	27.0
		Bonanza	0	0	—	—
	Any weapon	Yellowstone	561	1999	4.3	28.1
		Vernal	511	1485	4.1	34.4
		Bonanza	74	166	3.7	44.6
	Muzzleloader	Yellowstone	206	606	4.3	34.0
		Vernal	250	672	4.4	37.2
		Bonanza	9	22	4.2	40.9
2003	Archery	Yellowstone	28	374	7.6	7.5
		Vernal	78	392	9.0	19.9
		Bonanza	5	9	6.1	55.6
	Any weapon	Yellowstone	376	1630	4.0	23.1
		Vernal	387	1210	3.5	32.0
		Bonanza	24	71	3.5	33.8
	Muzzleloader	Yellowstone	184	595	4.1	30.9
		Vernal	189	585	4.6	32.3
		Bonanza	14	42	3.9	33.3
2004	Archery	Yellowstone	65	391	8.7	16.6
		Vernal	145	803	8.3	18.1
		Bonanza	15	45	8.2	33.3
	Any weapon	Yellowstone	574	1618	3.7	35.5
		Vernal	672	1488	3.5	45.2
		Bonanza	63	166	4.3	38.0
	Muzzleloader	Yellowstone	165	440	4.3	37.5
		Vernal	257	582	4.7	44.2
		Bonanza	9	27	5.4	33.3
	Dedicated hunter	Yellowstone	24	90	4.6	26.7
		Vernal	5	48	6.1	10.4
		Bonanza	0	0	—	—

General season deer harvest statistics by subunit and weapon type, Nine Mile Unit, Utah.

Year	Hunt type	Subunit	Harvest	Hunters afield	Mean days hunted	Success rate (%)
2001	Archery	Anthro	0	27	7.6	0.0
		Range Creek	31	99	7.7	31.3
	Any weapon	Anthro	91	261	3.2	34.9
		Range Creek	164	588	3.3	27.9
	Muzzleloader	Anthro	22	74	3.1	29.7
		Range Creek	32	85	3.7	37.6
2002	Archery	Anthro	9	48	8.4	18.8
		Range Creek	22	119	9.0	18.5
	Any weapon	Anthro	88	240	5.1	36.7
		Range Creek	132	445	3.7	29.7
	Muzzleloader	Anthro	0	35	3.3	0.0
		Range Creek	24	71	4.1	33.8
2003	Archery	Anthro	5	28	8.8	17.9
		Range Creek	46	120	6.9	38.3
	Any weapon	Anthro	50	266	4.1	18.8
		Range Creek	108	451	2.6	23.9
	Muzzleloader	Anthro	5	24	4.3	20.8
		Range Creek	31	103	3.7	30.1
2004	Archery	Anthro	10	60	6.5	16.7
		Range Creek	40	386	7.7	10.4
	Any weapon	Anthro	108	327	3.7	33.0
		Range Creek	107	337	2.2	31.8
	Muzzleloader	Anthro	9	27	4.3	33.3
		Range Creek	19	92	4.1	20.7
Dedicated hunter	Anthro	0	9	2.6	0.0	
		Range Creek	10	69	4.4	14.5

General season deer harvest statistics by subunit and weapon type, Central Mountains Unit, Utah.

Year	Hunt type	Subunit	Harvest	Hunters afield	Mean days hunted	Success rate (%)
2001	Archery	Nebo	112	659	6.6	17.0
		North Manti	152	1161	6.3	13.1
		South Manti	215	1721	6.4	12.5
	Any weapon	Nebo	936	3482	2.8	26.9
		North Manti	569	2023	3.8	28.1
		South Manti	1170	3952	4.1	29.6
	Muzzleloader	Nebo	162	569	4.4	28.5
		North Manti	202	653	4.6	30.9
		South Manti	282	972	4.9	29.0
2002	Archery	Nebo	75	542	8.2	13.8
		North Manti	97	859	7.7	11.3
		South Manti	163	1599	8.0	10.2
	Any weapon	Nebo	823	2880	3.0	28.6
		North Manti	457	2146	3.8	21.3
		South Manti	787	3384	4.4	23.3
	Muzzleloader	Nebo	157	508	4.8	30.9
		North Manti	134	645	4.8	20.8
		South Manti	202	874	4.3	23.1
2003	Archery	Nebo	102	664	7.8	15.4
		North Manti	92	1020	7.4	9.0
		South Manti	245	1845	7.5	13.3
	Any weapon	Nebo	721	3040	3.7	23.7
		North Manti	483	2085	2.9	23.2
		South Manti	769	3763	3.0	20.4
	Muzzleloader	Nebo	144	584	4.4	24.7
		North Manti	174	723	4.0	24.1
		South Manti	344	1190	4.2	28.9
2004	Archery	Nebo	90	522	7.3	17.2
		North Manti	146	868	7.3	16.8
		South Manti	146	1149	7.2	12.7
	Any weapon	Nebo	1095	2749	3.5	39.8
		North Manti	645	1899	2.6	34.0
		South Manti	1041	2929	2.8	35.5
	Muzzleloader	Nebo	188	447	4.1	42.1
		North Manti	203	700	3.8	29.0
		South Manti	246	1067	4.4	23.1
Dedicated hunter	Dedicated hunter	Nebo	118	814	4.7	14.5
		North Manti	119	623	4.6	19.1
		South Manti	109	848	5.5	12.9

General season deer harvest statistics by subunit and weapon type, Wasatch Mountains Unit, Utah.

Year	Hunt type	Subunit	Harvest	Hunters afield	Mean days hunted	Success rate (%)
2001	Archery	Diamond Fork	67	659	6.2	10.2
		Heber	81	574	7.0	14.1
		Salt Lake	161	1407	8.0	11.4
		Timpanogos	31	161	7.4	19.3
		Currant Creek	67	775	5.4	8.6
		Avintaquin	27	125	8.5	21.6
	Any weapon	Diamond Fork	353	1458	3.4	24.2
		Heber	514	2116	3.5	24.3
		Salt Lake	30	45	2.0	66.7
		Timpanogos	156	535	3.3	29.2
Muzzleloader	Any weapon	Diamond Fork	556	2558	3.6	21.7
		Heber	94	370	3.8	25.4
		Salt Lake	124	563	4.0	22.0
		Timpanogos	120	407	4.3	29.5
		Currant Creek	4	4	2.8	100.0
	Muzzleloader	Avintaquin	32	158	3.7	20.3
		Diamond Fork	140	666	4.8	21.0
		Heber	9	66	5.0	13.6
		Salt Lake	48	427	6.7	11.2
		Timpanogos	48	181	5.8	14.4
2002	Archery	Avintaquin	18	62	6.5	29.0
		Diamond Fork	57	511	6.6	11.2
		Heber	66	542	7.2	12.2
		Salt Lake	92	1211	8.3	7.6
		Timpanogos	26	181	5.8	14.4
		Currant Creek	48	427	6.7	11.2
	Any weapon	Avintaquin	434	2415	3.8	18.0
		Diamond Fork	18	62	6.5	29.0
		Heber	468	1737	3.2	26.9
		Salt Lake	50	121	2.8	41.3
Muzzleloader	Any weapon	Timpanogos	315	1040	3.0	30.3
		Currant Creek	578	2818	3.9	20.5
		Avintaquin	118	511	4.4	23.1
		Diamond Fork	43	275	3.9	15.6
		Heber	46	175	4.0	26.3
	Muzzleloader	Salt Lake	7	14	3.3	50.0
		Timpanogos	59	197	3.2	29.9
		Currant Creek	119	641	4.1	18.6
		Avintaquin	53	127	4.3	41.7

General season deer harvest statistics by subunit and weapon type, Wasatch Mountains Unit, Utah (cont.).

Year	Hunt type	Subunit	Harvest	Hunters afield	Mean days hunted	Success rate (%)
2003	Archery	Diamond Fork	92	697	7.2	13.2
		Heber	120	715	7.0	16.8
		Salt Lake	97	1043	8.0	9.3
		Timpanogos	28	263	6.5	10.6
		Currant Creek	69	429	6.5	16.1
		Avintaquin	14	92	5.7	15.2
	Any weapon	Diamond Fork	405	2285	3.6	17.7
		Heber	507	2344	3.7	21.6
		Salt Lake	37	59	3.2	62.7
		Timpanogos	272	942	3.3	28.9
2004	Muzzleloader	Diamond Fork	511	2665	3.9	19.2
		Heber	77	454	4.2	17.0
		Salt Lake	116	471	4.2	24.6
		Timpanogos	120	574	4.0	20.9
		Currant Creek	4	29	3.8	13.8
		Avintaquin	58	177	3.0	32.8
	Dedicated hunter	Diamond Fork	170	656	4.5	25.9
		Heber	33	94	4.5	35.1
		Salt Lake	70	622	7.0	11.3
		Timpanogos	50	672	7.1	7.4
		Currant Creek	55	542	7.7	10.1
	Any weapon	Avintaquin	20	236	5.3	8.5
		Diamond Fork	40	401	6.3	10.0
		Heber	15	95	5.9	15.8
		Salt Lake	357	1896	3.4	18.8
		Timpanogos	506	1896	3.1	26.7
	Muzzleloader	Currant Creek	55	134	2.9	25.4
		Avintaquin	34	753	2.8	30.3
		Diamond Fork	856	2214	3.2	38.7
		Heber	121	300	3.5	40.3
		Salt Lake	138	477	4.0	28.9
	Dedicated hunter	Timpanogos	184	586	3.7	31.4
		Currant Creek	11	22	2.2	50.0
		Avintaquin	33	170	4.0	19.4
		Diamond Fork	133	486	4.2	27.4
		Heber	27	78	4.8	34.6
		Salt Lake	55	504	3.8	10.9
		Timpanogos	79	313	4.9	25.2
		Currant Creek	14	191	13.6	7.3
		Avintaquin	23	191	3.6	12.0
		Diamond Fork	33	203	4.5	16.3
		Heber	5	33	7.5	15.2

General season deer harvest statistics by subunit and weapon type, West Desert Unit, Utah.

Year	Hunt type	Subunit	Harvest	Hunters afield	Mean days hunted	Success rate (%)
2001	Archery	West Desert	4	22	8.4	18.2
		Tintic	36	215	6.0	16.7
	Any weapon	West Desert	230	757	3.4	30.4
		Tintic	535	2124	3.6	25.2
	Muzzleloader	West Desert	18	84	3.5	21.4
		Tintic	49	253	3.7	19.4
2002	Archery	West Desert	0	40	8.9	0.0
		Tintic	18	97	5.4	18.6
	Any weapon	West Desert	114	525	3.6	21.7
		Tintic	277	1362	3.9	20.3
	Muzzleloader	West Desert	32	79	4.1	40.5
		Tintic	39	175	4.2	22.3
2003	Archery	West Desert	0	42	5.8	0.0
		Tintic	18	148	10.5	12.2
	Any weapon	West Desert	103	427	4.0	24.1
		Tintic	236	1089	3.7	21.7
	Muzzleloader	West Desert	16	53	4.7	30.2
		Tintic	53	275	4.6	19.3
2004	Archery	West Desert	5	30	12.5	16.7
		Tintic	20	135	7.5	14.8
	Any weapon	West Desert	60	363	4.1	16.5
		Tintic	296	1129	3.7	26.2
	Muzzleloader	West Desert	11	52	3.5	21.2
		Tintic	52	225	4.2	23.1
Dedicated hunter	West Desert	9	101	5.0	8.9	
		Tintic	28	164	4.9	17.1

General season deer harvest statistics by subunit and weapon type, Plateau Unit, Utah.

Year	Hunt type	Subunit	Buck harvest	Hunters afield	Mean days hunted	Success rate (%)
2001	Archery	Fish Lake	125	820	6.0	15.2
		Boulder	67	327	4.9	20.5
	Any weapon	Fish Lake	393	1281	4.0	30.7
		Boulder	499	1121	3.6	44.5
	Muzzleloader	Fish Lake	108	364	4.4	29.7
		Boulder	79	183	4.1	43.2
2002	Archery	Fish Lake	132	705	6.6	18.7
		Boulder	84	485	6.4	17.3
	Any weapon	Fish Lake	360	982	3.7	36.7
		Boulder	380	911	4.0	41.7
	Muzzleloader	Fish Lake	76	254	3.9	29.9
		Boulder	90	169	3.3	53.3
2003	Archery	Fish Lake	120	927	7.2	12.9
		Boulder	65	489	6.3	13.3
	Any weapon	Fish Lake	434	1334	3.8	32.5
		Boulder	361	1074	4.0	33.6
	Muzzleloader	Fish Lake	113	434	4.6	26.0
		Boulder	80	283	4.2	28.3
2004	Archery	Fish Lake	125	637	6.4	19.6
		Boulder	80	301	6.3	26.6
	Any weapon	Fish Lake	397	902	3.4	44.0
		Boulder	423	862	3.6	49.1
	Muzzleloader	Fish Lake	70	191	4.0	36.6
		Boulder	86	226	4.5	38.1
Dedicated hunter	Fish Lake	180	955	4.8	18.8	
		Boulder	82	383	5.1	21.4

Limited entry buck deer harvest, Utah 2001.

Hunt type	Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Archery	Henry Mountains	4	5	5	6.3	80.0
	Paunsaugunt	31	66	64	8.4	48.4
	South Slope, Diamond Mountain	22	32	30	7.6	73.3
	Book Cliffs	51	81	66	5.2	77.3
	San Juan, Elk Ridge	16	20	16	2.8	100.0
	West Desert, Vernon	24	40	38	8.5	63.2
	Plateau, Thousand Lakes	2	20	20	6.3	10.0
Any weapon	Henry Mountains	12	14	14	3.8	85.7
	Paunsaugunt	106	174	172	63	61.6
	South Slope, Diamond Mountain	88	94	91	2.8	96.7
	Book Cliffs	296	368	361	4.1	82.0
	La Sal, Dolores Triangle	21	25	25	3.8	84.0
	San Juan, Elk Ridge	52	58	58	3.9	89.7
	West Desert, Vernon	136	164	162	3.6	84.0
	Fillmore, Oak Creek	26	62	62	3.8	41.9
	Plateau, Thousand Lakes	49	60	60	3.8	81.7
Muzzleloader	Henry Mountains	4	5	5	4.8	80.0
	Paunsaugunt	30	58	55	8.3	54.5
	Cache, Crawford Mountain	19	33	33	4.8	57.6
	South Slope, Diamond Mountain	31	33	33	4.0	93.9
	Book Cliffs	65	81	81	4.6	80.2
	La Sal, Dolores Triangle	23	28	28	4.8	82.1
	San Juan, Elk Ridge	13	15	13	3.7	100.0
	West Desert, Vernon	32	40	40	6.3	80.0
	Plateau, Thousand Lakes	12	20	20	4.8	60.0
Totals	Archery	160	264	239	6.8	62.8
	Any weapon	786	1019	1005	4.2	78.2
	Muzzleloader	229	313	308	5.4	74.4
	Statewide	1175	1596	1552	4.8	75.7

Limited entry buck deer harvest, Utah 2002.

Hunt type	Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Archery	Henry Mountains	4	5	5	—	80.0
	Paunsaugunt	25	49	49	—	51.0
	South Slope, Diamond Mountain	23	32	29	5.7	79.3
	Book Cliffs	46	70	65	5.9	70.8
	San Juan, Elk Ridge	19	20	20	—	95.0
	West Desert, Vernon	13	30	30	8.5	43.3
	Plateau, Thousand Lakes	10	20	19	—	52.6
Any weapon	Henry Mountains	12	14	14	—	85.7
	Paunsaugunt	84	127	127	—	66.1
	South Slope, Diamond Mountain	86	94	93	2.9	92.5
	Book Cliffs	300	322	315	3.7	95.2
	La Sal, Dolores Triangle	19	22	22	—	86.4
	San Juan, Elk Ridge	55	58	58	—	94.8
	West Desert, Vernon	142	164	160	3.5	88.8
	Fillmore, Oak Creek	31	62	62	—	50.0
	Plateau, Thousand Lakes	41	55	55	—	74.5
Muzzleloader	Henry Mountains	4	5	5	—	80.0
	Paunsaugunt	38	45	45	—	84.4
	Cache, Crawford Mountain	19	33	31	5.8	61.3
	South Slope, Diamond Mountain	29	33	32	3.3	90.6
	Book Cliffs	50	70	66	4.5	75.8
	La Sal, Dolores Triangle	21	25	25	—	84.0
	San Juan, Elk Ridge	12	15	15	—	80.0
	West Desert, Vernon	29	30	29	6.5	100.0
	Plateau, Thousand Lakes	10	20	20	—	50.0
Totals	Archery	140	226	217	3.7	64.5
	Any weapon	770	918	906	2.2	85.0
	Muzzleloader	212	276	268	2.9	79.1
	Statewide	1122	1420	1391	2.6	80.1

Limited entry buck deer harvest, Utah 2003.

Hunt type	Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Archery	Henry Mountains	3	5	4	6.8	75.0
	Paunsaugunt	16	30	28	8.0	57.1
	South Slope, Diamond Mountain	22	32	32	7.2	68.8
	Book Cliffs	42	60	60	6.4	70.0
	San Juan, Elk Ridge	8	10	10	5.8	80.0
	West Desert, Vernon	6	28	28	9.3	21.4
	Fillmore, Oak Creek	2	14	14	7.7	14.3
	Plateau, Thousand Lakes	2	9	7	6.3	28.6
Any weapon	Henry Mountains	14	14	14	3.8	100.0
	Paunsaugunt	54	90	90	5.3	60.0
	South Slope, Diamond Mountain	72	94	91	3.6	79.1
	Book Cliffs	261	290	287	4.7	90.9
	La Sal, Dolores Triangle	20	20	20	6.8	100.0
	San Juan, Elk Ridge	25	27	27	6.3	92.6
	West Desert, Vernon	55	83	83	3.4	66.3
	Fillmore, Oak Creek	20	28	28	6.8	71.4
	Plateau, Thousand Lakes	14	25	25	5.8	56.0
Muzzleloader	Henry Mountains	5	5	5	4.0	100.0
	Paunsaugunt	18	30	30	7.9	60.0
	Cache, Crawford Mountain	21	33	29	3.6	72.4
	South Slope, Diamond Mountain	26	33	32	4.4	81.3
	Book Cliffs	44	60	58	4.3	75.9
	La Sal, Dolores Triangle	6	10	10	4.3	60.0
	San Juan, Elk Ridge	10	10	10	4.3	100.0
	West Desert, Vernon	13	28	28	5.1	46.4
	Fillmore, Oak Creek	9	14	14	4.4	64.3
	Plateau, Thousand Lakes	8	10	10	3.0	80.0
Totals	Archery	101	188	183	7.3	55.2
	Any weapon	535	671	665	4.7	80.5
	Muzzleloader	160	233	226	4.7	70.8
	Statewide	796	1092	1074	5.1	74.1

Limited entry buck deer harvest, Utah 2004.

Hunt type	Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Archery	Henry Mountains	4	6	5	7.0	80.0
	Paunsaugunt	13	31	30	8.4	43.3
	South Slope, Diamond Mountain	8	15	15	6.2	53.3
	Book Cliffs	38	62	59	6.0	64.4
	San Juan, Elk Ridge	7	8	8	6.8	87.5
	West Desert, Vernon	7	22	19	10.2	36.8
	Fillmore, Oak Creek	2	13	11	8.4	18.2
	Plateau, Thousand Lakes	2	7	7	6.7	28.6
Any weapon	Henry Mountains	13	15	15	3.1	86.7
	Paunsaugunt	81	112	111	5.8	73.0
	South Slope, Diamond Mountain	78	92	89	2.6	87.6
	Book Cliffs	308	338	324	3.6	95.1
	La Sal, Dolores Triangle	11	12	12	4.6	91.7
	San Juan, Elk Ridge	27	28	28	3.1	96.4
	West Desert, Vernon	63	90	90	4.4	70.0
	Fillmore, Oak Creek	29	38	37	4.7	78.4
	Plateau, Thousand Lakes	16	24	24	3.5	66.7
Muzzleloader	Henry Mountains	4	5	5	4.8	80.0
	Paunsaugunt	25	31	28	6.8	89.3
	Cache, Crawford Mountain	12	18	18	6.3	66.7
	South Slope, Diamond Mountain	9	15	13	3.5	69.2
	Book Cliffs	45	64	59	4.0	76.3
	La Sal, Dolores Triangle	7	10	8	4.1	87.5
	San Juan, Elk Ridge	7	8	8	3.3	87.5
	West Desert, Vernon	9	21	19	4.8	47.4
	Fillmore, Oak Creek	7	11	11	5.5	63.6
	Plateau, Thousand Lakes	4	8	7	3.9	57.1
Totals	Archery	81	164	154	7.3	52.6
	Any weapon	626	749	730	3.9	85.8
	Muzzleloader	129	191	176	4.8	73.3
	Statewide	836	1104	1060	4.5	78.9

Limited entry antlerless deer harvest, Utah 2001.

Unit	Hunt	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
1	Box Elder, Park Valley*	100	100	98	4.4	51.3
1	Box Elder, Lynn Reservoir North (early)*	82	50	47	2.5	87.2
1	Box Elder, Lynn Reservoir North (late)*	81	50	47	2.9	86.2
1	Box Elder, West Bear River (early)	33	100	85	4.8	38.8
1	Box Elder, West Bear River (late)	38	100	76	4.7	50.0
2	Cache, Logan-Millville	0	25	21	7.6	0.0
2	Cache, Bear River-Box Elder	8	25	17	1.7	47.1
2	Cache, Bear River-Cache	5	25	25	7.0	20.0
3	Ogden, South	52	75	70	3.0	74.3
4	Morgan-Summit (early)*	143	100	100	3.7	71.5
4	Morgan-Summit (late)*	119	75	75	2.3	79.3
5	East Canyon, North Salt Lake	15	30	30	2.3	50.0
5	East Canyon, Porterville (early)*	72	60	57	3.8	63.2
5	East Canyon, Porterville (late)*	101	60	58	3.3	87.8
5	East Canyon, Lewis Peak (early)	32	60	54	2.9	59.3
5	East Canyon, Lewis Peak (late)	30	60	49	3.2	61.2
5	East Canyon, West Morgan*	120	100	100	4.0	60.0
6	Chalk Creek, East Coalville (early)*	135	100	97	3.5	69.6
6	Chalk Creek, East Coalville (late)*	158	100	94	2.3	84.0
7	Kamas, West Hills	40	50	50	1.8	80.0
8	North Slope, North Brown's Park	37	50	40	1.3	92.5
9	South Slope, Brown's Park-Taylor Flat	35	50	38	1.5	92.1
9	South Slope, Ashley Valley-Deep Creek	114	300	248	4.5	46.0
9	South Slope, Vernal-Diamond Mountain	232	300	269	1.8	86.2
9	South Slope, Chew Ranch	25	50	50	4.4	50.0
9	South Slope, Roosevelt area*	112	100	86	8.4	65.5
10	Book Cliffs, Green River Valley	11	25	22	2.4	50.0
13	La Sal, Fisher Valley	31	50	47	2.9	66.0
14	San Juan, Monticello*	33	25	23	3.8	71.7
16	Manti, Nebo-Sanpete Valley	28	50	48	3.8	58.3
16	Manti, Nebo-Gunnison Valley*	71	75	71	6.3	50.4
16	Manti, Nebo-Levan	61	75	75	6.3	81.3
16	Manti, Mayfield	36	75	68	6.6	52.9
17	Wasatch Mtns., Currant Creek	695	1000	932	2.7	74.6
21	West Desert, Nephi	51	75	69	3.7	73.9
21	Fillmore, Pioneer Creek	28	40	40	1.5	70.0
22	Beaver, Fremont Wash	9	50	45	2.9	20.0
22	Beaver, South Creek	87	150	138	3.9	63.0
22	Beaver, Sulpherdale-Manderfield	27	40	32	3.1	84.4
23	Monroe-Plateau, Sevier Valley	144	250	214	5.3	67.3
25	Plateau, Dry Wash-Center Creek	131	200	185	3.6	70.8
27	Paunsaugunt, Johnson Canyon	76	100	94	2.4	80.9
27	Paunsaugunt, Buckskin Mtn	49	60	55	1.6	89.1
28	Panguitch Lake, North Parowan Valley	58	100	79	2.5	73.4
30	Pine Valley, West Enterprise	31	50	48	2.9	64.6
30	Pine Valley, Newcastle	63	75	75	2.5	84.0
Statewide totals		3639	4760	4341	3.5	68.6

*2 doe permits. Success rates are per hunter.

Limited entry antlerless deer harvest, Utah 2002.

Unit	Hunt	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
1	Box Elder, Park Valley*	27	30	25	3.7	54.0
1	Box Elder, Lynn Reservoir North (early)*	30	40	40	8.3	37.5
1	Box Elder, Lynn Reservoir North (late)*	11	20	18	2.8	30.6
1	Box Elder, West Bear River (early)	24	100	76	5.8	31.6
1	Box Elder, West Bear River (late)	33	100	75	4.0	44.0
1	Box Elder, North Bothwell	15	30	28	3.0	53.6
2	Cache, Logan-Millville	0	25	19	8.7	0.0
2	Cache, Bear River-Box Elder	3	25	23	10.3	13.0
2	Cache, Bear River-Cache	6	25	23	7.2	26.1
2	Cache, West Clarkston Mtns.	20	25	25	5.0	80.0
2	Cache, West Wellsville Mtns.	15	25	23	2.0	65.2
4	Morgan-Summit (early)*	38	100	86	6.6	22.1
4	Morgan-Summit (late)*	122	100	96	3.8	63.5
5	East Canyon, North Salt Lake	14	30	26	3.9	53.8
5	East Canyon, Porterville (early)*	39	50	46	7.8	42.4
5	East Canyon, Porterville (late)*	68	50	48	2.6	70.8
5	East Canyon, Lewis Peak (early)	24	60	51	6.7	47.1
5	East Canyon, Lewis Peak (late)	35	60	48	5.2	72.9
5	East Canyon, West Morgan*	60	75	71	4.9	42.3
6	Chalk Creek, East Coalville (early)*	175	125	120	3.6	72.9
6	Chalk Creek, East Coalville (late)*	126	100	87	5.1	72.4
7	Kamas, West Hills	39	50	50	9.0	78.0
8	North Slope, North Brown's Park	65	100	82	4.1	79.3
9	South Slope, Brown's Park-Taylor Flat	72	100	88	3.6	81.8
9	South Slope, Ashley Valley-Deep Creek	116	300	237	8.4	48.9
9	South Slope, Vernal-Diamond Mountain	231	300	281	3.8	82.2
10	Book Cliffs, Green River Valley	17	20	20	5.2	85.0
14	San Juan, Monticello*	22	25	23	4.3	47.8
16	Manti, Nebo-Sanpete Valley	25	50	44	8.0	56.8
16	Manti, Nebo-Gunnison Valley*	56	75	63	13.2	44.4
16	Manti, Nebo-Levan	35	75	67	5.9	52.2
17	Wasatch Mtns., Timpanogos	57	200	182	6.0	31.3
17	Wasatch Mtns., Currant Creek	700	1000	950	—	—
21	West Desert, Nephi	30	75	64	4.4	46.9
21	Fillmore, Pioneer Creek	40	50	48	2.3	83.3
22	Beaver, South Creek	38	100	88	2.9	43.2
22	Beaver, Sulpherdale-Manderfield	21	40	29	2.2	72.4
23	Monroe-Plateau, Sevier Valley	118	200	189	11.3	62.4
25	Plateau, Dry Wash-Center Creek	104	200	187	9.4	55.6
28	Panguitch Lake, North Parowan Valley	31	50	45	2.1	68.9
30	Pine Valley, West Enterprise	34	50	48	7.0	70.8
Statewide totals		2736	4255	3839	6.0	61.2

*2 doe permits. Success rates are per hunter.

Limited entry antlerless deer harvest, Utah 2003.

Unit	Hunt	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
1	Box Elder, West Bear River (early)	27	90	70	5.3	38.5
1	Box Elder, West Bear River (late)	10	50	47	2.7	21.4
4	Morgan-Summit (early)*	73	75	71	4.0	64.7
4	Morgan-Summit (late)*	89	75	63	2.0	85.7
5	East Canyon, Davis-North Salt Lake	7	30	28	3.2	23.5
5	East Canyon, Porterville (early)*	37	50	44	3.9	52.2
5	East Canyon, Porterville (late)*	70	50	47	2.1	92.9
5	East Canyon, Lewis Peak (early)	24	60	48	3.6	50.0
5	East Canyon, Lewis Peak (late)	49	60	60	1.3	81.5
5	East Canyon, West Morgan*	47	50	43	3.4	80.8
6	East Canyon, East Coalville (early)*	122	100	90	4.4	84.1
6	East Canyon, East Coalville (late)*	102	75	66	2.4	80.6
7	Kamas, West Hills	44	50	50	2.4	88.0
8	North Slope, North Brown's Park	17	25	19	1.3	90.0
9	South Slope, Ashley Valley-Deep Creek	102	200	162	3.2	63.0
9	South Slope, Vernal-Diamond Mountain	56	80	64	2.6	87.5
10	Book Cliffs, Green River Valley	10	20	17	3.1	60.0
16	Central Mountains, Sanpete Valley	31	50	42	5.1	72.7
16	Central Mountains, Gunnison Valley*	34	75	65	6.8	51.9
16	Central Mountains, Levan	39	75	65	5.8	59.4
17	Wasatch Mountains, Currant Creek	55	80	71	2.1	77.5
18	Oquirrh-Stansbury, Kennecott*	40	25	23	1.6	100.0
21	West Desert, Nephi	34	75	64	4.2	52.9
23	Monroe-Plateau, Sevier Valley	101	200	184	5.0	54.8
30	Pine Valley, West Enterprise	38	75	63	2.5	59.5
Statewide totals		1258	1795	1566	3.6	65.8

*2 doe permits. Success rates are per hunter.

Limited entry antlerless deer harvest, Utah 2004.

Unit	Hunt	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
1	Box Elder, West Bear River (early)	27	80	67	5.3	40.5
1	Box Elder, West Bear River (late)	12	30	26	4.3	46.2
4	Morgan-Summit (early)*	31	50	44	4.2	42.9
4	Morgan-Summit (late)*	79	50	47	2.0	100.0
5	East Canyon, Davis-North Salt Lake	6	30	24	3.6	27.3
5	East Canyon, Porterville (early)*	61	50	41	3.6	83.3
5	East Canyon, Porterville (late)*	56	50	50	2.3	68.8
5	East Canyon, Lewis Peak (early)	20	50	41	2.5	47.4
5	East Canyon, Lewis Peak (late)	49	60	60	1.5	81.8
5	East Canyon, West Morgan*	24	50	48	4.1	36.4
6	Chalk Creek, East Coalville (early)*	134	100	84	2.7	93.8
6	Chalk Creek, East Coalville (late)*	108	75	68	2.0	89.7
7	Kamas, West Hills	25	30	25	1.2	100.0
9	South Slope, Ashley Valley-Deep Creek*	176	200	182	4.6	62.7
16	Central Mtns, Sanpete Valley	22	50	35	5.9	62.5
16	Central Mtns, Gunnison Valley*	59	75	67	7.6	57.7
16	Central Mtns, Levan	50	75	68	4.1	73.3
17	Wasatch Mtns, Lindon-Alpine	115	150	142	2.5	81.1
17	Wasatch Mtns, Salt Lake	13	50	35	8.5	35.7
21	Fillmore, Nephi	8	50	31	3.2	27.3
23	Monroe-Plateau, Sevier Valley	42	100	84	5.3	50.0
Statewide totals		1117	1455	1269	3.9	65.6

*2 doe permits. Success rates are per hunter.

CWMU buck deer harvest, Utah 2001.

Management unit	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	200	292	292	—	68.5
Cache	7	13	13	—	53.8
Ogden	28	43	43	—	65.1
Morgan-South Rich	244	367	367	—	66.5
East Canyon	53	83	83	—	63.9
Chalk Creek	115	209	209	—	55.0
Nine Mile	13	19	19	—	68.4
La Sal	25	33	33	—	75.8
San Juan	69	92	92	—	75.0
Central Mountains	79	114	114	—	69.3
Wasatch Mountains	80	120	120	—	66.7
West Desert	1	1	1	—	100.0
Fillmore	1	2	2	—	50.0
Plateau	49	76	76	—	64.5
Paunsaugunt	17	28	28	—	60.7
Zion	11	15	15	—	73.3
Statewide totals	992	1507	1507	—	65.8

CWMU antlerless deer harvest, Utah 2001.

Management unit	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	50	30	30	2.0	83.3
Ogden	8	12	12	2.0	66.7
Morgan-South Rich	114	120	106	1.4	93.4
East Canyon	33	33	33	1.6	81.8
Chalk Creek	52	45	38	1.4	78.9
San Juan	14	20	14	1.2	100.0
Wasatch Mountains	16	20	18	1.6	88.9
Fillmore	13	15	15	1.9	86.7
Paunsaugunt	100	60	60	1.9	83.3
Statewide totals	400	355	326	1.6	86.5

*Some permits were for 2 does. Success rates are per hunter.

CWMU buck deer harvest, Utah 2002.

Management unit	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	292	427	427	—	68.4
Cache	11	20	20	—	55.0
Ogden	33	51	51	—	64.7
Morgan-South Rich	250	375	375	—	66.7
East Canyon	64	100	100	—	64.0
Chalk Creek	124	200	200	—	62.0
Nine Mile	22	31	31	—	71.0
La Sal	35	46	46	—	76.1
San Juan	110	147	147	—	74.8
Central Mountains	130	187	187	—	69.5
Wasatch Mountains	102	153	153	—	66.7
Fillmore	13	20	20	—	65.0
Plateau	61	94	94	—	64.9
Paunsaugunt	29	48	48	—	60.4
Zion	11	15	15	—	73.3
Statewide totals	1287	1914	1914	—	67.2

CWMU antlerless deer harvest, Utah 2002.

Management unit	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	30	20	20	—	74.6
Morgan-South Rich	116	125	125	—	80.1
East Canyon	41	40	40	—	82.0
Chalk Creek	53	45	45	—	66.2
Fillmore	16	20	20	—	79.0
Paunsaugunt	100	60	60	—	83.3
Statewide totals	356	310	310	—	78.7

*Some permits were for 2 does. Success rates are per hunter.

CWMU buck deer harvest, Utah 2003.

Management unit	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	139	240	228	4.5	61.0
Cache	0	2	2	5.0	0.0
Ogden	47	70	65	4.0	72.3
Morgan-South Rich	214	340	295	4.8	72.5
East Canyon	35	86	68	3.4	51.5
Chalk Creek	138	241	208	3.9	66.3
Nine Mile	8	28	18	4.6	44.4
La Sal	31	31	31	3.2	100.0
San Juan	14	72	72	9.5	19.4
Central Mountains	47	134	114	6.4	41.2
Wasatch Mountains	68	113	73	4.8	93.2
Fillmore	0	9	9	1.0	0.0
Plateau	42	94	62	2.7	67.7
Paunsaugunt	30	30	30	5.5	100.0
Zion	10	15	15	4.0	66.7
Statewide totals	823	1505	1290	4.7	63.8

CWMU antlerless deer harvest, Utah 2003.

Management unit	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Morgan-South Rich	45	45	34	2.9	82.4
East Canyon	36	40	38	1.7	84.2
Chalk Creek	32	40	38	2.0	52.6
Fillmore	9	10	10	2.7	90.0
Paunsaugunt	112	80	80	2.3	90.0
Statewide totals	234	215	200	2.3	80.5

*Some permits were for 2 does. Success rates are per hunter.

CWMU buck deer harvest, Utah 2004.

Management unit	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	142	372	368	4.7	38.6
Ogden	54	77	77	4.1	70.3
Morgan-South Rich	247	376	374	4.9	66.0
East Canyon	68	100	96	4.9	70.8
Chalk Creek	171	240	239	4.8	71.5
Nine Mile	26	39	38	4.2	68.4
La Sal	29	41	41	4.5	70.7
San Juan	92	134	128	4.9	71.9
Central Mountains	102	162	160	5.1	63.8
Wasatch Mountains	90	140	137	3.7	65.7
Oquirrh-Stansbury	20	20	20	2.8	100.0
Fillmore	14	16	16	3.1	87.5
Plateau	38	94	94	4.2	40.4
Paunsaugunt	23	31	31	5.5	74.2
Zion	23	27	27	5.7	85.2
Statewide totals	1139	1869	1846	4.7	61.7

CWMU antlerless deer harvest, Utah 2004.

Management unit	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Morgan-South Rich	76	65	56	1.4	75.0
East Canyon	27	25	20	2.3	90.0
Chalk Creek	38	25	25	1.3	96.0
Statewide totals	141	115	101	1.5	83.2

*Some permits were for 2 does. Success rates are per hunter.

Free mitigation deer harvest, Utah 2003.

Management unit	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	47	106	35	2.3	73.3
Cache	20	34	14	3.0	71.4
Ogden	13	32	11	2.7	66.7
Morgan-South Rich	0	9	4	3.0	0.0
East Canyon	15	55	21	3.6	57.1
Chalk Creek	11	34	14	3.2	60.0
Kamas	5	20	7	3.3	50.0
North Slope	0	7	0	—	—
South Slope	251	764	319	4.9	49.1
Book Cliffs	—	—	—	—	—
Nine Mile	17	61	22	4.4	50.0
San Rafael	18	60	28	5.3	50.0
La Sal	4	7	7	7.5	50.0
San Juan	—	—	—	—	—
Henry Mountains	—	—	—	—	—
Central Mountains	109	222	97	4.6	60.0
Wasatch Mountains	57	136	63	4.3	61.9
Oquirrh-Stansbury	13	25	13	5.0	50.0
West Desert	19	47	14	4.4	80.0
Southwest Desert	0	13	0	—	—
Fillmore	49	97	28	9.5	100.0
Beaver	35	64	21	3.6	62.5
Monroe	29	80	37	5.5	38.5
Mt Dutton	0	18	9	32.5	0.0
Plateau	43	228	78	5.6	32.5
Kaiparowits	3	3	3	2.0	100.0
Paunsaugunt	8	8	4	3.0	100.0
Panguitch Lake	0	7	5	7.0	0.0
Zion	6	12	10	2.6	40.0
Pine Valley	24	53	37	2.6	44.4
Statewide totals	796	2202	901	5.0	52.8

*Some hunters had multiple permits. Success rates are per hunter.

Fee mitigation deer harvest, Utah 2003.

Management unit	Antlerless harvest	Vouchers redeemed	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	—	—	—	—	—
Cache	12	12	12	3.0	100.0
Ogden	5	5	5	1.0	100.0
Morgan-South Rich	0	1	0	—	—
East Canyon	22	33	33	2.9	66.7
Chalk Creek	56	60	60	1.9	93.3
Kamas	—	—	—	—	—
North Slope	—	—	—	—	—
South Slope	7	10	10	2.0	66.7
Book Cliffs	—	—	—	—	—
Nine Mile	—	—	—	—	—
San Rafael	—	—	—	—	—
La Sal	2	3	3	4.0	50.0
San Juan	—	—	—	—	—
Henry Mountains	—	—	—	—	—
Central Mountains	8	15	13	3.3	57.1
Wasatch Mountains	—	—	—	—	—
Oquirrh-Stansbury	13	21	21	2.3	62.5
West Desert	0	5	0	—	—
Southwest Desert	4	4	4	2.5	100.0
Fillmore	7	7	7	3.0	100.0
Beaver	—	—	—	—	—
Monroe	—	—	—	—	—
Mt Dutton	—	—	—	—	—
Plateau	0	7	7	4.3	0.0
Kaiparowits	—	—	—	—	—
Paunsaugunt	—	—	—	—	—
Panguitch Lake	—	—	—	—	—
Zion	—	—	—	—	—
Pine Valley	11	11	11	5.5	100.0
Statewide totals	147	194	186	2.6	79.0

Free mitigation deer harvest, Utah 2004.

Management unit	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	39	103	31	4.0	63.6
Cache	35	62	18	2.3	75.0
Ogden	4	17	6	4.3	33.3
Morgan-South Rich	0	9	0	—	—
East Canyon	19	45	16	4.0	60.0
Chalk Creek	0	55	28	3.0	0.0
Kamas	12	29	12	2.0	66.7
North Slope	0	5	0	—	—
South Slope	341	919	341	5.6	56.5
Book Cliffs	0	5	0	—	—
Nine Mile	29	73	44	3.0	66.7
San Rafael	0	52	15	5.5	0.0
La Sal	0	7	0	—	—
San Juan	—	—	—	—	—
Henry Mountains	—	—	—	—	—
Central Mountains	96	207	70	7.0	72.7
Wasatch Mountains	84	121	47	3.3	77.8
Oquirrh-Stansbury	—	—	—	—	—
West Desert	0	19	0	—	—
Southwest Desert	0	10	0	—	—
Fillmore	33	65	22	4.0	100.0
Beaver	0	15	0	—	—
Monroe	25	76	34	17.8	50.0
Mt Dutton	—	—	—	—	—
Plateau	0	35	35	15.0	0.0
Kaiparowits	—	—	—	—	—
Paunsaugunt	—	—	—	—	—
Panguitch Lake	—	—	—	—	—
Zion	0	2	0	—	—
Pine Valley	0	45	30	16.5	0.0
Statewide totals	717	1976	749	6.4	53.5

*Some hunters had multiple permits. Success rates are per hunter.

Fee mitigation deer harvest, Utah 2004.

Management unit	Antlerless harvest	Vouchers redeemed	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	8	16	16	1.8	50.0
Cache	11	22	20	1.7	55.6
Ogden	—	—	—	—	—
Morgan-South Rich	—	—	—	—	—
East Canyon	24	24	24	1.6	100.0
Chalk Creek	52	58	55	1.7	95.0
Kamas	—	—	—	—	—
North Slope	—	—	—	—	—
South Slope	24	39	34	2.4	71.4
Book Cliffs	—	—	—	—	—
Nine Mile	—	—	—	—	—
San Rafael	—	—	—	—	—
La Sal	—	—	—	—	—
San Juan	—	—	—	—	—
Henry Mountains	—	—	—	—	—
Central Mountains	36	48	46	2.2	78.9
Wasatch Mountains	0	1	0	—	—
Oquirrh-Stansbury	—	—	—	—	—
West Desert	8	8	8	6.5	100.0
Southwest Desert	4	7	4	1.0	100.0
Fillmore	9	9	9	2.5	100.0
Beaver	—	—	—	—	—
Monroe	—	—	—	—	—
Mt Dutton	—	—	—	—	—
Plateau	0	3	0	—	—
Kaiparowits	—	—	—	—	—
Paunsaugunt	—	—	—	—	—
Panguitch Lake	—	—	—	—	—
Zion	—	—	—	—	—
Pine Valley	3	3	3	2.0	100.0
Statewide totals	179	238	219	2.1	81.7

Total buck deer harvest by subunit, Utah 1999–2004.

Unit		Unit name	Subunit name	1999	2000	2001	2002	2003	2004
1	A	Box Elder	West Box Elder	1058	1226	569	574	467	550
1	B	Box Elder	East Box Elder	1134	594	554	348	294	339
2	A	Cache	Cache	1548*	827	780	332	871	863
2	B	Cache	North Rich	—	574	429	398	412	322
2	C	Cache	Wellsville	—	489	442	144	273	234
3	A	Ogden	Ogden	595	772	688	412	529	662
4	A	Morgan-South Rich	Morgan-South Rich	1167	1112	789	642	748	818
5	A	East Canyon	East Canyon	903	1177	978	642	875	858
6	A	Chalk Creek	Chalk Creek	701	1067	719	767	749	926
7	A	Kamas	Kamas	393	487	481	583	544	480
8	A	North Slope	Summit	137	362	86	164	134	191
8	B	North Slope	West Daggett	206	339	205	295	123	334
8	C	North Slope	Three Corners	100	195	103	161	83	198
9	A	South Slope	Yellowstone	942	1344	904	819	583	818
9	B	South Slope	Vernal	1163	1505	914	889	636	1054
9	C	South Slope	Diamond Mountain	155	114	141	138	120	95
9	D	South Slope	Bonanza	56	116	48	84	43	87
10	—	Book Cliffs	All	290	323	412	396	347	391
11	A	Nine Mile	Anthro	105	160	121	108	60	127
11	B	Nine Mile	Range Creek	253	383	267	228	193	202
12	A	San Rafael	San Rafael	122	124	202	182	130	146
13	A	La Sal	La Sal Mountains	623	710	421	500	571	562
13	B	La Sal	Dolores Triangle	25	53	44	40	26	18
14	A	San Juan	Abajo	857	1005	836	648	414	712
14	B	San Juan	Elk Ridge	103	107	81	86	43	41
15	A	Henry Mountains	Henry Mountains	0	19	20	20	22	21

*Harvest is for the entire unit.

Total buck deer harvest by subunit, Utah 1999–2004 (cont.).

Unit		Unit name	Subunit name	1999	2000	2001	2002	2003	2004
16	A	Central Mountains	Nebo	2211	1113	1296	1135	966	1526
16	B	Central Mountains	North Manti	996	1225	1013	780	767	1151
16	C	Central Mountains	South Manti	2084	2308	1744	1282	1383	1571
17	A	Wasatch Mountains	Diamond Fork	1852**	1962**	573	560	613	615
17	A	Wasatch Mountains	Heber	—	—	765	639	770	861
17	A	Wasatch Mountains	Salt Lake	—	—	185	137	115	104
17	A	Wasatch Mountains	Timpanogos	—	—	243	420	358	304
17	B	Wasatch Mountains	Currant Creek	554	1328	818	810	760	1086
17	C	Wasatch Mountains	Avintaquin	100	214	152	213	159	187
18	A	Oquirrh-Stansbury	Oquirrh-Stansbury	1440	739	993	721	969	725
19	A	West Desert	West Desert	1264*	149	263	153	119	85
19	B	West Desert	Vernon	—	214	193	184	74	79
19	C	West Desert	Tintic	—	563	650	353	307	396
20	A	Southwest Desert	Southwest Desert	58	112	90	125	120	129
21	A	Fillmore	Oak Creek / Pahvant	898	981	904	870	715	1113
21	A	Fillmore	Oak Creek (LE)	36	35	26	31	31	38
22	A	Beaver	Beaver	1044	1282	920	936	587	1064
23	A	Monroe	Monroe	767	1031	731	746	863	884
24	A	Mt. Dutton	Mt. Dutton	152	264	220	244	154	129
25	A	Plateau	Fish Lake	836	1078	779	753	709	810
25	B	Plateau	Thousand Lakes	57	60	63	61	24	22
25	C	Plateau	Boulder	530	822	711	676	506	671
26	A	Kaiparowits	Kaiparowits	35	46	28	46	33	31
27	A	Paunsaugunt	Paunsaugunt	204	254	184	176	118	142
28	A	Panguitch Lake	Panguitch Lake	992	1088	701	827	657	978
29	A	Zion	Zion	983	805	611	576	417	798
30	A	Pine Valley	Pine Valley	1282	1221	1174	1095	725	944

*Harvest is for the entire unit.

**Harvest for all of 17A.

Total antlerless deer harvest by subunit, Utah 1999–2004.

Unit		Unit name	Subunit name	1999	2000	2001	2002	2003	2004
1	A	Box Elder	West Box Elder	16	14	217	71	5	0
1	B	Box Elder	East Box Elder	166	612	171	99	37	39
2	A	Cache	Cache	29*	15	9	6	0	0
2	B	Cache	North Rich	—	5	0	0	0	0
2	C	Cache	Wellsville	—	5	8	38	0	0
3	A	Ogden	Ogden	78	102	73	0	14	0
4	A	Morgan-South Rich	Morgan-South Rich	320	408	376	280	207	186
5	A	East Canyon	East Canyon	209	365	310	290	284	263
6	A	Chalk Creek	Chalk Creek	223	428	469	354	256	280
7	A	Kamas	Kamas	29	23	49	39	49	25
8	A	North Slope	Summit	8	0	0	0	0	0
8	B	North Slope	West Daggett	0	0	4	0	0	0
8	C	North Slope	Three Corners	0	0	37	65	17	5
9	A	South Slope	Yellowstone	103	63	116	9	5	10
9	B	South Slope	Vernal	478	279	380	356	176	201
9	C	South Slope	Diamond Mountain	0	0	35	72	0	0
9	D	South Slope	Bonanza	0	0	0	0	0	0
10	—	Book Cliffs	All	0	0	11	17	10	0
11	A	Nine Mile	Anthro	0	0	0	0	0	0
11	B	Nine Mile	Range Creek	0	0	0	0	0	0
12	A	San Rafael	San Rafael	0	0	0	0	0	0
13	A	La Sal	La Sal Mountains	30	39	31	0	0	0
13	B	La Sal	Dolores Triangle	0	0	0	0	0	0
14	A	San Juan	Abajo	0	32	47	22	0	0
14	B	San Juan	Elk Ridge	0	0	0	0	0	0
15	A	Henry Mountains	Henry Mountains	0	0	0	0	0	0

*Harvest is for the entire unit.

**Harvest does not include mitigation permits.

Total antlerless deer harvest by subunit, Utah 1999–2004 (cont.).

Unit		Unit name	Subunit name	1999	2000	2001	2002	2003	2004
16	A	Central Mountains	Nebo	0	124	164	116	109	131
16	B	Central Mountains	North Manti	0	0	0	0	0	0
16	C	Central Mountains	South Manti	95	167	36	0	0	0
17	A	Wasatch Mountains	Diamond Fork	43*	21*	0	0	0	5
17	A	Wasatch Mountains	Heber	—	—	0	0	0	0
17	A	Wasatch Mountains	Salt Lake	—	—	22	22	23	23
17	A	Wasatch Mountains	Timpanogos	—	—	0	57	0	115
17	B	Wasatch Mountains	Currant Creek	186	365	715	700	55	5
17	C	Wasatch Mountains	Avintaquin	0	0	0	0	0	0
18	A	Oquirrh-Stansbury	Oquirrh-Stansbury	0	0	0	0	40	0
19	A	West Desert	West Desert	0	0	0	0	0	0
19	B	West Desert	Vernon	0	0	0	0	0	0
19	C	West Desert	Tintic	0	0	0	0	0	0
20	A	Southwest Desert	Southwest Desert	0	0	0	0	0	0
21	A	Fillmore	Oak Creek / Pahvant	161	58	92	86	43	8
21	A	Fillmore	Oak Creek (LE)	0	0	0	0	0	0
22	A	Beaver	Beaver	120	224	123	59	0	0
23	A	Monroe	Monroe	0	155	144	118	101	42
24	A	Mt. Dutton	Mt. Dutton	0	0	0	0	0	0
25	A	Plateau	Fish Lake	0	0	0	0	0	0
25	B	Plateau	Thousand Lakes	0	0	0	0	0	0
25	C	Plateau	Boulder	132	170	131	104	0	0
26	A	Kaiparowits	Kaiparowits	0	0	0	0	0	0
27	A	Paunsaugunt	Paunsaugunt	240	319	225	100	112	0
28	A	Panguitch Lake	Panguitch Lake	132	242	62	31	0	0
29	A	Zion	Zion	0	174	0	0	0	0
30	A	Pine Valley	Pine Valley	0	107	94	34	38	0

*Harvest for all of 17A.

**Harvest does not include mitigation permits.

Total buck deer hunters afield by subunit, Utah 1999–2004.

Unit		Unit name	Subunit name	1999	2000	2001	2002	2003	2004
1	A	Box Elder	West Box Elder	3434	4360	2479	2617	1926	2003
1	B	Box Elder	East Box Elder	2062	1707	1559	1453	1024	1177
2	A	Cache	Cache	8575*	4237	4373	3405	5221	4470
2	B	Cache	North Rich	—	2903	2728	3129	2245	2103
2	C	Cache	Wellsville	—	1359	1236	788	817	990
3	A	Ogden	Ogden	2491	3142	2881	3267	2417	2681
4	A	Morgan-South Rich	Morgan-South Rich	3638	2865	2725	2596	2098	2357
5	A	East Canyon	East Canyon	3236	4353	4006	3893	3353	3294
6	A	Chalk Creek	Chalk Creek	1797	2247	1784	2118	1754	1772
7	A	Kamas	Kamas	2415	2333	2581	3320	2985	2836
8	A	North Slope	Summit	934	694	681	1076	801	844
8	B	North Slope	West Daggett	992	1133	947	883	875	833
8	C	North Slope	Three Corners	326	456	434	458	383	428
9	A	South Slope	Yellowstone	3847	3866	2991	3131	2599	2539
9	B	South Slope	Vernal	3568	3993	2746	2723	2187	2921
9	C	South Slope	Diamond Mountain	159	130	154	154	155	117
9	D	South Slope	Bonanza	171	253	189	198	122	238
10	—	Book Cliffs	All	356	351	508	446	405	442
11	A	Nine Mile	Anthro	305	406	372	359	328	425
11	B	Nine Mile	Range Creek	572	763	816	883	682	920
12	A	San Rafael	San Rafael	299	340	512	658	499	582
13	A	La Sal	La Sal Mountains	1499	1575	1405	1631	1724	1418
13	B	La Sal	Dolores Triangle	49	72	53	47	30	20
14	A	San Juan	Abajo	2030	2082	2137	2239	2050	1699
14	B	San Juan	Elk Ridge	112	117	87	93	47	44
15	A	Henry Mountains	Henry Mountains	0	23	24	24	23	25

*Hunters afield is for the entire unit.

Total buck deer hunters afield by subunit, Utah 1999–2004 (cont.).

Unit		Unit name	Subunit name	1999	2000	2001	2002	2003	2004
16	A	Central Mountains	Nebo	6029	3400	4806	4620	4320	4572
16	B	Central Mountains	North Manti	3294	3726	3941	4201	3866	4153
16	C	Central Mountains	South Manti	7117	7566	6737	6794	6842	6050
17	A	Wasatch Mountains	Diamond Fork	7821**	7990**	2709	3500	3453	3499
17	A	Wasatch Mountains	Heber	—	—	3160	2751	3656	3525
17	A	Wasatch Mountains	Salt Lake	—	—	1468	1466	1131	889
17	A	Wasatch Mountains	Timpanogos	—	—	878	1657	1382	1350
17	B	Wasatch Mountains	Currant Creek	2780	4653	4077	4193	3765	3344
17	C	Wasatch Mountains	Avintaquin	476	665	591	789	675	545
18	A	Oquirrh-Stansbury	Oquirrh-Stansbury	3087	1986	3220	3036	3317	3053
19	A	West Desert	West Desert	3277*	512	874	713	522	546
19	B	West Desert	Vernon	—	287	241	219	139	128
19	C	West Desert	Tintic	—	1446	2622	1841	1512	1653
20	A	Southwest Desert	Southwest Desert	153	338	352	786	443	447
21	A	Fillmore	Oak Creek / Pahvant	1952	2178	2713	3443	2999	3533
21	A	Fillmore	Oak Creek (LE)	39	47	62	62	56	59
22	A	Beaver	Beaver	2574	2627	3115	3992	3182	3472
23	A	Monroe	Monroe	1637	2178	2128	2743	2576	2913
24	A	Mt. Dutton	Mt. Dutton	413	627	778	1150	824	571
25	A	Plateau	Fish Lake	1738	2103	2645	2640	2757	2779
25	B	Plateau	Thousand Lakes	84	98	100	94	42	38
25	C	Plateau	Boulder	975	1330	1697	2160	1846	1772
26	A	Kaiparowits	Kaiparowits	81	129	126	153	174	160
27	A	Paunsaugunt	Paunsaugunt	285	338	319	269	178	200
28	A	Panguitch Lake	Panguitch Lake	2251	2304	2596	3536	3206	3273
29	A	Zion	Zion	2109	1642	1912	2356	1692	2021
30	A	Pine Valley	Pine Valley	2773	2491	2993	3793	3346	3694

*Hunters afield is for the entire unit.

**Hunters afield for all of 17A.

Total antlerless deer hunters afield by subunit, Utah 1999–2004.

Unit		Unit name	Subunit name	1999	2000	2001	2002	2003	2004
1	A	Box Elder	West Box Elder	22	19	124	78	0	0
1	B	Box Elder	East Box Elder	252	1077	259	204	117	93
2	A	Cache	Cache	60*	60	46	42	0	0
2	B	Cache	North Rich	—	0	0	0	0	0
2	C	Cache	Wellsville	—	23	17	71	0	0
3	A	Ogden	Ogden	72	136	82	0	0	0
4	A	Morgan-South Rich	Morgan-South Rich	447	471	281	307	168	147
5	A	East Canyon	East Canyon	301	483	281	330	308	284
6	A	Chalk Creek	Chalk Creek	265	517	329	252	194	177
7	A	Kamas	Kamas	34	31	50	50	50	25
8	A	North Slope	Summit	0	0	0	0	0	0
8	B	North Slope	West Daggett	0	0	0	0	0	0
8	C	North Slope	Three Corners	0	0	40	82	19	0
9	A	South Slope	Yellowstone	89	94	86	0	0	0
9	B	South Slope	Vernal	578	361	567	518	226	182
9	C	South Slope	Diamond Mountain	0	0	38	88	0	0
9	D	South Slope	Bonanza	0	0	0	0	0	0
10	—	Book Cliffs	All	0	0	22	20	17	0
11	A	Nine Mile	Anthro	0	0	0	0	0	0
11	B	Nine Mile	Range Creek	0	0	0	0	0	0
12	A	San Rafael	San Rafael	0	0	0	0	0	0
13	A	La Sal	La Sal Mountains	35	48	47	0	0	0
13	B	La Sal	Dolores Triangle	0	0	0	0	0	0
14	A	San Juan	Abajo	0	58	37	23	0	0
14	B	San Juan	Elk Ridge	0	0	0	0	0	0
15	A	Henry Mountains	Henry Mountains	0	0	0	0	0	0

*Hunters afield is for the entire unit.

**Hunters afield does not include mitigation permits.

Total antlerless deer hunters afield by subunit, Utah 1999–2004 (cont.).

Unit		Unit name	Subunit name	1999	2000	2001	2002	2003	2004
16	A	Central Mountains	Nebo	0	217	194	174	172	170
16	B	Central Mountains	North Manti	0	0	0	0	0	0
16	C	Central Mountains	South Manti	113	182	68	0	0	0
17	A	Wasatch Mountains	Diamond Fork	15*	0	0	0	0	0
17	A	Wasatch Mountains	Heber	—	0	0	0	0	0
17	A	Wasatch Mountains	Salt Lake	—	0	0	0	0	35
17	A	Wasatch Mountains	Timpanogos	—	0	0	182	0	142
17	B	Wasatch Mountains	Currant Creek	294	470	950	950	71	0
17	C	Wasatch Mountains	Avintaquin	0	0	0	0	0	0
18	A	Oquirrh-Stansbury	Oquirrh-Stansbury	0	0	0	0	23	0
19	A	West Desert	West Desert	0	0	0	0	0	0
19	B	West Desert	Vernon	0	0	0	0	0	0
19	C	West Desert	Tintic	0	0	0	0	0	0
20	A	Southwest Desert	Southwest Desert	0	0	0	0	0	0
21	A	Fillmore	Oak Creek / Pahvant	215	93	124	132	74	31
21	A	Fillmore	Oak Creek (LE)	0	0	0	0	0	0
22	A	Beaver	Beaver	234	273	215	117	0	0
23	A	Monroe	Monroe	0	214	214	189	184	84
24	A	Mt. Dutton	Mt. Dutton	0	0	0	0	0	0
25	A	Plateau	Fish Lake	0	0	0	0	0	0
25	B	Plateau	Thousand Lakes	0	0	0	0	0	0
25	C	Plateau	Boulder	192	190	185	187	0	0
26	A	Kaiparowits	Kaiparowits	0	0	0	0	0	0
27	A	Paunsaugunt	Paunsaugunt	256	388	209	60	80	0
28	A	Panguitch Lake	Panguitch Lake	164	278	79	45	0	0
29	A	Zion	Zion	0	194	0	0	0	0
30	A	Pine Valley	Pine Valley	0	111	123	48	63	0

*Hunters afield for 17A.

**Hunters afield does not include mitigation permits.

Deer classification data by subunit, Utah 1999–2005.

Box Elder

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1604	55	49	14	32	1032	43
2000–2001	1131	42	37	14	29	947	31
2001–2002	1318	44	39	12	49	1002	21
2002–2003	1071	63	56	13	71	1239	48
2003–2004	784	65	58	12	37	—	—
2004–2005	989	71	61	17	54	889	54

Cache

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	945	82	74	11	38	1007	67
2000–2001	1794	65	56	16	32	1350	66
2001–2002	1741	71	63	12	37	1157	35
2002–2003	1491	42	37	12	48	1064	38
2003–2004	1733	78	67	16	38	1104	67
2004–2005	1365	88	73	20	61	2123	50

Cache, Crawford Mountain

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	—	—	—	—	—	—	—
2000–2001	—	—	—	—	—	—	—
2001–2002	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—
2003–2004	140	69	61	13	30	—	—
2004–2005	195	92	79	17	44	—	—

Ogden

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	555	72	65	11	27	735	67
2000–2001	1119	70	59	19	39	981	62
2001–2002	481	76	61	25	42	720	25
2002–2003	674	42	35	18	44	834	38
2003–2004	387	86	74	17	39	333	41
2004–2005	852	75	65	16	45	1070	43

Deer classification data by subunit, Utah 1999–2005 (cont.).

Morgan-South Rich

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	284	73	59	24	56	1387	48
2000–2001	1069	71	54	31	52	1692	53
2001–2002	1022	77	53	44	60	894	31
2002–2003	1038	60	39	53	69	1449	40
2003–2004	1501	82	57	44	67	481	54
2004–2005	1501	87	60	45	53	1392	58

East Canyon

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	382	70	62	14	56	1261	56
2000–2001	1838	69	58	18	38	894	50
2001–2002	797	86	69	24	51	619	40
2002–2003	533	54	39	37	69	727	35
2003–2004	756	72	54	33	38	—	—
2004–2005	414	90	68	32	52	511	66

Chalk Creek

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1079	81	67	22	53	1337	60
2000–2001	762	72	57	25	51	699	66
2001–2002	758	63	52	22	51	786	52
2002–2003	716	73	51	42	55	935	45
2003–2004	870	72	52	40	50	1123	48
2004–2005	728	81	59	37	39	1037	54

Kamas

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	173	71	63	13	42	577	63
2000–2001	776	73	60	21	48	520	67
2001–2002	801	86	70	22	53	640	64
2002–2003	476	70	58	21	40	667	47
2003–2004	677	74	61	20	39	710	63
2004–2005	373	76	62	22	46	363	56

Deer classification data by subunit, Utah 1999–2005 (cont.).

North Slope, West Daggett / Three Corners

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	495	57	50	14	46	756	43
2000–2001	452	55	46	18	36	520	36
2001–2002	378	51	44	15	50	726	42
2002–2003	629	48	42	14	40	802	41
2003–2004	789	69	58	20	28	921	49
2004–2005	592	71	62	14	47	1152	57

South Slope, Yellowstone

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	651	51	42	21	46	852	63
2000–2001	915	64	55	15	30	1356	50
2001–2002	788	60	51	15	55	1049	39
2002–2003	813	42	39	8	36	792	33
2003–2004	1115	60	53	12	41	911	38
2004–2005	1525	56	51	10	26	1351	40

South Slope, Vernal / Bonanza

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	673	56	53	6	35	816	46
2000–2001	460	54	51	7	47	1276	48
2001–2002	374	56	53	6	36	422	46
2002–2003	792	50	46	9	38	935	41
2003–2004	692	63	55	14	37	783	43
2004–2005	464	57	52	9	21	885	45

South Slope, Diamond Mountain

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1068	72	59	23	24	676	49
2000–2001	890	60	48	24	31	1124	43
2001–2002	522	59	46	27	41	828	42
2002–2003	1160	51	42	22	45	804	37
2003–2004	1172	73	60	21	43	823	48
2004–2005	932	60	49	23	45	1099	44

Deer classification data by subunit, Utah 1999–2005 (cont.).

Book Cliffs, North

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	870	54	38	42	52	1018	30
2000–2001	1551	45	32	40	60	1161	26
2001–2002	1013	44	32	38	64	1536	27
2002–2003	865	40	30	32	59	1064	28
2003–2004	889	62	48	31	55	1113	46
2004–2005	762	54	42	31	40	1267	39

Book Cliffs, South

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	323	47	33	44	—	—	29
2000–2001	415	31	21	43	47	688	14
2001–2002	370	23	17	35	80	567	12
2002–2003	599	23	16	41	58	358	13
2003–2004	405	44	31	40	73	422	23
2004–2005	401	53	36	46	57	422	35

Nine Mile, Anthro

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	37	—	—	—	—	205	30
2000–2001	55	—	—	—	—	47	—
2001–2002	34	—	—	—	—	156	43
2002–2003	45	—	—	—	—	45	—
2003–2004	45	45	41	10	33	85	35
2004–2005	102	32	29	10	29	85	35

Nine Mile, Range Creek

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	325	70	57	22	—	—	49
2000–2001	501	57	44	29	41	1373	32
2001–2002	284	46	40	17	47	929	20
2002–2003	373	37	31	17	41	545	21
2003–2004	371	50	40	25	56	904	28
2004–2005	495	65	53	23	48	904	46

Deer classification data by subunit, Utah 1999–2005 (cont.).

La Sal, La Sal Mountains

Year	Post					Spring	
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	407	40	37	10	43	—	30
2000–2001	669	45	41	9	44	1210	31
2001–2002	563	34	30	14	36	644	24
2002–2003	866	29	26	11	36	789	21
2003–2004	711	56	49	13	62	724	43
2004–2005	757	47	42	12	42	724	39

La Sal, Dolores Triangle

Year	Post					Spring	
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	404	39	32	22	45	—	29
2000–2001	368	37	30	24	62	592	28
2001–2002	502	32	26	19	58	559	23
2002–2003	432	27	23	17	53	422	20
2003–2004	321	55	48	15	53	605	31
2004–2005	305	42	33	28	46	605	27

San Juan, Abajo

Year	Post					Spring	
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1159	57	52	10	29	—	42
2000–2001	1032	46	39	16	26	1659	26
2001–2002	549	40	34	17	41	983	22
2002–2003	844	24	21	12	49	1351	18
2003–2004	803	64	57	13	38	586	53
2004–2005	602	61	54	14	36	586	52

San Juan, Elk Ridge

Year	Post					Spring	
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	480	38	28	36	49	—	26
2000–2001	359	25	18	38	53	538	13
2001–2002	291	24	19	24	63	481	13
2002–2003	291	17	14	25	64	283	12
2003–2004	386	52	42	24	71	306	35
2004–2005	294	47	39	23	48	306	33

Deer classification data by subunit, Utah 1999–2005 (cont.).

Henry Mountains

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	126	70	50	40	54	—	47
2000–2001	155	36	25	43	57	208	32
2001–2002	239	36	26	36	58	258	26
2002–2003	288	36	25	46	52	119	17
2003–2004	120	44	53	33	55	154	43
2004–2005	206	84	60	41	61	154	47

Central Mountains, Nebo

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	721	70	67	5	50	—	—
2000–2001	1562	68	61	12	23	3068	51
2001–2002	782	73	61	19	27	2325	34
2002–2003	1316	48	42	15	37	—	—
2003–2004	1093	59	51	16	30	1793	44
2004–2005	1120	65	60	8	34	—	—

Central Mountains, North Manti / South Manti (Central Region)

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	660	75	65	16	35	—	—
2000–2001	2041	70	60	16	37	2368	53
2001–2002	856	60	53	14	25	1818	31
2002–2003	685	60	54	10	57	—	—
2003–2004	1457	65	58	13	58	1108	30
2004–2005	1496	70	64	8	37	—	—

Central Mountains, North Manti / South Manti (Southeastern Region)

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	745	65	54	20	28	4889	48
2000–2001	1588	59	51	17	36	3209	39
2001–2002	1198	51	46	11	27	1864	30
2002–2003	1424	52	46	13	31	—	32
2003–2004	1358	63	53	17	41	2680	41
2004–2005	1551	69	60	15	40	2680	50

Deer classification data by subunit, Utah 1999–2005 (cont.).

Wasatch Mountains, Diamond Fork / Heber / Timpanogos

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1416	63	57	10	37	—	—
2000–2001	3513	70	60	17	36	3773	53
2001–2002	2103	61	52	17	37	3369	35
2002–2003	2154	70	62	13	47	—	—
2003–2004	2076	71	59	21	33	2781	52
2004–2005	2582	67	59	13	45	1732	52

Wasatch Mountains, Salt Lake

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	234	69	57	21	31	—	—
2000–2001	498	54	40	35	54	513	63
2001–2002	716	71	56	26	52	252	29
2002–2003	62	65	48	35	91	—	—
2003–2004	130	65	44	45	43	144	37
2004–2005	155	58	45	29	48	—	—

Wasatch Mountains, Currant Creek

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1275	80	70	14	38	1021	64
2000–2001	1638	79	66	19	44	1884	55
2001–2002	1584	60	50	19	54	1363	42
2002–2003	1729	51	45	14	53	1659	39
2003–2004	1727	61	51	19	43	1232	42
2004–2005	1497	61	53	15	50	1201	37

Wasatch Mountains, Avintaquin

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	189	65	56	17	50	605	52
2000–2001	176	56	47	20	20	467	43
2001–2002	40	—	—	—	—	705	35
2002–2003	146	43	39	9	33	163	30
2003–2004	28	67	56	20	67	562	51
2004–2005	135	50	47	7	33	516	47

Deer classification data by subunit, Utah 1999–2005 (cont.).

Oquirrh-Stansbury

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	199	63	57	11	25	—	—
2000–2001	762	51	44	17	29	742	60
2001–2002	722	57	50	14	34	616	37
2002–2003	383	57	52	9	32	370	38
2003–2004	623	71	61	16	51	923	33
2004–2005	738	65	60	8	36	—	—

West Desert, Vernon

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	188	77	62	25	48	—	—
2000–2001	704	64	48	34	51	464	54
2001–2002	209*	55*	46	18*	45*	111	34
2002–2003	186	43	34	28	53	—	—
2003–2004	163	78	66	18	67	200	31
2004–2005	264	75	57	31	63	—	—

*Includes entire West Desert Unit.

West Desert, Other

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	98	54	53	2	100	—	—
2000–2001	383	54	49	10	61	325	38
2001–2002	209*	55*	51	18*	45*	285	31
2002–2003	—	—	—	—	—	—	—
2003–2004	262	50	45	11	44	—	—
2004–2005	—	—	—	—	—	—	—

*Includes entire West Desert Unit.

Southwest Desert

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	161	52	42	24	54	—	—
2000–2001	260	48	37	31	51	—	—
2001–2002	265	40	31	30	62	176	28
2002–2003	200	26	21	24	66	—	—
2003–2004	249	40	32	24	65	—	—
2004–2005	312	44	34	28	61	—	—

Deer classification data by subunit, Utah 1999–2005 (cont.).

Fillmore, Oak Creek

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	208	61	45	35	30	209	39
2000–2001	183	50	38	33	39	362	30
2001–2002	375	44	34	29	60	166	38
2002–2003	288	32	25	25	61	137	26
2003–2004	248	47	36	29	59	137	32
2004–2005	276	54	46	17	63	143	40

Fillmore, Pahvant

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1012	57	47	22	35	1501	42
2000–2001	1356	40	34	16	44	1590	30
2001–2002	836	33	28	18	47	817	18
2002–2003	1133	34	29	18	56	903	24
2003–2004	702	35	31	15	61	967	36
2004–2005	758	53	47	12	50	937	36

Beaver

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1399	63	52	21	31	2424	44
2000–2001	2257	53	45	19	46	1699	39
2001–2002	1254	56	47	19	45	941	24
2002–2003	1217	36	32	12	46	1162	19
2003–2004	567	55	49	12	63	1365	39
2004–2005	947	62	55	14	40	779	46

Monroe

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1835	68	60	13	27	1230	64
2000–2001	3315	58	50	15	39	1139	37
2001–2002	3408	48	41	17	37	1125	28
2002–2003	1038	57	48	18	37	1686	40
2003–2004	789	64	57	12	54	1064	53
2004–2005	978	63	59	7	27	926	56

Deer classification data by subunit, Utah 1999–2005 (cont.).

Mt. Dutton

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	654	63	53	20	29	1025	56
2000–2001	795	64	55	16	36	1138	41
2001–2002	500	57	50	13	41	850	39
2002–2003	351	42	37	14	47	485	26
2003–2004	413	57	50	14	65	492	54
2004–2005	383	68	59	16	27	486	50

Plateau, Fish Lake

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	2074	78	67	17	46	1326	70
2000–2001	1895	67	58	16	43	2336	43
2001–2002	2804	47	42	13	40	1068	37
2002–2003	846	44	37	18	61	1841	40
2003–2004	990	63	55	15	65	640	62
2004–2005	723	73	67	9	40	1362	57

Plateau, Thousand Lakes

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1061	79	65	21	47	882	64
2000–2001	1024	72	61	19	45	677	30
2001–2002	588	48	41	17	55	571	40
2002–2003	381	60	51	18	42	733	33
2003–2004	624	59	50	25	76	233	58
2004–2005	267	59	48	22	55	266	59

Plateau, Boulder

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1112	89	73	22	45	955	70
2000–2001	1066	70	58	20	50	1427	39
2001–2002	571	49	40	22	52	728	38
2002–2003	569	41	35	17	58	1026	32
2003–2004	432	49	42	16	67	738	49
2004–2005	784	84	70	20	52	802	61

Deer classification data by subunit, Utah 1999–2005 (cont.).

Paunsaugunt

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	681	70	56	25	51	887	38
2000–2001	550	47	34	38	60	831	37
2001–2002	616	42	30	39	63	722	35
2002–2003	608	30	22	37	60	562	20
2003–2004	547	63	47	35	73	484	59
2004–2005	364	62	47	33	53	340	39

Panguitch Lake

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	992	59	51	16	28	1135	45
2000–2001	1189	55	48	15	25	1549	38
2001–2002	391	58	50	15	15	372	30
2002–2003	677	47	42	12	45	1099	36
2003–2004	555	55	50	7	31	763	52
2004–2005	877	57	50	14	38	1160	49

Zion

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1542	60	53	13	28	1227	29
2000–2001	1170	48	43	11	54	1353	28
2001–2002	702	57	51	11	34	863	28
2002–2003	683	54	49	11	30	970	43
2003–2004	776	53	47	12	49	465	42
2004–2005	995	75	63	20	32	1161	69

Pine Valley

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	2128	71	60	18	26	1137	52
2000–2001	1172	58	45	29	35	1313	34
2001–2002	1194	53	43	22	41	858	41
2002–2003	1427	40	33	20	37	945	30
2003–2004	1540	58	50	17	67	712	48
2004–2005	1263	59	50	17	53	891	49

ELK



Statewide elk harvest statistics, Utah 1931–1970.

Year	Permits issued				Hunters afield	Harvest				Success rate (%)	
	Bull	Cow	Hunter's choice	Total		Bull	Cow	Calf	Hunter's choice		
1931	184	—	75	259	256	99	—	—	26	125	49
1932	191	—	58	249	246	140	—	—	49	189	77
1933	201	—	150	351	346	162	2	—	71	235	68
1934	143	—	281	424	418	179	44	—	96	292	70
1935	60	—	297	357	352	146	37	—	22	205	58
1936	60	—	160	220	217	92	49	—	12	153	70
1937	151	53	47	251	248	119	69	—	—	188	76
1938	193	172	150	515	508	186	195	—	49	430	85
1939	328	408	—	736	726	261	380	—	—	641	88
1940	522	406	—	928	916	455	383	—	—	838	91
1941	419	378	74	871	860	390	391	—	—	781	91
1942	426	394	146	966	954	374	385	—	—	759	80
1943	429	291	112	832	821	303	261	—	—	564	69
1944	262	123	195	580	572	172	90	—	170	432	76
1945	335	145	220	700	691	312	250	—	—	562	81
1946	395	215	450	1060	1031	483	362	—	—	845	82
1947	260	125	850	1235	1208	502	563	—	—	1065	88
1948	25	10	875	910	902	307	481	—	—	788	87
1949	175	95	655	925	914	374	343	—	—	717	78
1950	305	70	1305	1680	1669	754	649	—	—	1403	84
1951	350	136	1335	1821	1807	803	704	—	—	1507	83
1952	310	120	1330	1760	1750	641	682	—	—	1323	76
1953	210	115	1172	1497	1491	471	496	—	—	967	65
1954	190	—	1160	1350	1332	423	425	—	—	848	64
1955	281	—	1192	1473	1461	413	345	92	—	850	58
1956	357	—	1063	1420	1407	434	298	85	—	817	58
1957	513	—	1299	1812	1768	487	356	89	—	932	53
1958	580	—	1460	2040	2019	563	416	96	—	1075	53
1959	680	10	1493	2183	2176	638	462	120	—	1220	56
1960	830	—	1451	2281	2253	649	423	101	—	1173	52
1961	1020	—	1550	2570	2526	643	393	82	—	1118	44
1962	1130	—	1392	2522	2478	697	383	93	—	1173	47
1963	1191	—	1373	2564	2519	647	338	60	—	1045	41
1964	1228	—	1233	2461	2418	632	334	67	—	1033	43
1965	1386	—	1119	2505	2480	678	271	48	—	997	40
1966	1545	—	798	2343	2302	657	226	27	—	910	40
1967	4195	—	260	4455	4278	964	52	13	—	1029	24
1968	6086	—	176	6262	6036	1286	49	17	—	1352	22
1969	5005	—	457	5462	5215	1173	149	19	—	1341	26
1970	9639	—	715	10354	10008	1762	203	30	—	1995	20

Statewide elk harvest statistics, Utah 1971–2004.

Year	Archery			Any Weapon			Muzzleloader			Restricted			Total		
	Bulls	Antls	Hunters afield	Bulls	Antls	Hunters afield	Bulls	Antls	Hunters afield	Bulls	Antls	Hunters afield	Bulls	Antls	Hunters afield
1971	5	—	222	1438	—	9149	—	—	—	—	—	—	1443	0	9371
1972	9	—	149	1887	—	15780	—	—	—	—	—	—	1896	0	15929
1973	18	—	291	1901	—	23604	—	—	—	—	—	—	1919	0	23895
1974	16	—	316	1659	—	17336	—	—	—	—	—	—	1675	0	17652
1975	23	—	273	1724	—	18631	—	—	—	—	—	—	1747	0	18904
1976	41	4	475	1709	—	18546	—	—	—	—	—	—	1750	4	19021
1977	35	16	665	2391	—	28908	—	—	—	—	—	—	2426	16	29573
1978	65	17	866	3026	—	32678	—	—	—	—	—	—	3091	17	33544
1979	77	20	1453	2533	—	36616	—	—	—	—	—	—	2610	20	38069
1980	71	25	1006	1980	—	18615	—	—	—	—	—	—	2051	25	19621
1981	66	22	1119	2659	—	20306	—	—	—	—	—	—	2725	22	21425
1982	83	24	1389	2986	—	20953	—	—	—	—	—	—	3069	24	22342
1983	59	24	1405	3478	—	20254	—	—	—	—	—	—	3537	24	21659
1984	85	34	1657	4030	—	27351	—	—	—	—	—	—	4115	34	29008
1985	147	42	1971	4586	—	27077	52	—	239	—	—	—	4785	42	29287
1986	204	31	1910	3715	—	27317	82	—	256	—	—	—	4001	31	29483
1987	287	20	2478	4265	—	29009	77	—	271	—	—	—	4629	20	31758
1988	341	45	3842	5976	—	33759	117	—	329	—	—	—	6434	45	37930
1989	190	22	3336	6104	—	35204	128	—	321	—	—	—	6422	22	38861
1990	265	31	3195	6017	—	39740	123	—	328	—	—	—	6405	31	43263
1991	266	71	4439	5846	—	42318	87	—	325	—	—	—	6199	71	47082
1992	375	104	4687	6878	—	42910	88	—	327	—	—	—	7341	104	47924
1993	256	133	5468	5700	—	42365	110	59	539	—	—	—	6066	192	48372
1994	345	101	5387	5420	—	45057	137	—	532	—	—	—	5902	101	50976
1995	344	303	6729	3660	—	27156	80	185	1043	1241	3987	8670	5325	4476	43598
1996	383	419	6170	4173	—	26992	143	342	1045	677	3916	6867	5376	4677	41074
1997	479	392	6360	4662	—	26293	127	173	1043	1212	6920	13674	6480	7485	47370
1998	360	363	5825	3512	—	26135	72	155	1054	1311	7550	13847	5255	8068	46861
1999	367	356	5355	4517	—	28796	160	106	2574	1156	6526	15912	6200	6988	52637
2000	303	461	5346	4825	—	26827	387	203	2174	1057	7251	15558	6572	7915	49905
2001	393	423	4583	3570	—	24581	173	108	2031	872	6502	13981	5008	7033	45176
2002	323	382	5889	2736	—	21897	153	151	2036	1177	4851	13342	4389	5384	43164
2003	361	410	6105	3170	—	23152	254	151	2239	1250	5596	14602	5035	6157	46098
2004	449	387	6055	2862	—	21726	418	—	3843	1677	4946	12627	5406	5333	44251

*In 2001 and 2002, hunters afield were estimated.

**In 2001, not all CWMU bull elk hunt data was available.

Elk population estimates and objectives by management unit/subunit, Utah 2002–2004.

Management unit	Objective	Winter population estimate		
		2002	2003	2004
Box Elder	675	330	330	300
Cache	2300	1950	1950	2030
Ogden	1200	650	650	690
Morgan-South Rich	3500	4500	4300	4100
East Canyon	1000	800	1500	1200
Chalk Creek	1900	2200	2100	2000
Kamas	650	500	600	600
North Slope, Summit	300	120	270	270
North Slope, West Daggett	1300	1400	950	1000
North Slope, Three Corners	500	420	435	450
South Slope, Yellowstone	5500	5300	5000	5270
South Slope, Vernal / Diamond Mountain	2500	2600	2470	2250
Book Cliffs	7500	3200	2850	2830
Nine Mile, Anthro	700	810	750	720
Nine Mile, Range Creek	1000	1780	1350	1300
San Rafael	0	50	50	50
La Sal	2650	2650	2600	1970
San Juan	1300	1130	1140	1350
Henry Mountains	0	25	25	25
Central Mountains, Manti	12000	11100	8800	9,400
Central Mountains, Nebo	1450	1450	1530	1500
Wasatch Mountains, Currant Creek	1200	1440	1200	1140
Wasatch Mountains, Avintquin	1000	1250	1150	915
Wasatch Mountains, Central Region	2850	3160	2850	2850
Oquirrh-Stansbury	800	700	700	700
West Desert, Deep Creek	200	200	200	200
Southwest Desert	975	970	1400	1600
Fillmore	1425	1400	1400	1250
Beaver	950	300	300	900
Monroe	1800	1300	1430	1575
Mt. Dutton	1500	1400	1635	1625
Plateau, Fish Lake / Thousand Lakes	4800	2700	3070	3500
Plateau, Boulder	1500	1500	1540	1700
Kaiparowits	25	20	25	25
Paunsaugunt	200	60	80	80
Panguitch Lake	900	900	1065	1125
Zion	300	300	300	300
Pine Valley	50	30	30	50

Average age of harvested bull elk on limited entry units, 2001-2004.

Management unit	Age objective	2001	2002	2003	2004
Box Elder, Pilot Mountain	5–6	7.0	6.7	5.5	7.0
Box Elder, Grouse Creek	3–4	6.0	4.0	—	5.0
Cache, North	3–4	3.4	4.4	4.0	3.8
Cache, South	4–5	4.7	6.4	6.3	4.7
Cache, Meadowville	4–5	—	—	6.0	6.0
North Slope, Three Corners	3–4	3.1	4.3	4.6	5.1
South Slope, Diamond Mountain	4–5	4.2	4.4	5.7	5.2
Book Cliffs, Bitter Creek / South	4–5	5.6	6.5	5.8	6.4
Book Cliffs, Little Creek	5–6	7.3	—	7.6	6.8
Nine Mile, Anthro	4–5	8.3	6.9	8.0	6.7
La Sal	4–5	4.2	5.8	6.3	5.7
San Juan	5–6	8.1	7.7	8.0	7.7
Central Mountains, Manti	4–5	5.9	7.0	7.1	6.7
Central Mountains, Nebo	4–5	5.6	6.0	6.3	6.3
Wasatch Mountains	4–5	6.0	6.1	6.4	6.8
Oquirrh-Stansbury	4–5	4.5	5.0	5.7	5.9
West Desert, Deep Creek	5–6	6.5	7.8	6.5	6.9
Southwest Desert, Indian Peaks	5–6	7.9	8.1	7.2	7.7
Fillmore, Oak Creek	3–4	5.0	5.8	4.5	4.8
Fillmore, Pahvant	5–6	8.2	7.6	7.1	7.5
Beaver	4–5	6.0	7.0	6.0	7.5
Monroe	4–5	6.0	7.5	7.1	7.2
Mount Dutton	4–5	5.7	6.5	5.9	6.2
Plateau, Fish Lake / Thousand Lakes	4–5	7.2	7.2	6.8	6.3
Plateau, Boulder / Kaiparowits	4–5	5.5	6.0	5.9	7.2
Paunsaugunt	4–5	6.2	6.6	4.8	5.5
Panguitch Lake	4–5	6.6	6.3	7.1	6.1

Total elk harvest by management unit, Utah 2001.

Management unit	Bull harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	7	7	14	32	3.1	43.8
Cache	160	248	408	1821	5.6	22.4
Ogden	60	115	175	736	5.6	23.8
Morgan-South Rich	269	294	563	1552	4.6	36.3
East Canyon	86	143	229	719	5.4	31.8
Chalk Creek	220	462	682	1450	4.3	47.0
Kamas*	101	157	258	1469	5.3	17.6
North Slope*	364	86	450	3253	6.0	13.8
South Slope*	830	608	1438	7172	6.2	20.1
Book Cliffs*	102	207	309	388	6.0	79.6
Nine Mile*	132	399	531	1549	5.5	34.3
San Rafael*	35	0	35	230	5.7	15.2
La Sal*	141	349	490	1176	5.1	41.7
San Juan*	19	114	133	178	5.0	74.7
Henry Mountains*	0	0	0	5	10.7	0.0
Central Mountains*	986	1509	2495	9227	5.6	27.0
Wasatch Mountains*	728	823	1551	6388	5.2	24.3
Oquirrh-Stansbury*	7	32	39	95	4.3	41.1
West Desert*	6	6	12	31	5.2	38.7
Southwest Desert*	18	120	138	168	5.4	82.1
Fillmore*	35	66	101	143	6.1	70.6
Beaver*	62	22	84	677	6.5	12.4
Monroe*	24	120	144	223	5.3	64.6
Mt. Dutton*	30	144	174	515	7.4	33.8
Plateau*	465	905	1370	7224	5.6	19.0
Paunsaugunt*	8	23	31	61	5.2	50.8
Panguitch Lake*	17	62	79	128	12.8	61.7
Zion*	61	12	73	640	6.7	11.4
Unidentified	35	0	35	192	5.9	18.2
Statewide totals	5008	7033	12041	45176	5.9	26.7

*Data does not include CWMU bull elk hunts.

**Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

***Statewide hunters afield were estimated based on the percentage of hunters that hunted multiple units in previous years.

Total elk harvest by management unit, Utah 2002.

Management unit	Bull harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	12	1	13	23	3.6	56.5
Cache	209	134	343	2035	5.9	16.9
Ogden	54	81	135	891	6.0	15.2
Morgan-South Rich	263	316	579	1649	5.0	35.1
East Canyon	127	127	254	1077	5.5	23.6
Chalk Creek	216	131	347	1324	6.4	26.2
Kamas	85	79	164	1586	5.6	10.3
North Slope	350	105	455	3914	5.5	11.6
South Slope	740	710	1450	7649	6.4	19.0
Book Cliffs	61	216	277	388	7.3	71.4
Nine Mile	143	275	418	1734	6.8	24.1
San Rafael	3	11	14	221	4.8	6.3
La Sal	111	229	340	1174	6.9	29.0
San Juan	31	186	217	307	8.1	70.7
Henry Mountains	0	4	4	10	4.5	40.0
Central Mountains	780	910	1690	8558	5.7	19.7
Wasatch Mountains	805	1327	2132	9331	5.4	22.8
Oquirrh-Stansbury	25	25	50	73	7.0	68.5
West Desert	7	8	15	29	6.1	51.7
Southwest Desert	14	86	100	118	8.8	84.7
Fillmore	33	102	135	247	7.6	54.7
Beaver	34	9	43	579	4.7	7.4
Monroe	17	38	55	61	4.8	90.2
Mt. Dutton	45	152	197	386	9.5	51.0
Plateau	146	16	162	1161	5.2	14.0
Paunsaugunt	22	31	53	81	8.0	65.4
Panguitch Lake	22	60	82	133	5.3	61.7
Zion	30	15	45	778	6.5	5.8
Unidentified	4	0	4	65	6.4	6.2
Statewide totals	4389	5384	9773	43164	6.2	22.6

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

**Statewide hunters afield were estimated based on the percentage of hunters that hunted multiple units in previous years.

Total elk harvest by management unit, Utah 2003.

Management unit	Bull harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	25	0	25	63	7.4	39.7
Cache	189	194	383	2265	5.3	16.9
Ogden	31	103	134	742	5.9	18.1
Morgan-South Rich	282	195	477	1564	5.4	30.5
East Canyon	128	281	409	1215	5.2	33.7
Chalk Creek	190	302	492	1652	4.4	29.8
Kamas	122	59	181	1722	5.2	10.5
North Slope	424	144	568	4005	5.4	14.2
South Slope	670	695	1365	7182	6.2	18.8
Book Cliffs	69	284	353	534	4.7	66.1
Nine Mile	188	255	443	1579	5.4	28.1
San Rafael	10	4	14	135	5.5	10.4
La Sal	92	325	417	1092	5.8	38.2
San Juan	39	149	188	330	5.4	56.4
Henry Mountains	0	2	2	65	5.0	3.1
Central Mountains	935	1239	2174	9014	5.7	24.1
Wasatch Mountains	704	1224	1928	7983	5.7	24.1
Oquirrh-Stansbury	10	23	33	35	3.7	94.3
West Desert	7	38	45	73	4.9	61.6
Southwest Desert	19	65	84	127	6.3	66.1
Fillmore	104	136	240	1030	7.1	23.3
Beaver	109	28	137	804	5.6	17.0
Monroe	25	76	101	137	4.0	73.7
Mt. Dutton	58	108	166	590	7.3	28.1
Plateau	325	106	431	2386	5.3	18.1
Paunsaugunt	21	32	53	124	6.5	42.7
Panguitch Lake	22	50	72	143	6.7	50.3
Zion	60	35	95	1048	6.3	9.1
Unidentified	177	5	182	1439	5.4	12.6
Statewide totals	5035	6157	11192	46098	6.0	24.2

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

Total elk harvest by management unit, Utah 2004.

Management unit	Bull harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	26	0	26	87	3.9	29.9
Cache	221	153	374	1863	5.7	19.8
Ogden	97	107	204	960	5.3	21.3
Morgan-South Rich	297	515	812	1869	4.0	43.4
East Canyon	151	240	391	1116	4.7	35.0
Chalk Creek	277	276	553	1760	4.8	31.4
Kamas	135	63	198	1681	5.0	11.8
North Slope	308	121	429	3927	5.5	10.9
South Slope	768	602	1370	7316	6.1	18.6
Book Cliffs	114	53	167	230	4.4	72.6
Nine Mile	166	283	449	1227	5.0	36.6
San Rafael	22	6	28	166	5.6	16.9
La Sal	107	231	338	1184	6.6	28.5
San Juan	66	122	188	278	5.8	67.6
Henry Mountains	0	4	4	47	5.2	8.5
Central Mountains	910	955	1865	8394	5.4	22.1
Wasatch Mountains	687	692	1379	6723	5.2	20.5
Oquirrh-Stansbury	30	40	70	75	3.8	93.3
West Desert	11	39	50	72	5.6	69.4
Southwest Desert	23	173	196	407	4.8	48.2
Fillmore	62	166	228	508	5.9	44.9
Beaver	95	48	143	823	5.9	16.4
Monroe	38	47	85	111	4.8	76.6
Mt. Dutton	66	144	210	632	5.3	33.1
Plateau	452	119	571	2569	5.2	22.2
Paunsaugunt	16	18	34	83	5.8	41.0
Panguitch Lake	42	69	111	202	5.5	55.0
Zion	77	43	120	923	5.9	13.0
Unidentified	142	4	146	1227	5.0	11.9
Statewide totals	5406	5333	10739	44251	5.7	24.2

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General season spike bull elk harvest by management unit, Utah 2001.

Management unit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
Cache	92	870	5.3	10.6
San Rafael, South	10	29	4.2	34.5
La Sal	121	505	5.2	24.0
Central Mountains	762	5146	5.2	14.8
Wasatch Mountains	524	3498	5.1	15.0
Beaver	58	413	6.8	14.0
Plateau	355	3669	5.5	9.7
Unidentified	5	58	5.3	8.6
Statewide totals	1927	13600	5.6	14.2

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

**Statewide hunters afield were estimated based on the percentage of hunters that hunted multiple units in previous years.

General season any bull elk harvest by management unit, Utah 2001.

Management unit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	0	0	—	—
Ogden	49	470	5.8	10.4
Morgan-South Rich	137	709	5.3	19.3
East Canyon	44	230	5.5	19.1
Chalk Creek	115	478	4.6	24.1
Kamas	97	1032	5.2	9.4
North Slope	315	2591	5.8	12.2
South Slope	682	4639	6.1	14.7
Nine Mile	115	611	5.4	18.8
San Rafael, North	22	164	6.1	13.4
Henry Mountains	0	0	—	—
West Desert	0	0	—	—
Fillmore	0	0	—	—
Zion	40	465	6.7	8.6
Unidentified	27	128	6.2	21.1
Statewide totals	1643	10981	6.1	15.0

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

**Statewide hunters afield were estimated based on the percentage of hunters that hunted multiple units in previous years.

General season spike bull elk harvest by management unit, Utah 2002.

Management unit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
Cache	118	988	5.3	11.9
San Rafael, South	0	23	6.6	0.0
La Sal	65	475	6.4	13.7
Central Mountains	509	4695	5.0	10.8
Wasatch Mountains	578	3806	4.7	15.2
Beaver	15	395	4.7	3.8
Plateau	69	809	5.0	8.5
Unidentified	4	19	6.8	21.1
Statewide totals	1358	10745	5.2	12.6

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

**Statewide hunters afield were estimated based on the percentage of hunters that hunted multiple units in previous years.

General season any bull elk harvest by management unit, Utah 2002.

Management unit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	0	0	—	—
Ogden	39	450	4.8	8.7
Morgan-South Rich	96	733	4.3	13.1
East Canyon	74	354	5.3	20.9
Chalk Creek	109	533	6.2	20.5
Kamas	74	1017	5.0	7.3
North Slope	279	2951	5.2	9.5
South Slope	585	4379	5.4	13.4
Nine Mile	105	546	4.7	19.2
San Rafael, North	0	135	5.0	0.0
Henry Mountains	0	0	—	—
West Desert	0	0	—	—
Fillmore	0	0	—	—
Zion	17	563	6.7	3.0
Unidentified	0	35	6.6	0.0
Statewide totals	1378	11152	5.6	12.4

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

**Statewide hunters afield were estimated based on the percentage of hunters that hunted multiple units in previous years.

General season spike bull elk harvest by management unit, Utah 2003.

Management unit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
Cache	123	1254	4.9	9.8
San Rafael, South	0	6	4.7	0.0
La Sal	62	353	5.8	17.6
Central Mountains	626	4354	5.0	14.4
Wasatch Mountains	447	2978	4.8	15.0
Beaver	62	470	5.3	13.2
Plateau	168	1562	5.3	10.8
Unidentified	17	162	4.5	10.5
Statewide totals	1505	10634	5.2	14.2

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General season any bull elk harvest by management unit, Utah 2003.

Management unit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	16	38	5.0	42.1
Ogden	27	378	5.9	7.1
Morgan-South Rich	151	610	5.0	24.8
East Canyon	92	330	4.1	27.9
Chalk Creek	76	556	4.4	13.7
Kamas	103	1253	4.9	8.2
North Slope	361	3122	5.1	11.6
South Slope	513	4143	5.6	12.4
Nine Mile	124	470	4.4	26.4
San Rafael, North	0	76	5.2	0.0
Henry Mountains	0	49	4.1	0.0
West Desert	0	0	—	—
Fillmore	27	330	5.7	8.2
Zion	38	681	6.1	5.6
Unidentified	81	880	4.5	9.2
Statewide totals	1609	12337	5.4	13.0

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General season spike bull elk harvest by management unit, Utah 2004.

Management unit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
Cache	126	981	5.2	12.8
San Rafael, South	5	20	3.5	25.0
La Sal	55	397	6.4	13.9
Central Mountains	518	4472	4.9	11.6
Wasatch Mountains	397	3249	4.6	12.2
Beaver	50	483	5.8	10.4
Plateau	201	1584	5.1	12.7
Unidentified	25	151	4.9	16.6
Statewide totals	1377	10910	5.2	12.6

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General season any bull elk harvest by management unit, Utah 2004.

Management unit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	14	57	3.8	24.6
Ogden	47	393	4.9	12.0
Morgan-South Rich	85	497	4.5	17.1
East Canyon	71	298	4.1	23.8
Chalk Creek	133	696	5.2	19.1
Kamas	90	948	4.5	9.5
North Slope	233	2781	5.3	8.4
South Slope	535	3795	5.6	14.1
Nine Mile	109	422	5.1	25.8
San Rafael, North	14	76	5.8	18.4
Henry Mountains	0	33	5.2	0.0
West Desert	0	0	—	—
Fillmore	0	19	8.2	0.0
Zion	52	550	5.3	9.5
Unidentified	47	602	4.7	7.8
Statewide totals	1430	10626	5.5	13.5

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General muzzleloader spike bull elk harvest by management unit, Utah 2001.

Management unit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
Cache	5	137	4.6	3.6
San Rafael, South	0	0	—	—
La Sal	5	33	4.7	15.2
Central Mountains	20	225	4.6	8.9
Wasatch Mountains	11	247	4.3	4.5
Beaver	0	48	5.1	0.0
Plateau	16	328	5.3	4.9
Unidentified	0	3	7.7	0.0
Statewide totals	57	935	5.2	6.1

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

**Statewide hunters afield were estimated based on the percentage of hunters that hunted multiple units in previous years.

General muzzleloader elk (ML300) harvest by management unit, Utah 2001.

Management unit	Bull harvest	Cow harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	0	0	0	0	—	—
Cache	0	16	16	106	4.9	15.1
Ogden	3	0	3	16	3.3	18.8
Morgan-South Rich	6	0	6	74	4.2	8.1
East Canyon	3	0	3	23	4.9	13.0
Chalk Creek	13	0	13	42	4.6	31.0
Kamas	0	0	0	19	4.4	0.0
North Slope	3	3	6	94	5.2	6.4
South Slope	9	10	19	184	5.4	10.3
Nine Mile	0	0	0	36	3.7	0.0
San Rafael	3	0	3	26	3.8	11.5
La Sal	0	3	3	10	4.2	30.0
Central Mountains	45	32	77	241	4.6	32.0
Wasatch Mountains	9	25	34	117	3.9	29.1
Beaver	0	10	10	32	4.3	31.3
Plateau	16	9	25	178	5.5	14.0
Zion	3	0	3	29	5.3	10.3
Unidentified	3	0	3	3	4.3	100.0
Statewide totals	116	108	224	1096	5.4	20.4

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

**Statewide hunters afield were estimated based on the percentage of hunters that hunted multiple units in previous years.

General muzzleloader spike bull elk harvest by management unit, Utah 2002.

Management unit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
Cache	10	184	4.2	5.4
San Rafael, South	0	0	—	—
La Sal	0	38	4.4	0.0
Central Mountains	13	277	4.1	4.7
Wasatch Mountains	18	287	3.9	6.3
Beaver	5	53	3.7	9.4
Plateau	5	55	3.3	9.1
Unidentified	0	3	3.3	0.0
Statewide totals	51	821	4.4	6.2

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

**Statewide hunters afield were estimated based on the percentage of hunters that hunted multiple units in previous years.

General muzzleloader elk (ML300) harvest by management unit, Utah 2002.

Management unit	Bull harvest	Cow harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	0	0	0	0	—	—
Cache	0	29	29	100	4.4	29.0
Ogden	3	3	6	47	4.0	12.8
Morgan-South Rich	5	5	10	84	3.3	11.9
East Canyon	0	0	0	18	3.2	0.0
Chalk Creek	3	0	3	18	4.2	16.7
Kamas	3	3	6	60	3.9	10.0
North Slope	11	8	19	128	4.7	14.8
South Slope	42	13	55	204	4.4	27.0
Nine Mile	0	10	10	71	4.2	14.1
San Rafael	3	3	6	42	3.3	14.3
La Sal	0	0	0	16	3.4	0.0
Central Mountains	16	40	56	255	4.0	22.0
Wasatch Mountains	13	21	34	183	4.0	18.6
Beaver	0	5	5	50	4.8	10.0
Plateau	0	8	8	42	5.2	19.0
Zion	3	3	6	37	3.0	16.2
Unidentified	0	0	0	8	5.6	0.0
Statewide totals	102	151	253	1215	4.6	20.8

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

**Statewide hunters afield were estimated based on the percentage of hunters that hunted multiple units in previous years.

General muzzleloader spike bull elk harvest by management unit, Utah 2003.

Management unit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
Cache	24	234	4.2	10.3
San Rafael, South	0	0	—	—
La Sal	0	4	7.0	0.0
Central Mountains	44	455	4.1	9.7
Wasatch Mountains	28	305	3.8	9.2
Beaver	12	63	4.2	19.0
Plateau	8	123	4.8	6.5
Unidentified	0	8	5.0	0.0
Statewide totals	116	1087	4.5	10.7

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General muzzleloader elk (ML300) harvest by management unit, Utah 2003.

Management unit	Bull harvest	Cow harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	0	0	0	0	—	—
Cache	3	24	27	123	3.8	22.0
Ogden	0	0	0	26	3.5	0.0
Morgan-South Rich	10	3	13	66	2.9	19.7
East Canyon	8	3	11	31	3.0	35.5
Chalk Creek	10	0	10	58	3.8	17.2
Kamas	5	5	10	55	4.5	18.2
North Slope	16	19	35	144	5.0	24.3
South Slope	31	13	44	259	4.2	17.0
Nine Mile	3	0	3	26	2.0	11.5
San Rafael	5	0	5	18	3.7	27.8
La Sal	0	5	5	8	5.6	62.5
Central Mountains	14	47	61	276	4.0	22.1
Wasatch Mountains	20	24	44	170	3.6	25.9
Fillmore	0	0	0	8	2.0	0.0
Beaver	3	8	11	39	5.0	28.2
Plateau	0	0	0	18	4.1	0.0
Zion	5	0	5	21	3.1	23.8
Unidentified	5	0	5	39	3.2	12.8
Statewide totals	138	151	289	1152	4.8	25.1

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General muzzleloader spike bull elk harvest by management unit, Utah 2004.

Management unit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
Cache	25	245	3.9	10.2
San Rafael, South	0	0	—	—
La Sal	3	28	4.6	10.7
Central Mountains	64	596	4.3	10.7
Wasatch Mountains	33	349	4.0	9.5
Beaver	11	101	4.7	10.9
Plateau	56	268	3.9	20.9
Unidentified	0	20	3.4	0.0
Statewide totals	192	1476	4.5	13.0

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General muzzleloader any bull elk harvest by management unit, Utah 2004.

Management unit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	3	8	3.6	37.5
Ogden	19	183	4.0	10.4
Morgan-South Rich	50	353	3.7	14.2
East Canyon	19	122	3.8	15.6
Chalk Creek	24	170	4.0	14.1
Kamas	21	244	4.3	8.6
North Slope	13	427	4.5	3.0
South Slope	53	769	4.7	6.9
Nine Mile	5	77	3.7	6.5
San Rafael, North	3	21	4.4	14.3
Henry Mountains	0	3	1.7	0.0
West Desert	0	0	—	—
Fillmore	0	11	3.4	0.0
Zion	13	61	3.9	21.3
Unidentified	3	114	3.8	2.6
Statewide totals	226	2367	4.6	9.5

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General archery elk harvest by management unit, Utah 2001.

Management unit	Bull harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	0	0	0	0	—	—
Cache	25	39	64	293	7.7	21.8
Ogden	4	0	4	53	6.3	7.5
Morgan-South Rich	18	4	22	125	5.8	17.6
East Canyon	25	0	25	225	7.5	11.1
Chalk Creek	14	4	18	82	7.0	22.0
Kamas	4	11	15	157	6.3	9.6
North Slope	21	22	43	374	6.6	11.5
South Slope	79	25	104	813	7.4	12.8
Nine Mile	7	7	14	78	7.7	17.9
San Rafael	0	0	0	11	7.5	0.0
La Sal	7	14	21	111	6.3	18.9
Henry Mountains	0	0	0	0	—	—
Central Mountains	43	164	207	1254	7.4	16.5
Wasatch Mountains	89	79	168	1081	6.7	15.5
West Desert	0	0	0	0	—	—
Fillmore	0	0	0	0	—	—
Beaver	0	7	7	135	7.0	5.2
Plateau	39	47	86	606	7.3	14.2
Zion	18	0	18	107	6.2	16.8
Unidentified	0	0	0	0	—	—
Statewide totals	393	423	816	4583	8.5	17.8

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

**Statewide hunters afield were estimated based on the percentage of hunters that hunted multiple units in previous years.

General archery elk harvest by management unit, Utah 2002.

Management unit	Bull harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	0	0	0	0	—	—
Cache	37	17	54	318	7.0	17.0
Ogden	0	4	4	161	6.5	2.5
Morgan-South Rich	12	12	24	120	5.8	20.0
East Canyon	12	8	20	430	5.6	4.7
Chalk Creek	12	0	12	128	6.8	9.4
Kamas	8	8	16	265	5.8	6.0
North Slope	37	16	53	546	6.1	9.7
South Slope	62	58	120	852	8.1	14.1
Nine Mile	4	0	4	149	6.6	2.7
San Rafael	0	8	8	21	4.7	38.1
La Sal	17	12	29	145	6.8	20.0
Henry Mountains	0	0	0	0	—	—
Central Mountains	66	136	202	1571	6.0	12.9
Wasatch Mountains	48	87	135	1992	5.8	6.8
West Desert	0	0	0	0	—	—
Fillmore	0	0	0	0	—	—
Beaver	0	4	4	66	5.2	6.1
Plateau	0	8	8	165	6.8	4.8
Zion	8	4	12	145	6.2	8.3
Unidentified	0	0	0	0	—	—
Statewide totals	323	382	705	5889	7.5	12.0

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

**Statewide hunters afield were estimated based on the percentage of hunters that hunted multiple units in previous years.

General archery elk harvest by management unit, Utah 2003.

Management unit	Bull harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	0	0	0	0	—	—
Cache	9	23	32	339	8.2	9.4
Ogden	0	0	0	106	7.3	0.0
Morgan-South Rich	5	0	5	96	7.4	5.2
East Canyon	18	14	32	445	7.1	7.2
Chalk Creek	5	5	10	124	6.6	8.1
Kamas	14	0	14	257	6.9	5.4
North Slope	23	9	32	491	7.6	6.5
South Slope	73	37	110	941	10.4	11.7
Nine Mile	14	5	19	92	6.7	20.7
San Rafael	5	4	9	14	8.2	64.3
La Sal	0	23	23	124	6.3	18.5
Henry Mountains	0	0	0	0	—	—
Central Mountains	60	161	221	1689	8.1	13.1
Wasatch Mountains	83	92	175	1855	8.2	9.4
West Desert	14	9	23	303	10.8	7.6
Fillmore	5	0	5	23	6.4	21.7
Beaver	5	9	14	156	7.0	9.0
Plateau	9	9	18	266	6.7	6.8
Zion	14	5	19	193	7.5	9.8
Unidentified	5	5	10	124	8.3	8.1
Statewide totals	361	410	771	6105	10.2	12.6

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General archery elk harvest by management unit, Utah 2004.

Management unit	Bull harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	0	0	0	0	—	—
Cache	16	8	24	292	8.3	8.2
Ogden	8	8	16	126	7.1	12.7
Morgan-South Rich	8	0	8	87	6.9	9.2
East Canyon	20	4	24	279	6.6	8.6
Chalk Creek	20	0	20	118	7.9	16.9
Kamas	24	4	28	338	6.9	8.3
North Slope	28	12	40	507	8.2	7.9
South Slope	102	32	134	1055	9.6	12.7
Nine Mile	8	4	12	51	11.0	23.5
San Rafael	0	0	0	43	7.6	0.0
La Sal	4	35	39	150	8.8	26.0
Henry Mountains	0	0	0	0	—	—
Central Mountains	60	125	185	1416	7.2	13.1
Wasatch Mountains	79	79	158	1574	6.8	10.0
West Desert	8	4	12	102	6.0	11.8
Fillmore	0	0	0	4	9.8	0.0
Beaver	12	24	36	177	7.0	20.3
Plateau	28	32	60	299	7.8	20.1
Zion	12	12	24	201	7.9	11.9
Unidentified	12	4	16	150	8.4	10.7
Statewide totals	449	387	836	6055	8.8	13.8

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General youth bull elk harvest by management unit, Utah 2003.

Management unit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	0	0	—	—
Ogden	0	5	5.4	0.0
Morgan-South Rich	5	5	4.2	100.0
East Canyon	0	3	1.0	0.0
Chalk Creek	0	0	—	—
Kamas	0	19	3.9	0.0
North Slope	8	27	3.9	29.6
South Slope	11	43	5.2	25.6
Nine Mile	0	3	1.7	0.0
San Rafael, North	0	8	3.4	0.0
Henry Mountains	0	0	—	—
West Desert	0	0	—	—
Fillmore	13	32	5.9	40.6
Zion	3	16	4.7	18.8
Unidentified	16	45	3.7	35.6
Statewide totals	56	181	5.1	30.9

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General youth bull elk harvest, Utah 2004.

Management unit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
Statewide	55	190	4.4	28.9

*Hunter locations were not collected.

General season elk harvest statistics by subunit and weapon type, Cache Unit, Utah.

Year	Hunt type	Subunit	Harvest	Hunters afield	Mean days hunted	Success rate (%)
2001	Archery	North Cache	57	225	7.8	25.3
		South Cache	7	68	7.5	10.3
	Any weapon	North Cache	63	661	5.3	9.5
		South Cache	29	209	5.3	13.9
	Muzzleloader	North Cache	15	201	4.7	7.5
		South Cache	6	42	5.0	14.3
	Archery	North Cache	50	289	7.0	17.3
		South Cache	4	29	6.8	13.8
2002	Any weapon	North Cache	110	775	5.2	14.2
		South Cache	8	213	5.4	3.8
	Muzzleloader	North Cache	39	266	4.2	14.7
		South Cache	0	18	4.5	0.0
	Archery	North Cache	23	252	8.5	9.1
		South Cache	9	87	7.3	10.3
	Any weapon	North Cache	101	1019	4.9	9.9
		South Cache	22	235	5.1	9.4
2003	Muzzleloader	North Cache	44	332	4.0	13.3
		South Cache	7	25	4.3	28.0
	Archery	North Cache	16	205	8.8	7.8
		South Cache	8	87	7.1	9.2
	Any weapon	North Cache	106	770	5.1	13.8
		South Cache	20	211	5.3	9.5
	Muzzleloader	North Cache	25	231	3.9	10.8
		South Cache	0	14	3.8	0.0

General season elk harvest statistics by subunit and weapon type, North Slope Unit, Utah.

Year	Hunt type	Subunit	Harvest	Hunters afield	Mean days hunted	Success rate (%)
2001	Archery	Summit	32	189	6.3	16.9
		West Daggett	11	185	7.0	5.9
	Any weapon	Summit	191	1506	6.0	12.7
		West Daggett	124	1085	5.7	11.4
	Muzzleloader	Summit	3	36	4.5	8.3
		West Daggett	3	58	5.7	5.2
	Archery	Summit	33	335	6.5	9.9
		West Daggett	20	211	5.4	9.5
	Any weapon	Summit	148	1659	5.1	8.9
		West Daggett	131	1292	5.4	10.1
	Muzzleloader	Summit	6	34	3.5	17.6
		West Daggett	13	94	5.2	13.8
2003	Archery	Summit	14	303	7.9	4.6
		West Daggett	18	188	7.2	9.6
	Any weapon	Summit	221	1858	5.0	11.9
		West Daggett	140	1264	5.4	11.1
	Muzzleloader	Summit	6	31	3.0	19.4
		West Daggett	29	113	5.6	25.7
	Youth	Summit	8	16	3.0	50.0
		West Daggett	0	11	5.1	0.0
	Archery	Summit	20	295	8.4	6.8
		West Daggett	20	212	7.9	9.4
	Any weapon	Summit	171	1682	5.4	10.2
		West Daggett	62	1099	5.2	5.6
	Muzzleloader	Summit	8	98	3.8	8.2
		West Daggett	5	329	4.7	1.5

General season elk harvest statistics by subunit and weapon type, South Slope Unit, Utah.

Year	Hunt type	Subunit	Harvest	Hunters afield	Mean days hunted	Success rate (%)
2001	Archery	Yellowstone	43	264	6.6	16.3
		Vernal	61	549	7.8	11.1
	Any weapon	Yellowstone	288	2233	5.7	12.9
		Vernal	394	2406	6.4	16.4
	Muzzleloader	Yellowstone	3	68	6.0	4.4
		Vernal	16	116	5.1	13.8
2002	Archery	Yellowstone	42	327	6.2	12.8
		Vernal	78	525	9.4	14.9
	Any weapon	Yellowstone	310	1864	4.8	16.6
		Vernal	275	2515	5.9	10.9
	Muzzleloader	Yellowstone	28	107	4.6	26.2
		Vernal	27	97	4.2	27.8
2003	Archery	Yellowstone	46	395	10.9	11.6
		Vernal	64	546	10.0	11.7
	Any weapon	Yellowstone	227	2090	5.4	10.9
		Vernal	286	2053	5.8	13.9
	Muzzleloader	Yellowstone	18	123	4.3	14.6
		Vernal	26	136	4.1	19.1
2004	Youth	Yellowstone	0	27	5.2	0.0
		Vernal	11	16	5.2	68.8
	Archery	Yellowstone	47	437	9.0	10.8
		Vernal	87	618	9.9	14.1
	Any weapon	Yellowstone	289	1748	5.2	16.5
		Vernal	246	2047	5.8	12.0
	Muzzleloader	Yellowstone	34	432	4.6	7.9
		Vernal	19	337	4.8	5.6

General season elk harvest statistics by subunit and weapon type, San Rafael Unit, Utah.

Year	Hunt type	Subunit	Harvest	Hunters afield	Mean days hunted	Success rate (%)
2001	Archery	North	0	11	7.5	0.0
		South	0	0	—	—
	Any weapon	North	22	164	6.1	13.4
		South	10	29	4.2	34.5
	Muzzleloader	North	3	23	3.3	13.0
		South	0	3	7.7	0.0
	Archery	North	8	21	4.7	38.1
		South	0	0	—	—
2002	Any weapon	North	0	135	5.0	0.0
		South	0	23	6.6	0.0
	Muzzleloader	North	6	39	3.4	15.4
		South	0	3	1.0	0.0
	Archery	North	9	9	10.2	100.0
		South	0	5	4.6	0.0
	Any weapon	North	0	76	5.2	0.0
		South	0	6	4.7	0.0
2003	Muzzleloader	North	5	18	3.7	27.8
		South	0	0	—	—
	Youth	North	0	8	3.4	0.0
		South	—	—	—	—
	Archery	North	0	39	7.6	0.0
		South	0	4	7.8	0.0
	Any weapon	North	14	76	5.8	18.4
		South	5	20	3.5	25.0
2004	Muzzleloader	North	3	21	4.4	14.3
		South	0	0	—	—

General season elk harvest statistics by subunit and weapon type, Central Mountains Unit, Utah.

Year	Hunt type	Subunit	Harvest	Hunters afield	Mean days hunted	Success rate (%)
2001	Archery	Nebo	40	235	7.8	17.0
		North Manti	103	481	7.2	21.4
		South Manti	64	538	7.3	11.9
	Any weapon	Nebo	121	739	5.8	16.4
		North Manti	306	1798	5.0	17.0
		South Manti	335	2609	5.2	12.8
	Muzzleloader	Nebo	22	124	5.0	17.7
		North Manti	36	239	4.5	15.1
		South Manti	39	103	4.5	37.9
2002	Archery	Nebo	33	302	5.6	10.9
		North Manti	86	620	6.0	13.9
		South Manti	83	649	6.3	12.8
	Any weapon	Nebo	84	650	5.4	12.9
		North Manti	201	1804	4.4	11.1
		South Manti	224	2241	5.3	10.0
	Muzzleloader	Nebo	3	110	3.8	2.7
		North Manti	29	267	4.1	10.9
		South Manti	37	155	4.1	23.9
2003	Archery	Nebo	28	243	6.6	11.5
		North Manti	73	454	6.2	16.1
		South Manti	101	689	7.3	14.7
	Any weapon	Nebo	50	509	5.0	9.8
		North Manti	263	1556	5.0	16.9
		South Manti	313	2289	5.0	13.7
	Muzzleloader	Nebo	7	134	3.8	5.2
		North Manti	40	257	4.2	15.6
		South Manti	58	340	4.0	17.1
2004	Archery	Nebo	35	295	6.8	11.9
		North Manti	63	409	7.3	15.4
		South Manti	79	586	6.7	13.5
	Any weapon	Nebo	55	644	5.4	8.5
		North Manti	211	1595	4.9	13.2
		South Manti	252	2233	4.8	11.3
	Muzzleloader	Nebo	11	115	3.9	9.6
		North Manti	31	236	4.0	13.1
		South Manti	22	245	4.7	9.0

General season elk harvest statistics by subunit and weapon type, Wasatch Mountains Unit, Utah.

Year	Hunt type	Subunit	Harvest	Hunters afield	Mean days hunted	Success rate (%)
2001	Archery	Diamond Fork	82	442	6.6	18.6
		Heber	22	200	6.4	11.0
		Salt Lake	21	228	7.3	9.2
		Timpanogos	0	0	—	—
		Currant Creek	32	193	6.5	16.6
		Avintaquin	11	18	7.1	61.1
	Any weapon	Diamond Fork	238	1365	4.6	17.4
		Heber	102	714	5.4	14.3
		Salt Lake	0	0	—	—
		Timpanogos	34	170	7.3	20.0
Muzzleloader	Any weapon	Diamond Fork	126	1098	5.2	11.5
		Heber	24	151	5.4	15.9
		Salt Lake	15	110	3.4	13.6
		Timpanogos	6	94	4.5	6.4
		Currant Creek	0	5	1.0	0.0
	Muzzleloader	Avintaquin	6	18	3.0	33.3
		Diamond Fork	15	126	4.9	11.9
		Heber	3	11	3.7	27.3
		Salt Lake	1	—	—	—
		Timpanogos	1	—	—	—
2002	Archery	Diamond Fork	33	508	5.7	6.5
		Heber	33	343	5.0	9.6
		Salt Lake	12	694	6.1	1.7
		Timpanogos	0	95	9.1	0.0
		Currant Creek	49	298	5.1	16.4
		Avintaquin	8	54	3.8	14.8
	Any weapon	Diamond Fork	152	1265	5.0	12.0
		Heber	160	866	4.5	18.5
		Salt Lake	0	0	—	—
		Timpanogos	27	144	3.8	18.8
Muzzleloader	Any weapon	Currant Creek	190	1333	4.5	14.3
		Avintaquin	49	198	4.8	24.7
		Diamond Fork	8	138	3.6	5.8
		Heber	18	130	3.4	13.8
		Salt Lake	0	0	—	—
	Muzzleloader	Timpanogos	0	25	3.4	0.0
		Currant Creek	20	154	4.6	13.0
		Avintaquin	6	23	4.7	26.1
		Diamond Fork	1	—	—	—
		Heber	1	—	—	—

General season elk harvest statistics by subunit and weapon type, Wasatch Mountains Unit, Utah (cont.).

Year	Hunt type	Subunit	Harvest	Hunters afield	Mean days hunted	Success rate (%)
2003	Archery	Diamond Fork	69	583	7.1	11.8
		Heber	46	363	6.9	12.7
		Salt Lake	23	555	11.4	4.1
		Timpanogos	9	69	4.2	13.0
		Currant Creek	28	257	6.5	10.9
		Avintaquin	0	28	6.6	0.0
	Any weapon	Diamond Fork	190	946	4.6	20.1
		Heber	118	856	4.5	13.8
		Salt Lake	0	17	5.3	0.0
		Timpanogos	11	90	3.8	12.2
		Currant Creek	106	951	5.2	11.1
		Avintaquin	22	118	5.1	18.6
	Muzzleloader	Diamond Fork	19	166	3.9	11.4
		Heber	19	106	3.7	17.9
		Salt Lake	3	8	3.9	37.5
		Timpanogos	11	20	2.7	55.0
		Currant Creek	17	138	4.0	12.3
		Avintaquin	3	37	2.8	8.1
2004	Archery	Diamond Fork	70	421	6.8	16.6
		Heber	36	362	6.3	9.9
		Salt Lake	12	445	7.0	2.7
		Timpanogos	12	98	5.9	12.2
		Currant Creek	24	205	7.9	11.7
		Avintaquin	4	43	7.0	9.3
	Any weapon	Diamond Fork	116	875	4.0	13.3
		Heber	101	840	5.0	12.0
		Salt Lake	5	30	4.5	16.7
		Timpanogos	15	136	4.7	11.0
		Currant Creek	80	905	4.4	8.8
		Avintaquin	80	463	5.5	17.3
	Muzzleloader	Diamond Fork	11	118	4.7	9.3
		Heber	8	62	3.3	12.9
		Salt Lake	0	0	—	—
		Timpanogos	3	20	2.8	15.0
		Currant Creek	11	129	4.2	8.5
		Avintaquin	0	20	2.3	0.0

General season elk harvest statistics by subunit and weapon type, Plateau Unit, Utah.

Year	Hunt type	Subunit	Harvest	Hunters afield	Mean days hunted	Success rate (%)
2001	Archery	Fish Lake	61	467	7.6	13.1
		Thousand Lakes	0	0	—	—
		Boulder	25	139	6.3	18.0
	Any weapon	Fish Lake	224	2653	5.7	8.4
		Thousand Lakes	5	5	9.8	100.0
		Boulder	126	1011	5.2	12.5
	Muzzleloader	Fish Lake	27	424	5.5	6.4
		Thousand Lakes	3	13	6.8	23.1
		Boulder	11	69	4.2	15.9
2002	Archery	Fish Lake	0	29	6.7	0.0
		Thousand Lakes	0	0	—	—
		Boulder	8	136	6.8	5.9
	Any weapon	Fish Lake	23	141	4.1	16.3
		Thousand Lakes	0	0	—	—
		Boulder	46	668	5.2	6.9
	Muzzleloader	Fish Lake	3	10	4.6	30.0
		Thousand Lakes	0	0	—	—
		Boulder	10	87	4.1	11.5
2003	Archery	Fish Lake	0	110	5.5	0.0
		Thousand Lakes	0	9	3.6	0.0
		Boulder	18	147	7.7	12.2
	Any weapon	Fish Lake	84	784	4.9	10.7
		Thousand Lakes	0	17	6.2	0.0
		Boulder	84	761	5.6	11.0
	Muzzleloader	Fish Lake	8	87	5.2	9.2
		Thousand Lakes	0	0	—	—
		Boulder	0	54	4.0	0.0
2004	Archery	Fish Lake	24	130	8.6	18.5
		Thousand Lakes	0	4	4.0	0.0
		Boulder	36	165	7.3	21.8
	Any weapon	Fish Lake	131	890	4.9	14.7
		Thousand Lakes	0	20	6.6	0.0
		Boulder	70	674	5.4	10.4
	Muzzleloader	Fish Lake	42	200	4.1	21.0
		Thousand Lakes	0	6	3.3	0.0
		Boulder	14	62	3.1	22.6

Limited entry archery bull elk harvest, Utah 2001.

Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
San Juan	4	5	5	—	80.0
Southwest Desert	4	5	5	—	80.0
Fillmore, Pahvant	4	6	6	—	66.7
Fillmore, Oak Creek	2	3	3	—	66.7
Monroe	6	7	7	—	85.7
Plateau, Fishlake / Thousand Lakes	6	11	11	—	54.5
Panguitch Lake	3	5	5	—	60.0
Statewide totals	29	42	42	—	69.0

Limited entry archery bull elk harvest, Utah 2002.

Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
San Juan	4	5	5	—	80.0
Southwest Desert	1	5	5	—	20.0
Fillmore, Pahvant	4	7	7	—	57.1
Fillmore, Oak Creek	0	4	4	—	0.0
Monroe	4	4	4	—	100.0
Plateau, Fishlake / Thousand Lakes	3	8	7	—	42.9
Panguitch Lake	2	8	7	—	28.6
Statewide totals	18	41	39	—	46.2

Limited entry archery bull elk harvest, Utah 2003.

Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
San Juan	7	7	7	12.7	100.0
Southwest Desert	3	5	5	17.5	60.0
Fillmore, Pahvant	8	8	8	10.3	100.0
Fillmore, Oak Creek South	2	4	4	13.5	50.0
Monroe	5	7	7	12.5	71.4
Plateau, Fishlake / Thousand Lakes	11	20	20	9.0	55.0
Panguitch Lake	3	8	8	9.0	37.5
Statewide totals	39	59	59	11.0	66.1

Special limited entry archery bull elk hunt (AR301) harvest by management unit, Utah 2003.

Hunt name	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
Cache, North	0	3	4.0	0.0
La Sal, La Sal Mountains	0	3	2.0	0.0
Wasatch Mountains	3	30	8.6	10.0
Beaver	9	21	7.1	42.9
Mt. Dutton	3	45	7.3	6.7
Plateau, Boulder	12	45	6.3	26.7
Paunsaugunt	0	9	7.6	0.0
Unidentified	53	181	9.4	29.3
Statewide totals	80	337	8.3	23.7

Limited entry archery bull elk harvest, Utah 2004.

Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Cache, North	2	11	9	9.9	22.2
Cache, South	1	7	6	9.0	16.7
Cache, Meadowville	0	3	2	15.0	0.0
North Slope, Three Corners	6	10	9	9.4	66.7
South Slope, Diamond Mountain	9	19	18	6.5	50.0
Book Cliffs, Bitter Creek-South	10	21	19	8.9	52.6
Book Cliffs, Little Creek	9	11	11	7.5	81.8
Nine Mile Anthro	3	4	4	11.3	75.0
Nine Mile, Range Creek South	0	1	1	10.0	0.0
La Sal, La Sal Mountains	2	9	9	11.4	22.2
San Juan	13	18	16	9.6	81.3
Central Mountains, Manti	27	55	52	11.2	51.9
Central Mountains, Nebo	4	13	13	12.8	30.8
Wasatch Mountains	17	41	39	10.7	43.6
Oquirrh-Stansbury	4	4	4	6.5	100.0
West Desert, Deep Creek	2	3	3	7.3	66.7
Southwest Desert	4	6	5	11.6	80.0
Fillmore, Pahvant	7	9	9	8.6	77.8
Fillmore, Oak Creek South	2	6	6	11.3	33.3
Beaver	2	8	8	12.9	25.0
Monroe	8	9	9	9.8	88.9
Mt. Dutton	9	21	21	10.2	42.9
Plateau, Fishlake / Thousand Lakes	13	23	21	8.0	61.9
Plateau, Boulder / Kaiparowits	8	14	11	11.9	72.7
Paunsaugunt	1	7	7	11.4	14.3
Panguitch Lake	6	9	9	12.4	66.7
Statewide totals	169	342	321	10.1	52.6

Limited entry any weapon bull elk harvest, Utah 2001.

Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder, Pilot Mountain	5	5	5	—	100.0
Box Elder, Grouse Creek	1	2	2	—	50.0
Cache, North	13	20	18	—	72.2
Cache, South	17	23	23	—	70.8
Cache, Meadowville	2	3	3	—	66.7
North Slope, Three Corners	25	26	26	5.5	96.2
South Slope, Diamond Mountain	60	66	65	4.9	92.3
Book Cliffs, Bitter Creek / South	72	72	72	10.0	100.0
Book Cliffs, Little Creek	30	38	38	9.4	78.9
Nine Mile Anthro	10	12	10	6.2	100.0
La Sal, La Sal Mountains	6	10	10	—	60.0
La Sal, Dolores Triangle	2	3	3	—	66.7
San Juan	11	12	12	—	91.7
Central Mountains, Manti	92	95	95	—	96.8
Central Mountains, Nebo	24	24	24	6.0	100.0
Wasatch Mountains	95	98	98	6.0	96.9
Oquirrh-Stansbury, North	3	3	3	13.0	100.0
Oquirrh-Stansbury, South Oquirrh	4	4	4	1.8	100.0
West Desert, Deep Creek	6	6	6	8.5	100.0
Southwest Desert	10	10	10	—	100.0
Fillmore, Pahvant	12	12	12	—	100.0
Fillmore, Oak Creek	9	9	9	—	100.0
Beaver	3	3	3	—	100.0
Monroe	12	13	13	—	92.3
Mt Dutton	22	23	23	—	95.7
Plateau, Fishlake / Thousand Lakes	20	21	21	—	95.2
Plateau, Boulder	5	5	5	—	100.0
Paunsaugunt	6	6	6	—	100.0
Panguitch Lake	10	11	11	—	90.9
Statewide totals	587	635	630	7.1	93.2

Limited entry any weapon bull elk harvest, Utah 2002.

Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder, Pilot Mountain	3	3	3	1.7	100.0
Box Elder, Grouse Creek	1	2	2	3.0	50.0
Cache, North	11	19	19	6.0	57.9
Cache, South	15	20	20	8.6	75.0
Cache, Meadowville	6	6	6	7.0	100.0
North Slope, Three Corners	23	25	25	6.6	92.0
South Slope, Diamond Mountain	51	63	61	6.0	83.6
Book Cliffs, Bitter Creek / South	61	65	65	9.0	93.8
Book Cliffs, Little Creek	—	35	—	—	—
Nine Mile Anthro	13	13	13	6.3	100.0
La Sal, La Sal Mountains	8	15	15	—	53.3
La Sal, Dolores Triangle	2	3	3	—	66.7
San Juan	13	14	14	—	92.9
Central Mountains, Manti	100	110	110	5.5	90.9
Mountains, Nebo	27	27	27	5.5	100.0
Wasatch Mountains	118	127	126	5.3	93.7
Oquirrh-Stansbury, North	3	3	3	2.3	100.0
Oquirrh-Stansbury, South Oquirrh	8	8	8	8.0	100.0
West Desert, Deep Creek	7	7	7	2.3	100.0
Southwest Desert	9	9	9	—	100.0
Fillmore, Pahvant	13	13	13	—	100.0
Fillmore, Oak Creek	5	7	7	—	71.4
Beaver	10	10	10	—	100.0
Monroe	9	9	9	—	100.0
Mt Dutton	32	37	36	—	88.9
Plateau, Fishlake / Thousand Lakes	13	15	15	—	86.7
Plateau, Boulder	8	14	14	—	57.1
Paunsaugunt	10	13	12	—	83.3
Panguitch Lake	11	14	12	—	91.7
Statewide totals	590	671	664	6.2	88.9

Limited entry any weapon bull elk harvest, Utah 2003.

Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder, Pilot Mountain	3	3	3	8.5	100.0
Box Elder, Grouse Creek	0	1	1	6.0	0.0
Cache, North	10	18	16	5.4	62.5
Cache, South	12	18	15	5.0	80.0
Cache, Meadowville	8	8	8	6.0	100.0
North Slope, Three Corners	16	25	25	4.3	64.0
South Slope, Diamond Mountain	42	63	61	7.3	68.9
Book Cliffs, Bitter Creek / South	65	65	65	6.0	100.0
Book Cliffs, Little Creek	4	4	4	10.0	100.0
Nine Mile, Anthro	12	13	13	10.6	92.3
Nine Mile, Range Creek South	3	3	3	4.0	100.0
La Sal, La Sal Mountains	12	14	12	1.8	100.0
La Sal, Dolores Triangle	0	3	0	0.0	0.0
San Juan	25	25	25	3.6	100.0
Central Mountains, Manti	141	157	157	5.4	89.8
Central Mountains, Nebo	35	39	37	5.4	94.6
Wasatch Mountains	100	127	119	4.5	84.0
Oquirrh-Stansbury, North	3	3	3	5.5	100.0
Oquirrh-Stansbury, South Oquirrh	7	8	8	4.5	87.5
West Desert, Deep Creek	7	7	7	3.8	100.0
Southwest Desert	11	11	11	4.0	100.0
Fillmore, Pahvant	15	15	15	5.6	100.0
Fillmore, Oak Creek South	8	8	8	4.6	100.0
Beaver	12	13	13	5.0	92.3
Monroe	13	13	13	5.8	100.0
Mt. Dutton	40	42	42	4.5	95.2
Plateau, Fishlake / Thousand Lakes	37	38	38	4.7	97.4
Plateau, Boulder / Kaiparowits	17	19	19	4.7	89.5
Paunsaugunt	15	15	15	6.8	100.0
Panguitch Lake	11	14	14	6.8	78.6
Statewide totals	684	792	770	5.3	88.8

Limited entry any weapon bull elk harvest, Utah 2004.

Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder, Pilot Mountain	3	3	3	2.7	100.0
Box Elder, Grouse Creek	0	1	1	7.0	0.0
Cache, North	19	21	21	3.9	90.5
Cache, South	16	17	17	4.8	94.1
Cache, Meadowville	5	7	5	3.4	100.0
North Slope, Three Corners	24	28	27	4.1	88.9
South Slope, Diamond Mountain	62	90	87	4.3	71.3
Book Cliffs, Bitter Creek / South	47	50	48	4.1	97.9
Book Cliffs, Little Creek	23	27	27	4.4	85.2
Nine Mile Anthro	8	12	12	4.7	66.7
Nine Mile, Range Creek South	2	2	2	1.0	100.0
La Sal, La Sal Mountains	17	20	19	4.3	89.5
La Sal, Dolores Triangle	—	—	3	—	—
San Juan	31	32	32	3.8	96.9
Central Mountains, Manti	120	136	135	4.7	88.9
Central Mountains, Nebo	34	36	34	3.4	100.0
Wasatch Mountains	93	105	103	4.7	90.3
Oquirrh-Stansbury	9	9	9	2.1	100.0
West Desert, Deep Creek	7	7	7	2.6	100.0
Southwest Desert	16	17	17	3.8	94.1
Fillmore, Pahvant	23	28	28	4.0	82.1
Fillmore, Oak Creek	12	16	15	5.0	80.0
Beaver	17	18	18	5.0	94.4
Monroe	25	26	25	2.3	100.0
Mt. Dutton	47	51	50	3.4	94.0
Plateau, Fishlake / Thousand Lakes	52	57	56	3.8	92.9
Plateau, Boulder / Kaiparowits	31	31	31	3.0	100.0
Paunsaugunt	12	16	16	4.7	75.0
Panguitch Lake	29	31	30	4.0	96.7
Statewide totals	784	894	875	4.1	89.6

Limited entry muzzleloader bull elk harvest, Utah 2001.

Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
San Juan	4	5	5	—	80.0
Southwest Desert	4	5	5	—	80.0
Fillmore, Pahvant	5	6	6	—	83.3
Fillmore, Oak Creek	3	3	3	—	100.0
Beaver	1	1	1	—	100.0
Monroe	6	7	7	—	85.7
Mt Dutton	8	12	12	—	66.7
Plateau, Fishlake / Thousand Lakes	7	11	11	—	63.6
Plateau, Boulder	1	1	1	—	100.0
Paunsaugunt	2	2	2	—	100.0
Panguitch Lake	4	5	5	—	80.0
Statewide totals	45	58	58	—	77.6

Limited entry muzzleloader bull elk harvest, Utah 2002.

Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
San Juan	4	5	5	—	80.0
Southwest Desert	4	5	4	—	100.0
Fillmore, Pahvant	6	7	7	—	85.7
Fillmore, Oak Creek	3	4	4	—	75.0
Beaver	4	5	5	—	80.0
Monroe	4	4	4	—	100.0
Mt Dutton	13	23	20	—	65.0
Plateau, Fishlake / Thousand Lakes	6	8	8	—	75.0
Plateau, Boulder	4	7	6	—	66.7
Paunsaugunt	6	7	7	—	85.7
Panguitch Lake	6	8	7	—	85.7
Statewide totals	60	83	77	—	77.9

Limited entry muzzleloader bull elk harvest, Utah 2003.

Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
San Juan	7	7	7	4.4	100.0
Southwest Desert	5	5	5	3.3	100.0
Fillmore, Pahvant	8	8	8	3.2	100.0
Fillmore, Oak Creek South	1	4	4	7.0	25.0
Beaver	6	7	6	4.6	100.0
Monroe	7	7	7	5.0	100.0
Mt. Dutton	15	21	21	5.3	71.4
Plateau, Fishlake / Thousand Lakes	14	18	18	3.5	77.8
Plateau, Boulder / Kaiparowits	8	10	9	4.6	88.9
Paunsaugunt	6	8	8	6.0	75.0
Panguitch Lake	8	8	8	3.2	100.0
Statewide totals	85	103	101	4.5	84.2

Limited entry muzzleloader bull elk harvest, Utah 2004.

Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Cache, North	3	5	5	6.0	60.0
Cache, South	0	4	4	8.3	0.0
Cache, Meadowville	0	1	1	8.0	0.0
North Slope, Three Corners	4	5	5	4.2	80.0
South Slope, Diamond Mountain	7	11	11	3.9	63.6
Book Cliffs, Bitter Creek / South	8	11	10	4.9	80.0
Book Cliffs, Little Creek	7	7	7	5.5	100.0
Nine Mile, Anthro	2	3	3	7.5	66.7
La Sal, La Sal Mountains	3	5	5	4.8	60.0
San Juan	7	7	7	3.3	100.0
Central Mountains, Manti	23	31	30	4.4	76.7
Central Mountains, Nebo	6	9	8	3.9	75.0
Wasatch Mountains	17	25	24	5.8	70.8
Oquirrh-Stansbury	2	2	2	3.5	100.0
West Desert, Deep Creek	2	2	2	2.0	100.0
Southwest Desert	3	3	3	4.0	100.0
Fillmore, Pahvant	5	5	5	1.8	100.0
Fillmore, Oak Creek	2	5	4	8.5	50.0
Beaver	3	5	4	4.0	75.0
Monroe	5	5	5	1.8	100.0
Mt. Dutton	10	12	12	4.3	83.3
Plateau, Fishlake / Thousand Lakes	12	13	13	3.9	92.3
Plateau, Boulder / Kaiparowits	5	7	7	5.3	71.4
Paunsaugunt	2	4	3	6.7	66.7
Panguitch Lake	5	5	5	4.0	100.0
Statewide totals	153	203	196	4.6	78.1

Limited entry antlerless elk harvest, Utah 2001.

Unit	Hunt	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
1	Box Elder, Hansel Mountain	0	10	10	4.0	0.0
1	Box Elder, Pilot Mountain	0	5	5	5.0	0.0
2	Cache, Millville Face	56	60	58	3.5	96.7
2	Cache, Richmond	21	40	40	7.3	53.3
2	Cache, Hyde Park	15	30	30	5.7	50.0
2	Cache, Beirdneau Peak	24	40	38	3.6	61.9
2	Cache, Logan Peak	25	50	45	4.8	55.6
2	Cache, S. Logan Canyon-Blacksmith Fork	31	60	60	4.0	52.2
2	Cache, Rich	8	40	40	4.7	20.0
2	Cache, Rich	0	20	16	6.2	0.0
2	Cache, Garden City	10	20	17	5.2	60.0
2	Cache, Mahoganies	0	40	17	12.3	0.0
3	Ogden	13	50	50	7.3	25.0
3	Ogden, South	47	50	50	4.7	94.7
3	Ogden, South	14	25	23	3.5	60.0
3	Ogden, North	41	55	53	4.7	76.9
4	Morgan-South Rich, South Rich	21	60	60	5.8	34.8
4	Morgan-South Rich, West Lost Creek	13	70	64	6.2	20.0
4	Morgan-South Rich, East Lost Creek	17	39	35	5.0	50.0
4	Morgan-South Rich, Henefer-Echo WMA	5	30	30	4.5	16.7
4	Morgan-South Rich, Henefer-Echo WMA	0	30	27	4.1	0.0
4	Morgan-South Rich, South Weber	3	10	7	4.0	50.0
4	Morgan-South Rich, East Morgan	6	10	10	2.9	62.5
5	East Canyon, Morgan	44	70	63	3.3	69.4
5	East Canyon, Summit	63	100	91	3.1	69.0
5	East Canyon, Davis-North Salt Lake	24	50	48	3.7	50.0
6	Chalk Creek, Private Lands	143	250	241	4.1	59.3
6	Chalk Creek, South	91	140	140	4.4	64.7
6	Chalk Creek, North	132	180	165	3.5	80.0
6	Chalk Creek, Whitney	4	15	15	4.3	25.0
6	Chalk Creek, East Coalville	54	85	81	3.7	66.7
7	Kamas	42	120	117	6.9	35.6
7	Kamas, Oakley	33	45	43	4.2	77.8
7	Kamas, Oakley	47	65	61	4.0	77.1
7	Kamas, Francis	4	5	5	4.8	75.0
7	Kamas, West Hills	20	35	35	4.7	56.3
8	North Slope, West Black's Fork	0	25	22	4.7	0.0
8	North Slope, Henry's Fork/Burnt Fork	8	15	14	3.6	55.6
8	North Slope, Henry's Fork/Burnt Fork	9	25	23	10.9	40.0
8	North Slope, Manila	38	100	98	9.0	38.5
8	North Slope, Three Corners	6	11	11	1.7	57.1

Limited entry antlerless elk harvest, Utah 2001 (cont.).

Unit	Hunt	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
9	South Slope, Yellowstone Roadless	11	50	32	3.6	33.3
9	South Slope, East Yellowstone	26	200	188	6.5	14.1
9	South Slope, East Yellowstone	109	250	232	6.2	47.1
9	South Slope, West Yellowstone	31	150	140	6.9	22.0
9	South Slope, West Yellowstone	46	150	141	7.4	32.3
9	South Slope, Vernal-Bonanza	85	220	213	5.3	40.0
9	South Slope, Vernal-Bonanza	75	220	199	7.7	37.9
9	South Slope, Diamond Mountain	56	110	108	4.9	51.9
9	South Slope, Diamond Mountain	134	220	218	5.6	61.5
10	Book Cliffs, Bitter Creek-Monument Ridge	109	155	155	4.2	70.4
10	Book Cliffs, McCook Ridge	47	65	65	5.0	72.4
10	Book Cliffs, Little Creek	51	70	58	4.7	88.0
11	Nine Mile, Anthro	149	290	283	5.7	52.8
11	Nine Mile, Range Creek	38	75	75	3.7	50.0
11	Nine Mile, Range Creek	33	120	107	6.6	31.3
11	Nine Mile, Range Creek	55	97	97	6.0	57.1
11	Nine Mile, Range Creek	52	103	103	5.5	50.0
11	Nine Mile, Range Creek	5	42	42	9.3	11.1
13	La Sal, La Sal Mountains	114	225	220	4.9	51.6
13	La Sal, La Sal Mountains	153	225	209	5.0	73.3
14	San Juan	78	100	100	4.9	78.0
15	Henry Mountains	0	5	5	10.7	0.0
16	Central Mountains, North Nebo	148	400	385	5.1	38.4
16	Central Mountains, North Nebo	216	300	296	7.1	73.2
16	Central Mountains, Northwest Nebo	10	25	25	4.2	41.7
16	Central Mountains, Northwest Nebo	65	75	75	8.2	86.7
16	Central Mountains, East Nebo	30	50	40	5.0	75.0
16	Central Mountains, East Nebo	57	100	100	7.7	57.1
16	Central Mountains, South Nebo	13	25	25	4.5	50.0
16	Central Mountains, South Nebo	14	25	25	14.6	54.5
16	Central Mountains, West Manti	28	50	50	7.1	55.6
16	Central Mountains, Ferron Canyon	52	111	109	5.5	48.1
16	Central Mountains, South Manti	110	222	217	4.3	50.5
16	Central Mountains, Northeast Manti	168	200	190	6.8	88.3
16	Central Mountains, Central Manti	112	195	190	4.3	58.9
16	Central Mountains, North Manti	137	250	240	4.3	57.0
16	Central Mountains, Horn-Trail Mountain	49	111	111	6.6	44.2

Limited entry antlerless elk harvest, Utah 2001 (cont.).

Unit	Hunt	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
17	Wasatch Mtns., Currant Creek	116	300	300	5.0	38.7
17	Wasatch Mtns., Avintaquin	25	40	40	5.1	63.2
17	Wasatch Mtns., Avintaquin	35	90	87	4.9	40.0
17	Wasatch Mtns., Diamond Fork	87	135	135	3.8	64.2
17	Wasatch Mtns., Timpanogos	58	100	100	3.5	58.3
17	Wasatch Mtns., Wallsburg	17	30	28	4.2	60.0
17	Wasatch Mtns., East Heber	127	300	288	5.7	44.1
17	Wasatch Mtns., Strawberry	22	75	75	3.9	29.6
17	Wasatch Mtns., Springville	35	50	50	6.3	70.6
17	Wasatch Mtns., Springville	43	50	48	2.0	89.7
18	Oquirrh-Stansbury, Stansbury	5	20	18	3.9	30.0
18	Oquirrh-Stansbury, South	20	25	25	5.7	78.6
19	West Desert, Deep Creek	6	25	25	4.4	25.0
20	Southwest Desert	120	150	148	5.4	81.1
21	Fillmore	62	100	100	6.3	62.2
22	Beaver, South Creek	3	15	15	7.0	20.0
22	Beaver, Sulpherdale-Manderfield	2	30	30	4.7	7.7
23	Monroe	120	200	196	5.3	61.1
24	Mt. Dutton	111	355	329	8.2	33.8
24	Mt. Dutton, East	33	155	151	5.6	21.9
25	Plateau, Dry Wash-I-70	147	450	426	5.2	34.5
25	Plateau, Dry Wash-I-70	146	450	425	5.0	34.3
25	Plateau, Dry Wash-I-70	152	450	419	4.7	36.2
25	Plateau, Parker Mtn Face-Center Creek	30	100	96	16.2	31.1
25	Plateau, Boulder	99	330	305	5.3	32.6
25	Plateau, Boulder	132	330	300	4.1	44.0
25	Plateau, Boulder	51	300	280	4.8	18.2
27	Paunsaugunt	7	20	18	3.9	37.5
27	Paunsaugunt	13	30	28	5.8	46.7
28	Panguitch Lake	59	100	98	13.1	60.0
29	Zion	12	40	37	8.4	31.8
Statewide totals		5693	12306	11746	5.5	48.5

Limited entry antlerless elk harvest, Utah 2002.

Unit	Hunt	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
1	Box Elder, Hansel Mountain	0	15	5	5.0	0.0
1	Box Elder, Pilot Mountain	—	—	—	—	—
2	Cache, Millville Face	26	80	78	6.9	33.3
2	Cache, Richmond	5	20	18	6.1	27.8
2	Cache, Richmond	13	50	48	10.9	27.1
2	Cache, Hyde Park	2	20	18	6.8	11.1
2	Cache, Beirdneau Peak	4	40	35	13.7	11.4
2	Cache, Logan Peak	7	50	48	6.6	14.6
2	Cache, North Logan Canyon	8	10	10	3.0	80.0
2	Cache, S. Logan Canyon-Blacksmith Fork	7	30	25	6.3	28.0
2	Cache, Rich	5	40	40	5.5	12.5
2	Cache, Rich	0	10	8	7.5	0.0
2	Cache, Garden City	5	10	10	5.6	50.0
2	Cache, Mahoganies	2	40	33	6.3	6.1
3	Ogden	13	50	48	11.4	27.1
3	Ogden, South	15	50	46	8.3	32.6
3	Ogden, South	3	25	20	8.1	15.0
3	Ogden, North	43	100	94	6.9	45.7
4	Morgan-South Rich, South Rich	29	60	57	9.7	50.9
4	Morgan-South Rich, West Lost Creek	10	70	54	8.1	18.5
4	Morgan-South Rich, East Lost Creek	16	60	44	8.9	36.4
4	Morgan-South Rich, Henefer-Echo WMA	15	40	35	3.2	42.9
4	Morgan-South Rich, South Weber	2	10	9	4.7	22.2
5	East Canyon, Morgan	47	70	68	4.9	69.1
5	East Canyon, Summit	33	100	86	5.9	38.4
5	East Canyon, Davis-North Salt Lake	21	50	43	6.5	48.8
6	Chalk Creek, Private Lands	42	150	125	6.1	33.6
6	Chalk Creek, South	12	140	108	4.1	11.1
6	Chalk Creek, North	31	120	108	9.7	28.7
6	Chalk Creek, East Coalville	11	85	67	5.7	16.4
7	Kamas	26	120	108	9.9	24.1
7	Kamas, Oakley	15	60	58	7.2	25.9
7	Kamas, Oakley	19	45	43	5.9	44.2
7	Kamas, Francis	2	5	5	4.0	40.0
7	Kamas, West Hills	6	35	30	8.3	20.0
8	North Slope, West Black's Fork	5	25	25	11.9	20.0
8	North Slope, Henry's Fork/Burnt Fork	15	15	15	3.5	100.0
8	North Slope, Henry's Fork/Burnt Fork	8	20	18	4.8	44.4
8	North Slope, Manila	26	165	157	9.3	16.6
8	North Slope, Three Corners	27	55	49	4.1	55.1

Limited entry antlerless elk harvest, Utah 2002 (cont.).

Unit	Hunt	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
9	South Slope, Yellowstone Roadless	17	50	48	5.3	35.4
9	South Slope, East Yellowstone	23	200	177	7.3	13.0
9	South Slope, East Yellowstone	117	300	273	9.8	42.9
9	South Slope, West Yellowstone	26	150	138	9.0	18.8
9	South Slope, West Yellowstone	70	200	183	8.3	38.3
9	South Slope, Vernal	50	220	218	5.9	22.9
9	South Slope, Vernal	70	300	271	9.8	25.8
9	South Slope, Vernal	62	300	274	6.2	22.6
9	South Slope, Diamond Mtn.-Bonanza	120	300	295	8.1	40.7
9	South Slope, Diamond Mtn.-Bonanza	84	300	276	6.4	30.4
10	Book Cliffs, Bitter Creek-East	132	220	197	6.4	67.0
10	Book Cliffs, Bitter Creek-McCook Ridge	39	65	60	6.6	65.0
10	Book Cliffs, Bitter Creek-West	45	66	66	8.7	68.2
11	Nine Mile, Anthro	38	100	92	7.2	41.3
11	Nine Mile, Anthro	66	132	124	10.7	53.2
11	Nine Mile, Range Creek	0	60	60	4.6	0.0
11	Nine Mile, Range Creek	27	100	91	10.7	29.7
11	Nine Mile, Range Creek	27	162	144	5.1	18.8
11	Nine Mile, Range Creek	35	162	131	9.8	26.7
11	Nine Mile, Range Creek	29	162	148	10.5	19.6
13	La Sal, La Sal Mountains	81	200	191	7.8	42.4
13	La Sal, La Sal Mountains	91	200	190	7.9	47.9
14	San Juan	84	100	96	8.1	87.5
14	San Juan	67	100	95	8.1	70.5
15	Henry Mountains	4	10	10	4.5	40.0
16	Central Mountains, North Nebo	143	400	388	7.7	36.9
16	Central Mountains, Northwest Nebo	12	50	46	8.9	26.1
16	Central Mountains, East Nebo	2	50	53	9.5	3.8
16	Central Mountains, West Manti	19	25	23	7.0	82.6
16	Central Mountains, Ferron Canyon	47	75	72	7.5	65.3
16	Central Mountains, South Manti	67	225	214	9.4	31.3
16	Central Mountains, Danish Bench	60	100	98	10.4	61.2
16	Central Mountains, Poison Springs Bench	61	80	75	10.4	81.3
16	Central Mtns., Gordon Creek-Price Canyon	39	60	60	10.9	65.0
16	Central Mountains, Central Manti	90	175	170	8.9	52.9
16	Central Mountains, North Manti	121	200	191	5.2	63.4

Limited entry antlerless elk harvest, Utah 2002 (cont.).

Unit	Hunt	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
17	Wasatch Mountains, Currant Creek	349	800	751	5.5	46.5
17	Wasatch Mountains, Currant Creek	144	250	237	6.6	60.8
17	Wasatch Mountains, Avintaquin	59	150	138	4.7	42.8
17	Wasatch Mountains, Avintaquin	56	200	177	5.6	31.6
17	Wasatch Mountains, Avintaquin	43	150	137	6.4	31.4
17	Wasatch Mountains, Timpanogos	19	50	41	5.1	46.3
17	Wasatch Mountains, Wallsburg	66	250	230	8.6	28.7
17	Wasatch Mountains, Wallsburg	77	110	101	6.7	76.2
17	Wasatch Mountains, Wallsburg	29	50	48	8.1	60.4
17	Wasatch Mountains, East Heber	134	500	477	7.8	28.1
17	Wasatch Mountains, West Heber	59	100	96	3.5	61.5
17	Wasatch Mountains, Salt Lake	10	45	40	8.8	25.0
17	Wasatch Mountains, Strawberry	30	75	69	6.7	43.5
17	Wasatch Mountains, Springville	5	25	23	7.2	21.7
17	Wasatch Mountains, Springville	13	30	26	5.7	50.0
18	Oquirrh-Stansbury, South	13	25	22	7.2	59.1
19	West Desert, Deep Creek	8	25	22	7.3	36.4
20	Southwest Desert	86	100	100	8.8	86.0
21	Fillmore, Oak Creek	29	50	47	8.0	61.7
21	Fillmore, Pahvant	37	75	68	8.5	54.4
21	Fillmore, Pahvant	30	75	71	6.6	42.3
23	Monroe	38	50	44	4.8	86.4
24	Mt. Dutton, East	35	100	93	8.4	37.6
24	Mt. Dutton, East	117	250	237	10.0	49.4
27	Paunsaugunt	15	25	22	7.2	68.2
27	Paunsaugunt	9	20	20	9.0	45.0
28	Panguitch Lake	58	100	94	5.3	61.7
29	Zion	8	40	30	8.3	26.7
Statewide totals		4217	11459	10595	7.5	39.8

Limited entry antlerless elk harvest, Utah 2003.

Unit	Hunt	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
1	Box Elder, Hansel Mountain	0	5	5	6.5	0.0
2	Cache, Millville Face	24	40	36	4.1	65.0
2	Cache, Richmond	4	15	11	3.1	37.5
2	Cache, Richmond	30	40	40	4.6	75.0
2	Cache, Hyde Park	0	15	13	10.8	0.0
2	Cache, Beirdneau Peak	15	15	15	4.0	100.0
2	Cache, Logan	13	15	15	7.8	83.3
2	Cache, North Logan Canyon	6	10	8	3.5	75.0
2	Cache, S. Logan Canyon-Blacksmith Fork	7	10	10	4.3	66.7
2	Cache, Rich	1	10	9	5.3	14.3
2	Cache, Rich	2	20	18	7.3	10.0
2	Cache, Garden City	13	20	18	3.9	71.4
2	Cache, Mahoganies	6	40	31	4.1	18.2
3	Ogden	17	50	48	7.1	35.7
3	Ogden, South	29	50	48	4.1	60.0
3	Ogden, South	3	20	13	4.5	25.0
3	Ogden, South Cache	50	100	96	5.9	52.1
4	Morgan-South Rich, South Rich	24	60	55	7.3	43.5
4	Morgan-South Rich, West Lost Creek	21	50	47	4.6	43.8
4	Morgan-South Rich, East Lost Creek	36	60	60	3.7	60.0
4	Morgan-South Rich, Henefer-Echo WMA	0	10	10	4.8	0.0
4	Morgan-South Rich, Henefer-Echo WMA	21	30	26	2.0	83.3
4	Morgan-South Rich, Henefer-Echo WMA	23	30	28	2.0	83.3
4	Morgan-South Rich, South Weber	2	10	8	2.5	25.0
5	East Canyon, Morgan	52	70	68	4.1	75.7
5	East Canyon, Summit	51	100	92	4.2	55.9
5	East Canyon, Davis-North Salt Lake	43	50	50	5.2	85.0
6	Chalk Creek, Private Lands	18	250	214	5.8	8.3
6	Chalk Creek, South	31	130	102	5.8	30.6
6	Chalk Creek, North	40	90	85	3.3	47.1
6	Chalk Creek, East Coalville	28	70	61	3.2	46.2
7	Kamas	13	50	50	5.8	25.0
7	Kamas, Oakley	13	30	28	4.7	45.5
7	Kamas, Oakley	13	20	20	3.9	66.7
7	Kamas, Francis	3	5	5	2.0	50.0
7	Kamas, West Hills	10	25	25	2.8	38.5
8	North Slope, West Black's Fork	5	15	15	5.5	33.3
8	North Slope, Henry's Fork-Burnt Fork	8	15	14	2.6	55.6
8	North Slope, Henry's Fork-Burnt Fork	10	20	16	3.6	62.5
8	North Slope, Manila	54	100	98	5.9	55.1
8	North Slope, Three Corners	11	22	18	6.3	60.0

Limited entry antlerless elk harvest, Utah 2003 (cont.).

Unit	Hunt	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
9	South Slope, Yellowstone Roadless	11	50	45	3.4	25.0
9	South Slope, East Yellowstone	14	125	121	6.5	11.7
9	South Slope, East Yellowstone	140	325	301	6.5	46.7
9	South Slope, West Yellowstone	21	125	125	7.7	17.1
9	South Slope, West Yellowstone	99	275	266	5.8	37.3
9	South Slope, Vernal	14	135	127	5.6	11.1
9	South Slope, Vernal	90	245	221	4.8	40.5
9	South Slope, Diamond Mtn.-Bonanza	52	135	129	4.9	40.6
9	South Slope, Diamond Mtn.-Bonanza	62	135	127	4.2	49.2
10	Book Cliffs, Little Creek	46	75	72	4.2	64.3
10	Book Cliffs, Bitter Creek-East	154	250	246	4.4	62.6
10	Book Cliffs, Bitter Creek-McCook Ridge	26	65	61	4.3	42.4
10	Book Cliffs, Bitter Creek-West	38	70	64	4.4	59.4
10	Book Cliffs, San Arroyo	20	20	20	3.9	100.0
11	Nine Mile, Anthro	26	125	117	5.4	22.4
11	Nine Mile, Anthro	43	100	95	8.1	44.7
11	Nine Mile, Range Creek	0	40	16	6.5	0.0
11	Nine Mile, Range Creek	0	40	34	3.2	0.0
11	Nine Mile, Range Creek	16	120	104	6.4	15.4
11	Nine Mile, Range Creek	21	160	149	5.5	14.3
11	Nine Mile, Range Creek	49	160	152	7.3	32.4
11	Nine Mile, Range Creek	58	160	145	5.3	40.0
13	La Sal, La Sal Mountains	80	200	190	5.0	42.1
13	La Sal, La Sal Mountains	156	300	282	7.5	55.3
14	San Juan	56	100	100	5.5	56.0
14	San Juan, Abajo Mountains	44	100	94	5.4	46.8
15	Henry Mountains	2	25	16	8.0	14.3
16	Central Mountains, Nebo	54	115	113	5.0	48.0
16	Central Mountains, Northwest Nebo	31	50	50	10.0	61.3
16	Central Mountains, Southwest Nebo	13	30	30	7.6	44.4
16	Central Mountains, West Manti	21	50	50	8.3	41.7
16	Central Mountains, Northwest Manti	22	30	28	5.8	76.5
16	Central Mountains, Milburn	2	30	23	8.5	7.7
16	Central Mountains, Gilluly	29	50	44	4.0	65.2
16	Central Mountains, Ferron Canyon	75	125	125	4.4	59.7
16	Central Mountains, South Manti	114	225	225	4.6	50.5
16	Central Mountains, Danish Bench	14	80	78	10.7	17.4
16	Central Mountains, Danish Bench	25	80	78	10.8	31.9
16	Central Mountains, Poison Springs Bench	62	100	100	8.0	62.0
16	Central Mtns., Gordon Creek-Price Canyon	74	100	100	6.0	74.5
16	Central Mountains, Central Manti	114	250	244	4.7	46.7
16	Central Mountains, North Manti	150	280	262	4.0	57.4

Limited entry antlerless elk harvest, Utah 2003 (cont.).

Unit	Hunt	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
17	Wasatch Mountains, Currant Creek	175	470	456	5.4	38.4
17	Wasatch Mountains, Currant Creek	125	200	194	3.8	64.4
17	Wasatch Mountains, Currant Creek	12	30	27	5.3	44.4
17	Wasatch Mountains, Avintaquin	26	150	148	6.3	17.6
17	Wasatch Mountains, Avintaquin	75	200	194	4.5	38.5
17	Wasatch Mountains, Avintaquin	43	150	146	4.8	29.2
17	Wasatch Mountains, North Utah County	8	25	25	4.2	30.0
17	Wasatch Mountains, North Utah County	35	40	37	3.6	92.9
17	Wasatch Mountains, Wallsburg	91	200	198	5.2	46.2
17	Wasatch Mountains, Wallsburg	25	30	30	4.3	84.6
17	Wasatch Mountains, Wallsburg	34	40	38	2.9	88.9
17	Wasatch Mountains, East Heber	115	400	387	7.0	29.6
17	Wasatch Mountains, West Heber	58	100	94	4.8	61.7
17	Wasatch Mountains, Park City	14	35	29	5.7	50.0
17	Wasatch Mountains, Salt Lake	18	40	36	5.4	50.0
17	Wasatch Mountains, Salt Lake	4	100	64	8.6	6.3
17	Wasatch Mountains, Strawberry	13	20	20	3.3	62.5
17	Wasatch Mountains, Springville	19	25	24	8.1	81.3
17	Wasatch Mountains, Springville	37	50	46	4.1	81.0
19	West Desert, Deep Creek	16	25	25	2.9	62.5
19	West Desert, Deep Creek	13	25	25	5.5	53.8
20	Southwest Desert	62	100	98	6.5	63.3
21	Fillmore, North Oak Creek	9	40	38	5.7	23.5
21	Fillmore, Pahvant-South Oak Creek	44	80	74	6.3	59.0
21	Fillmore, Pahvant-South Oak Creek	53	80	80	4.8	65.9
23	Monroe	37	50	47	3.6	79.3
24	Mt. Dutton, East	58	250	238	7.7	24.4
24	Mt. Dutton, East	50	250	238	7.3	21.0
25	Plateau, Boulder	78	150	146	4.6	53.4
25	Plateau, Deer Creek-Salt Gulch	11	30	29	6.6	40.0
27	Paunsaugunt	27	50	46	5.7	57.7
27	Paunsaugunt	5	30	28	6.9	16.7
28	Panguitch Lake	44	100	96	7.1	45.8
29	Zion	5	40	38	4.9	14.3
Statewide totals		4327	10647	10037	5.6	43.1

Limited entry antlerless elk harvest, Utah 2004.

Unit	Hunt	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
1	Box Elder, Hansel Mountain	0	5	5	3.0	0.0
2	Cache	16	50	50	4.7	31.6
2	Cache, Millville Face	33	45	45	3.4	72.2
2	Cache, Richmond Hyde Park	39	55	51	7.3	76.0
2	Cache, Beirdneau Peak	11	15	15	7.6	71.4
2	Cache, Rich	19	50	43	7.4	44.4
3	Ogden	11	50	50	7.5	21.1
3	Ogden, South	18	50	45	6.2	40.0
3	Ogden, South	2	20	20	4.6	10.0
3	Ogden, South Cache	68	100	97	5.7	69.4
4	Morgan-South Rich, South Rich	33	60	60	10.3	55.0
4	Morgan-South Rich, West Lost Creek	25	48	48	3.8	52.9
4	Morgan-South Rich, East Lost Creek	23	60	60	3.0	37.5
4	Morgan-South Rich, Henefer-Echo WMA	3	10	10	6.5	33.3
4	Morgan-South Rich, Henefer-Echo WMA	25	40	40	3.7	63.2
4	Morgan-South Rich, Henefer-Echo WMA	26	40	37	2.3	69.2
4	Morgan-South Rich, South Weber	3	10	7	9.0	50.0
5	East Canyon, Morgan	50	70	70	4.0	72.0
5	East Canyon, Summit	49	100	66	3.5	73.9
5	East Canyon, Davis-North Salt Lake	33	50	50	5.1	66.7
6	Chalk Creek, Private Lands	44	112	100	3.9	43.8
6	Chalk Creek, South	20	92	66	3.8	30.8
6	Chalk Creek, North	28	90	79	5.5	35.1
6	Chalk Creek, East Coalville	36	80	72	3.9	50.0
7	Kamas	9	50	50	5.3	18.8
7	Kamas, Oakley	15	30	24	6.1	62.5
7	Kamas, Oakley	17	25	25	3.6	66.7
7	Kamas, Francis	3	5	5	5.3	66.7
7	Kamas, West Hills	10	25	23	2.8	44.4
8	North Slope, Henry's Fork-Burnt Fork	6	15	15	3.7	42.9
8	North Slope, Henry's Fork-Burnt Fork	18	25	23	3.3	77.8
8	North Slope, Manila	17	50	44	5.3	39.1
8	North Slope, Three Corners	15	22	18	2.5	80.0

Limited entry antlerless elk harvest, Utah 2004 (cont.).

Unit	Hunt	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
9	South Slope, Yellowstone Roadless	3	30	21	3.3	14.3
9	South Slope, East Yellowstone	83	300	282	6.3	29.5
9	South Slope, West Yellowstone	72	250	247	6.5	29.1
9	South Slope, Vernal-Bonanza	83	275	259	6.1	32.0
9	South Slope, Diamond Mountain	80	245	218	4.4	36.6
10	Book Cliffs, Bitter Creek-East	21	35	35	3.5	58.8
10	Book Cliffs, Bitter Creek-McCook Ridge	10	25	25	2.3	41.7
10	Book Cliffs, Bitter Creek-West	22	35	32	4.1	66.7
11	Nine Mile, Anthro	11	25	25	4.4	42.9
11	Nine Mile, Anthro	35	50	50	6.6	70.6
11	Nine Mile, Range Creek	10	40	40	6.1	25.0
11	Nine Mile, Range Creek	76	176	158	4.3	48.1
11	Nine Mile, Range Creek	82	197	182	5.3	44.9
13	La Sal, La Sal Mountains	45	200	190	6.0	23.7
13	La Sal, La Sal Mountains	101	300	282	7.3	35.9
14	San Juan	21	50	44	6.5	47.6
14	San Juan, Abajo Mountains	15	50	46	5.1	31.8
15	Henry Mountains	4	20	11	6.2	40.0
16	Central Mountains, West Nebo	57	100	97	6.7	58.8
16	Central Mountains, Northwest Nebo	33	100	88	8.3	37.8
16	Central Mountains, Southwest Nebo	3	30	30	8.4	10.0
16	Central Mountains, West Manti	19	50	50	6.5	38.9
16	Central Mountains, Northwest Manti	21	30	30	3.9	71.4
16	Central Mountains, Milburn	3	20	20	4.0	16.7
16	Central Mountains, Gilluly	10	10	10	6.4	100.0
16	Central Mountains, Ferron Canyon	53	100	98	5.3	54.2
16	Central Mountains, South Manti	47	100	100	4.3	46.5
16	Central Mountains, Danish Bench	21	30	25	7.1	81.3
16	Central Mountains, Poison Spring Bench	28	30	30	7.0	91.7
16	Central Mtns, Gordon Creek-Price Canyon	92	100	98	5.8	93.6
16	Central Mountains, Central Manti	49	100	100	4.6	48.9
16	Central Mountains, North Manti	131	260	255	4.6	51.6

Limited entry antlerless elk harvest, Utah 2004 (cont.).

Unit	Hunt	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
17	Wasatch Mountains, Currant Creek	75	180	169	4.8	44.3
17	Wasatch Mtns, Currant Creek S. of US-40	6	20	20	9.0	28.6
17	Wasatch Mountains, Avintaquin	38	100	98	6.6	39.0
17	Wasatch Mountains, Avintaquin	51	200	190	4.5	26.6
17	Wasatch Mountains, Avintaquin	62	150	140	4.6	44.4
17	Wasatch Mountains, North Utah County	30	30	30	1.8	100.0
17	Wasatch Mountains, Timpanogos	25	25	25	2.7	100.0
17	Wasatch Mountains, Wallsburg	39	60	60	5.5	65.2
17	Wasatch Mountains, East Heber	33	90	80	8.6	40.6
17	Wasatch Mountains, West Heber	9	20	14	4.6	60.0
17	Wasatch Mountains, Park City	5	20	20	8.0	25.0
17	Wasatch Mountains, Salt Lake	7	20	18	3.6	37.5
17	Wasatch Mountains, Strawberry	15	40	40	5.3	36.4
17	Wasatch Mountains, Springville	34	50	48	5.0	70.8
17	Wasatch Mountains, Springville	33	50	50	4.7	66.7
18	Oquirrh-Stansbury, South	18	20	20	8.0	87.5
19	West Desert, Deep Creek	13	25	21	5.0	60.0
19	West Desert, Deep Creek	20	25	25	3.0	80.0
20	Southwest Desert	112	250	236	5.0	47.5
20	Southwest Desert, North	58	150	143	4.5	40.4
21	Fillmore, North Oak Creek	3	10	10	11.7	33.3
21	Fillmore, Pahvant-South Oak Creek	74	100	98	5.5	75.6
21	Fillmore, Pahvant-South Oak Creek	62	100	97	7.2	63.9
23	Monroe	36	50	44	4.9	81.8
24	Mt. Dutton	44	175	166	5.1	26.3
24	Mt. Dutton	38	200	191	5.5	19.8
24	Mt. Dutton	58	225	189	5.4	30.7
25	Plateau, Boulder	58	170	154	4.6	37.7
25	Plateau, Deer Creek-Salt Gulch	8	30	30	4.6	25.0
27	Paunsaugunt	15	40	40	5.7	37.5
28	Panguitch Lake	57	125	119	4.8	47.5
29	Zion	24	40	33	5.6	73.3
Statewide totals		3226	7702	7209	5.4	44.7

CWMU bull elk harvest, Utah 2001.

Management unit	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	1	14	1	—	100.0
Cache	6	17	7	—	85.7
Ogden	4	27	14	—	28.6
Morgan-South Rich	108	261	148	—	73.0
East Canyon	14	46	18	—	77.8
Chalk Creek	78	161	136	—	57.4
Nine Mile	*	30	*	*	*
La Sal	*	23	*	*	*
San Juan	*	13	*	*	*
Central Mountains	*	55	*	*	*
Wasatch Mountains	*	52	*	*	*
Oquirrh-Stansbury	*	15	*	*	*
Fillmore	*	3	*	*	*
Plateau	*	42	*	*	*
Paunsaugunt	*	9	*	*	*
Panguitch Lake	*	3	*	*	*
Zion	*	3	*	*	*
Statewide totals	211	774	324	—	65.1

*Data not available.

CWMU antlerless elk harvest, Utah 2001.

Management unit	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	7	11	9	1.0	77.8
Cache	3	5	3	12.0	100.0
Ogden	0	7	7	2.5	0.0
Morgan-South Rich	225	270	263	1.8	85.6
East Canyon	12	26	21	3.5	57.1
Chalk Creek	34	70	70	2.4	48.6
Nine Mile	60	115	107	2.9	56.1
La Sal	65	75	75	4.6	86.7
San Juan	36	64	56	5.2	64.3
Central Mountains	104	169	164	4.4	63.4
Wasatch Mountains	154	203	196	3.1	78.6
Oquirrh-Stansbury	7	45	45	3.3	15.6
Fillmore	4	6	4	2.0	100.0
Plateau	92	148	143	4.7	64.3
Paunsaugunt	3	10	7	6.5	42.9
Panguitch Lake	3	9	9	9.3	33.3
Zion	0	2	2	2.0	0.0
Statewide totals	809	1235	1181	3.4	68.5

CWMU bull elk harvest, Utah 2002.

Management unit	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	8	12	11	—	72.7
Cache	12	17	17	—	70.6
Ogden	12	27	25	—	48.0
Morgan-South Rich	150	195	190	—	78.9
East Canyon	41	46	44	—	93.2
Chalk Creek	92	161	158	—	58.2
Nine Mile	21	26	25	—	84.0
La Sal	19	23	23	—	82.6
San Juan	10	12	12	—	83.3
Central Mountains	49	56	54	—	90.7
Wasatch Mountains	30	38	38	—	78.9
Oquirrh-Stansbury	14	15	15	—	93.3
Fillmore	2	3	3	—	66.7
Plateau	38	42	40	—	95.0
Paunsaugunt	6	9	9	—	66.7
Panguitch Lake	3	3	3	—	100.0
Zion	2	3	3	—	66.7
Statewide totals	509	688	670	—	76.0

CWMU antlerless elk harvest, Utah 2002.

Management unit	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	1	2	2	—	50.0
Cache	4	12	12	—	33.3
Morgan-South Rich	227	323	323	—	70.3
East Canyon	18	34	34	—	52.9
Chalk Creek	35	79	79	—	44.3
Nine Mile	43	140	140	—	30.7
La Sal	45	78	78	—	57.7
San Juan	35	80	80	—	43.8
Central Mountains	73	179	179	—	40.8
Wasatch Mountains	126	308	308	—	40.9
Oquirrh-Stansbury	12	25	25	—	48.0
Fillmore	6	16	16	—	37.5
Paunsaugunt	7	11	11	—	63.6
Panguitch Lake	2	10	10	—	20.0
Statewide totals	634	1297	1297	—	48.9

CWMU bull elk harvest, Utah 2003.

Management unit	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	6	12	8	17.5	75.0
Cache	0	9	0	—	—
Ogden	4	18	9	2.1	44.4
Morgan-South Rich	111	151	138	3.4	80.4
East Canyon	10	48	38	3.7	26.3
Chalk Creek	99	193	193	3.2	51.3
Nine Mile	32	35	32	2.5	100.0
La Sal	18	25	18	2.0	100.0
San Juan	0	12	0	—	—
Central Mountains	15	58	32	4.2	46.9
Wasatch Mountains	23	55	23	3.3	100.0
Oquirrh-Stansbury	0	15	0	—	—
Fillmore	3	3	3	1.0	100.0
Plateau	41	47	47	2.4	87.2
Paunsaugunt	0	5	5	7.0	0.0
Panguitch Lake	0	3	0	—	—
Zion	0	2	2	6.0	0.0
Statewide totals	362	691	548	3.4	66.1

CWMU antlerless elk harvest, Utah 2003.

Management unit	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	0	4	2	2.5	0.0
Cache	1	2	2	4.3	50.0
Morgan-South Rich	23	364	353	7.8	6.5
East Canyon	22	33	33	5.0	66.7
Chalk Creek	50	100	98	3.0	51.0
Nine Mile	22	54	52	3.6	42.3
La Sal	47	63	60	2.3	78.3
San Juan	36	62	59	5.8	61.0
Central Mountains	69	139	131	4.2	52.7
Wasatch Mountains	144	233	222	2.7	64.9
Oquirrh-Stansbury	23	25	24	3.2	95.8
Fillmore	1	5	4	1.7	25.0
Paunsaugunt	0	8	8	8.4	0.0
Statewide totals	438	1092	1048	5.0	41.8

CWMU bull elk harvest, Utah 2004.

Management unit	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	6	13	13	4.9	46.2
Cache	8	8	8	2.7	100.0
Ogden	23	36	36	5.3	63.9
Morgan-South Rich	154	195	195	4.4	79.0
East Canyon	41	50	49	3.3	83.7
Chalk Creek	100	202	199	4.7	50.3
Nine Mile	29	38	38	3.2	76.3
La Sal	23	25	25	4.5	92.0
San Juan	15	15	15	5.1	100.0
Central Mountains	54	64	62	5.1	87.1
Wasatch Mountains	51	61	60	5.2	85.0
Oquirrh-Stansbury	15	15	15	2.0	100.0
Fillmore	3	3	3	4.0	100.0
Plateau	46	47	47	2.9	97.9
Paunsaugunt	1	5	4	5.3	25.0
Panguitch Lake	2	3	3	6.0	66.7
Zion	0	10	5	12.0	0.0
Statewide totals	571	790	777	4.4	73.5

CWMU antlerless elk harvest, Utah 2004.

Management unit	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Morgan-South Rich	300	380	368	2.0	81.5
East Canyon	16	28	26	3.3	61.5
Chalk Creek	26	115	105	4.6	24.8
Nine Mile	21	69	62	2.7	33.9
La Sal	38	63	53	3.7	71.7
San Juan	64	94	94	5.9	68.1
Central Mountains	88	139	129	3.3	68.2
Wasatch Mountains	111	233	224	2.9	49.6
Oquirrh-Stansbury	22	25	25	1.8	88.0
Fillmore	5	5	5	2.0	100.0
Paunsaugunt	3	10	9	4.6	33.3
Statewide totals	694	1161	1100	3.1	63.1

Free mitigation elk harvest, Utah 2003.

Management unit	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	0	6	3	3.0	0.0
Cache	16	51	33	5.5	46.7
Ogden	4	15	13	4.8	33.3
Morgan-South Rich	9	20	17	4.2	50.0
East Canyon	24	41	34	3.4	70.0
Chalk Creek	10	20	20	5.0	50.0
Kamas	2	10	10	17.3	16.7
North Slope	7	14	9	4.0	75.0
South Slope	116	288	229	5.6	45.0
Book Cliffs	0	2	2	40.0	0.0
Nine Mile	5	59	50	5.7	9.1
San Rafael	0	4	4	6.0	0.0
La Sal	2	2	2	6.0	100.0
San Juan	13	34	30	4.6	35.7
Henry Mountains	0	0	0	0.0	0.0
Central Mountains	92	252	215	7.1	41.3
Wasatch Mountains	32	87	64	7.4	46.4
Oquirrh-Stansbury	0	2	0	—	—
West Desert	6	6	6	6.0	100.0
Southwest Desert	3	8	8	3.0	33.3
Fillmore	18	50	47	3.8	38.9
Beaver	4	27	23	3.8	16.7
Monroe	23	42	42	3.1	53.8
Mt Dutton	0	5	5	14.0	0.0
Plateau	8	59	41	7.2	20.0
Paunsaugunt	0	5	5	7.5	0.0
Panguitch Lake	6	17	17	4.7	33.3
Zion	8	61	58	8.3	13.6
Statewide totals	408	1189	987	6.1	39.3

*Some hunters had multiple permits. Success rates are per hunter.

Fee mitigation elk harvest, Utah 2003.

Management unit	Antlerless harvest	Vouchers redeemed	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	0	3	3	20.0	0.0
Cache	9	14	14	2.7	66.7
Ogden	0	4	0	—	—
Morgan-South Rich	33	48	45	4.7	73.3
East Canyon	72	91	91	4.5	78.8
Chalk Creek	120	141	141	3.1	84.8
Kamas	0	0	0	—	—
North Slope	21	31	26	2.8	80.0
South Slope	26	47	44	4.8	60.0
Book Cliffs	0	0	0	—	—
Nine Mile	10	26	26	5.0	37.5
San Rafael	0	9	9	10.0	0.0
La Sal	12	36	36	4.6	33.3
San Juan	0	8	8	5.0	0.0
Henry Mountains	0	0	0	—	—
Central Mountains	70	123	118	5.1	59.2
Wasatch Mountains	5	24	24	9.0	20.0
Oquirrh-Stansbury	0	0	0	—	—
West Desert	3	10	10	8.5	25.0
Southwest Desert	0	0	0	—	—
Fillmore	2	41	41	5.5	5.6
Beaver	7	13	13	12.0	50.0
Monroe	16	26	21	2.8	75.0
Mt Dutton	0	1	1	2.0	0.0
Plateau	0	5	5	2.0	0.0
Paunsaugunt	0	0	0	—	—
Panguitch Lake	0	0	0	—	—
Zion	17	44	39	5.6	42.9
Statewide totals	423	745	715	120	792

Free mitigation elk harvest, Utah 2004.

Management unit	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	0	6	0	—	—
Cache	10	40	25	12.2	20.0
Ogden	0	24	0	—	—
Morgan-South Rich	24	24	24	4.5	100.0
East Canyon	23	45	45	5.3	50.0
Chalk Creek	0	22	0	—	—
Kamas	3	20	17	4.4	20.0
North Slope	8	12	8	4.5	100.0
South Slope	87	361	289	6.5	27.5
Book Cliffs	0	2	0	—	—
Nine Mile	9	62	62	3.3	14.3
San Rafael	0	13	0	—	—
La Sal	0	7	0	—	—
San Juan	15	15	15	7.0	100.0
Henry Mountains	0	0	0	—	—
Central Mountains	81	232	180	6.3	41.9
Wasatch Mountains	16	62	52	7.9	30.0
Oquirrh-Stansbury	0	2	0	—	—
West Desert	0	4	0	—	—
Southwest Desert	3	6	3	1.0	100.0
Fillmore	11	66	44	3.4	25.0
Beaver	24	32	24	2.7	66.7
Monroe	0	20	10	10.5	0.0
Mt Dutton	3	3	2	1.0	100.0
Plateau	14	61	41	3.5	33.3
Paunsaugunt	0	4	4	3.0	0.0
Panguitch Lake	7	22	22	9.3	33.3
Zion	0	52	40	6.6	0.0
Statewide totals	338	1220	907	6.0	34.2

*Some hunters had multiple permits. Success rates are per hunter.

Fee mitigation elk harvest, Utah 2004.

Management unit	Antlerless harvest	Vouchers redeemed	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	0	0	0	—	—
Cache	17	38	38	6.8	44.4
Ogden	0	12	10	4.0	0.0
Morgan-South Rich	53	83	83	2.6	64.3
East Canyon	65	116	111	4.3	58.7
Chalk Creek	122	158	155	2.6	78.6
Kamas	2	7	7	2.3	25.0
North Slope	45	63	63	3.1	71.4
South Slope	162	282	265	5.5	60.9
Book Cliffs	0	8	5	3.5	0.0
Nine Mile	35	41	38	3.3	92.3
San Rafael	6	6	6	1.0	100.0
La Sal	12	28	26	5.3	45.5
San Juan	7	9	9	6.2	80.0
Henry Mountains	0	0	0	—	—
Central Mountains	94	245	236	5.3	40.0
Wasatch Mountains	24	51	47	5.5	52.4
Oquirrh-Stansbury	0	1	0	—	—
West Desert	6	16	14	12.9	42.9
Southwest Desert	0	0	0	—	—
Fillmore	7	48	48	5.0	14.3
Beaver	0	8	8	4.0	0.0
Monroe	11	18	18	3.6	60.0
Mt Dutton	1	1	1	1.0	100.0
Plateau	7	7	7	1.7	100.0
Paunsaugunt	0	0	0	—	—
Panguitch Lake	5	14	14	5.2	36.4
Zion	7	33	33	7.4	21.4
Statewide totals	688	1293	1242	4.6	55.4

Total general seasons spike bull elk harvest by subunit, Utah 1999–2004.

Unit		Unit name	Subunit name	1999	2000	2001	2002	2003	2004
2	A	Cache	North	0	0	86	153	133	139
2	B	Cache	South	106	174	36	12	26	28
12	B	San Rafael	South	0	0	0	0	0	5
13	A	La Sal	La Sal Mountains	139	114	133	82	62	62
16	A	Central Mountains	Nebo	253	273	148	88	71	70
16	B	Central Mountains	Manti	1036	1129	722	516	659	568
17	A	Wasatch Mountains	Wasatch Mountains	402	472	442	390	421	318
17	B	Wasatch Mountains	Currant Creek	237	218	156	208	132	107
17	C	Wasatch Mountains	Avintaquin	22	27	35	59	25	84
22	A	Beaver	Beaver	50	97	58	20	82	73
25	AB	Plateau	Fish Lake / 1000 Lakes	618	470	275	23	92	193
25	C	Plateau	Boulder	152	175	151	51	93	92

Total general season any bull elk harvest by subunit, Utah 1999–2004.

Unit		Unit name	Subunit name	1999	2000	2001	2002	2003	2004
1	B	Box Elder	Hansel Mountain	0	0	0	0	16	17
3	A	Ogden	Ogden	51	76	56	42	27	74
4	A	Morgan-South Rich	Morgan-South Rich	191	170	161	113	171	143
5	A	East Canyon	East Canyon	78	107	72	86	118	110
6	A	Chalk Creek	Chalk Creek	172	132	142	124	91	177
7	A	Kamas	Kamas	125	122	101	85	122	135
8	A	North Slope	Summit	220	248	205	180	246	191
8	B	North Slope	West Daggett	159	153	134	147	162	83
9	A	South Slope	Yellowstone	258	494	320	345	281	358
9	B	South Slope	Vernal	533	560	450	344	347	332
9	D	South Slope	Bonanza	0	0	0	0	0	0
11	B	Nine Mile	Range Creek	91	149	122	109	141	122
12	A	San Rafael	North	45	51	25	3	10	17
15	A	Henry Mountains	Henry Mountains	0	0	0	0	0	0
16	A	Central Mountains	Nebo*	0	0	0	0	14	4
16	B	Central Mountains	Manti*	0	0	0	0	0	0
19	B	West Desert	Vernon	0	0	0	0	0	0
19	C	West Desert	Tintic	0	0	0	0	0	0
21	A	Fillmore	Oak Creek North	0	0	0	0	59	8
29	A	Zion	Zion	115	66	61	28	60	77
30	A	Pine Valley	Pine Valley	0	0	0	0	0	0

*Harvest from Sanpete Valley extended archery season.

Total limited entry and CWMU bull elk harvest by subunit, Utah 1999–2004.

Unit		Unit name	Subunit name	1999	2000	2001	2002	2003	2004
1	A	Box Elder	West Box Elder	15	4	7	12	9	9
1	B	Box Elder	Hansel Mountain	0	0	0	0	0	0
2	A	Cache	North	26	25	13	11	10	24
2	B	Cache	South	29	36	25	33	20	30
3	A	Ogden	Ogden	3	9	4	12	4	23
4	A	Morgan-South Rich	Morgan-South Rich	169	135	108	150	111	154
5	A	East Canyon	East Canyon	11	14	14	41	10	41
6	A	Chalk Creek	Chalk Creek	60	60	78	92	99	100
7	A	Kamas	Kamas	0	0	0	0	0	0
8	A	North Slope	Summit	0	0	0	0	0	0
8	B	North Slope	West Daggett	10	0	0	0	0	0
8	C	North Slope	Three Corners	28	19	25	23	16	34
9	A	South Slope	Yellowstone	0	0	0	0	0	0
9	B	South Slope	Vernal	0	0	0	0	0	0
9	C	South Slope	Diamond Mountain	42	52	60	51	42	78
9	D	South Slope	Bonanza	0	0	0	0	0	0
10	AB	Book Cliffs	Bitter Creek / South	66	70	72	61	65	75
10	C	Book Cliffs	Little Creek	32	35	30	0	4	39
11	A	Nine Mile	Anthro	13	17	10*	18	12	16
11	B	Nine Mile	Range Creek	25	6	0*	16	35	28
12	A	San Rafael	North	0	0	0	0	0	0
12	B	San Rafael	South	0	0	0	0	0	0
13	A	La Sal	La Sal Mountains	26	21	6*	27	30	45
13	B	La Sal	Dolores Triangle	0	0	2	2	0	0
14	A	San Juan	San Juan	33	27	19*	31	39	66
15	A	Henry Mountains	Henry Mountains	0	0	0	0	0	0
16	A	Central Mountains	Nebo	18	19	24*	37	35	49
16	B	Central Mountains	Manti	116	128	92*	139	156	219
17	A	Wasatch Mountains	Wasatch Mountains	76	70	68*	98	82	110
17	B	Wasatch Mountains	Currant Creek	25	25	17*	34	27	41
17	C	Wasatch Mountains	Avintaquin	14	12	10*	16	17	27
18	A	Oquirrh-Stansbury	Oquirrh-Stansbury	37	24	7*	25	10	30
19	A	West Desert	Deep Creek	6	6	6	7	7	11
19	B	West Desert	Vernon	0	0	0	0	0	0
19	C	West Desert	Tintic	0	0	0	0	0	0
20	A	Southwest Desert	Southwest Desert	20	20	18	14	19	23
21	A	Fillmore	Oak Creek	13	9	14	8	11	16
21	B	Fillmore	Pahvant	21	24	21*	25	34	38
22	A	Beaver	Beaver	1	4	4	14	27	22
23	A	Monroe	Monroe	27	21	24	17	25	38
24	A	Mt. Dutton	Mt. Dutton	28	39	30	45	58	66
25	AB	Plateau	Fish Lake / 1000 Lakes	43	69	33*	60	103	123
25	C	Plateau	Boulder	3	5	6	12	37	44
27	A	Paunsaugunt	Paunsaugunt	18	16	8*	22	21	16
28	A	Panguitch Lake	Panguitch Lake	18	19	17*	22	22	42
29	A	Zion	Zion	0	2	0*	2	0	0
30	A	Pine Valley	Pine Valley	0	0	0	0	0	0

*Does not include CWMU harvest.

Total antlerless elk harvest by subunit, Utah 1999–2004.

Unit		Unit name	Subunit name	1999	2000	2001	2002	2003	2004
1	A	Box Elder	West Box Elder	6	5	7	1	0	0
1	B	Box Elder	Hansel Mountain	0	1	0	0	0	0
2	A	Cache	North	23	40	109	78	90	66
2	B	Cache	South	93	165	139	56	79	60
3	A	Ogden	Ogden	79	110	115	81	99	107
4	A	Morgan-South Rich	Morgan-South Rich	270	323	294	316	153	438
5	A	East Canyon	East Canyon	76	100	143	127	185	152
6	A	Chalk Creek	Chalk Creek	282	295	462	131	172	154
7	A	Kamas	Kamas	108	149	157	79	57	58
8	A	North Slope	Summit	58	35	38	35	26	32
8	B	North Slope	West Daggett	97	94	42	43	79	21
8	C	North Slope	Three Corners	21	13	6	27	11	15
9	A	South Slope	Yellowstone	385	517	237	288	295	98
9	B	South Slope	Vernal	474	206	181	218	144	175
9	C	South Slope	Diamond Mountain	426	152	190	204	114	80
9	D	South Slope	Bonanza	0	0	0	0	0	0
10	AB	Book Cliffs	Bitter Creek / South	219	51	156	216	238	53
10	C	Book Cliffs	Little Creek	23	35	51	0	46	0
11	A	Nine Mile	Anthro	148	76	159	108	80	57
11	B	Nine Mile	Range Creek	62	86	240	167	160	182
12	A	San Rafael	North	4**	0	0	11	4	0
12	B	San Rafael	South	—	0	0	0	0	0
13	A	La Sal	La Sal Mountains	269	355	349	229	311	219
13	B	La Sal	Dolores Triangle	0	0	0	0	0	0
14	A	San Juan	San Juan	100	49	114	186	136	100
15	A	Henry Mountains	Henry Mountains	0	0	0	4	2	4
16	A	Central Mountains	Nebo	152	232	602	196	120	132
16	B	Central Mountains	Manti	968	1292	907	714	957	648
17	A	Wasatch Mountains	Wasatch Mountains	671	779	531	559	631	333
17	B	Wasatch Mountains	Currant Creek	404	130	200	589	398	149
17	C	Wasatch Mountains	Avintaquin	101	327	92	179	158	170
18	A	Oquirrh-Stansbury	Oquirrh-Stansbury	75	54	32	25	23	40
19	A	West Desert	Deep Creek	10	4	6	8	29	33
19	B	West Desert	Vernon	0	0	0	0	0	0
19	C	West Desert	Tintic	0	0	0	0	0	0
20	A	Southwest Desert	Southwest Desert	46	60	120	86	62	170
21	A	Fillmore	Oak Creek	3	4	6	36	28	21
21	B	Fillmore	Pahvant	31	46	60	66	88	127
22	A	Beaver	Beaver	29	31	22	9	17	24
23	A	Monroe	Monroe	0	157	120	38	37	36
24	A	Mt. Dutton	Mt. Dutton	168	105	144	152	108	140
25	AB	Plateau	Fish Lake / 1000 Lakes	876	1404	612	3	0	4
25	C	Plateau	Boulder	75	271	293	13	98	94
27	A	Paunsaugunt	Paunsaugunt	6	17	23	31	32	18
28	A	Panguitch Lake	Panguitch Lake	151	127	62	60	44	57
29	A	Zion	Zion	17	14	12	15	10	36
30	A	Pine Valley	Pine Valley	0	0	0	0	0	0

*Does not include mitigation permits.

**Harvest includes the entire unit.

Total bull elk hunters by subunit, Utah 1999–2004.

Unit		Unit name	Subunit name	1999	2000	2001	2002	2003	2004
1	A	Box Elder	West Box Elder	19	19	8	16	12	17
1	B	Box Elder	Hansel Mountain	0	0	0	0	38	65
2	A	Cache	North	52	41	1105	1349	1622	1241
2	B	Cache	South	1943	1564	352	303	370	355
3	A	Ogden	Ogden	555	494	553	683	524	738
4	A	Morgan-South Rich	Morgan-South Rich	1192	1203	1056	1127	915	1132
5	A	East Canyon	East Canyon	388	494	496	846	847	748
6	A	Chalk Creek	Chalk Creek	861	757	738	837	931	1183
7	A	Kamas	Kamas	1243	1042	1208	1342	1584	1530
8	A	North Slope	Summit	1845	2046	1731	2028	2208	2075
8	B	North Slope	West Daggett	1224	1163	1328	1597	1576	1640
8	C	North Slope	Three Corners	30	22	26	25	25	41
9	A	South Slope	Yellowstone	1734	2164	2565	2298	2635	2617
9	B	South Slope	Vernal	3271	3329	3071	3137	2751	3002
9	C	South Slope	Diamond Mountain	64	66	65	61	61	116
9	D	South Slope	Bonanza	0	0	0	0	0	0
10	AB	Book Cliffs	Bitter Creek / South	71	72	72	65	65	88
10	C	Book Cliffs	Little Creek	33	38	38	0	4	45
11	A	Nine Mile	Anthro	13	17	10*	19	13	22
11	B	Nine Mile	Range Creek	503	568	725*	785	626	588
12	A	San Rafael	North	252**	238	198	195	111	136
12	B	San Rafael	South	—	15	32	26	11	24
13	A	La Sal	La Sal Mountains	965	753	669*	712	522	633
13	B	La Sal	Dolores Triangle	3	0	3	3	0	0
14	A	San Juan	San Juan	33	34	22*	36	39	70
15	A	Henry Mountains	Henry Mountains	0	0	0	0	49	36
16	A	Central Mountains	Nebo	1401	1342	1122*	1100	1226	1240
16	B	Central Mountains	Manti	7404	7160	5863*	5889	5774	5578
17	A	Wasatch Mountains	Wasatch Mountains	4205	3696	3416*	4315	3901	3555
17	B	Wasatch Mountains	Currant Creek	1926	1346	1434*	1824	1377	1289
17	C	Wasatch Mountains	Avintaquin	249	185	191*	293	202	554
18	A	Oquirrh-Stansbury	Oquirrh-Stansbury	41	24	7*	26	11	30
19	A	West Desert	Deep Creek	6	6	6	7	7	12
19	B	West Desert	Vernon	0	0	0	0	0	0
19	C	West Desert	Tintic	0	0	0	0	0	0
20	A	Southwest Desert	Southwest Desert	22	22	20	18	21	25
21	A	Fillmore	Oak Creek	15	12	15	15	712	161
21	B	Fillmore	Pahvant	27	24	24*	30	34	45
22	A	Beaver	Beaver	733	841	632	579	768	791
23	A	Monroe	Monroe	27	27	27	17	27	39
24	A	Mt. Dutton	Mt. Dutton	43	122	35	56	108	83
25	AB	Plateau	Fish Lake / 1000 Lakes	3639	3006	3605*	250	1130	1387
25	C	Plateau	Boulder	850	759	1225	911	1035	950
27	A	Paunsaugunt	Paunsaugunt	30	66	8*	28	37	30
28	A	Panguitch Lake	Panguitch Lake	22	21	21*	29	30	47
29	A	Zion	Zion	1092	605	601*	748	913	817
30	A	Pine Valley	Pine Valley	0	0	0	0	0	0

*Does not include CWMU hunters.

**Hunters for the entire unit.

Total antlerless elk hunters by subunit, Utah 1999–2004.

Unit		Unit name	Subunit name	1999	2000	2001	2002	2003	2004
1	A	Box Elder	West Box Elder	15	22	14	2	2	0
1	B	Box Elder	Hansel Mountain	0	5	10	5	5	5
2	A	Cache	North	124	121	108	129	87	91
2	B	Cache	South	273	275	256	254	139	113
3	A	Ogden	Ogden	335	241	183	208	205	212
4	A	Morgan-South Rich	Morgan-South Rich	499	521	496	522	587	630
5	A	East Canyon	East Canyon	145	151	223	231	243	212
6	A	Chalk Creek	Chalk Creek	780	651	712	487	560	422
7	A	Kamas	Kamas	262	275	261	244	128	127
8	A	North Slope	Summit	144	88	59	58	45	38
8	B	North Slope	West Daggett	167	142	98	157	98	44
8	C	North Slope	Three Corners	25	23	11	49	18	18
9	A	South Slope	Yellowstone	1896	1804	733	819	858	303
9	B	South Slope	Vernal	749	382	412	763	348	506
9	C	South Slope	Diamond Mountain	787	274	326	571	256	218
9	D	South Slope	Bonanza	0	0	0	0	0	0
10	AB	Book Cliffs	Bitter Creek / South	295	79	220	323	391	92
10	C	Book Cliffs	Little Creek	33	42	58	0	72	0
11	A	Nine Mile	Anthro	192	115	298	230	227	105
11	B	Nine Mile	Range Creek	101	210	516	700	637	412
12	A	San Rafael	North	10**	0	0	0	0	0
12	B	San Rafael	South	0	0	0	0	0	0
13	A	La Sal	La Sal Mountains	395	475	504	459	532	525
13	B	La Sal	Dolores Triangle	0	0	0	0	0	0
14	A	San Juan	San Juan	136	54	156	271	253	184
15	A	Henry Mountains	Henry Mountains	0	0	5	10	16	11
16	A	Central Mountains	Nebo	208	398	985	505	203	225
16	B	Central Mountains	Manti	1856	1846	1257	1064	1478	935
17	A	Wasatch Mountains	Wasatch Mountains	1251	1370	794	1312	1112	486
17	B	Wasatch Mountains	Currant Creek	783	188	381	1099	777	274
17	C	Wasatch Mountains	Avintaquin	242	575	172	492	526	466
18	A	Oquirrh-Stansbury	Oquirrh-Stansbury	95	96	88	47	24	45
19	A	West Desert	Deep Creek	17	17	25	22	50	46
19	B	West Desert	Vernon	0	0	0	0	0	0
19	C	West Desert	Tintic	0	0	0	0	0	0
20	A	Southwest Desert	Southwest Desert	57	60	148	100	98	379
21	A	Fillmore	Oak Creek	5	7	10	61	53	30
21	B	Fillmore	Pahvant	53	68	94	141	143	180
22	A	Beaver	Beaver	0	0	45	0	0	0
23	A	Monroe	Monroe	0	196	196	44	47	44
24	A	Mt. Dutton	Mt. Dutton	441	184	480	330	476	546
25	AB	Plateau	Fish Lake / 1000 Lakes	1382	2051	1509	0	0	0
25	C	Plateau	Boulder	98	672	885	0	175	184
27	A	Paunsaugunt	Paunsaugunt	30	42	53	53	82	49
28	A	Panguitch Lake	Panguitch Lake	346	217	107	104	96	119
29	A	Zion	Zion	31	34	39	30	38	33
30	A	Pine Valley	Pine Valley	0	0	0	0	0	0

*Does not include mitigation permits.

**Hunters for the entire unit.

Elk classification and trend count data by subunit, Utah 1998–2005.

Box Elder, Pilot Mountain

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	160	43	39	22
2000–2001	—	—	—	—	85	25	15	14
2001–2002	—	—	—	—	58	42	45	45
2002–2003	—	—	—	—	47	33	180	66
2003–2004	—	—	—	—	45	56	39	30
2004–2005	—	—	—	—	98	51	77	60

Cache

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	1068	36	29	17
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	—	—	—	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	1304	31	23	17
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	1621	54	25*	17*

*Bulls /100 antlerless.

Ogden

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	385	28	46	11
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	—	—	—	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	346	33	25	19
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	562	—	19*	8*

*Bulls /100 antlerless.

Elk classification and trend count data by subunit, Utah 1998–2005 (cont.).

Morgan-South Rich

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	3340	49	60	38
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	—	—	—	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	4003	44	46	41
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	—	—	—	—

East Canyon

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	—	—	—	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	233	70	50	28
2003–2004	—	—	—	—	1316	51	46	28
2004–2005	—	—	—	—	—	—	—	—

Chalk Creek

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	2229	57	62	42
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	1851	54	58	37
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	1606	61	78	52
2004–2005	—	—	—	—	—	—	—	—

Elk classification and trend count data by subunit, Utah 1998–2005 (cont.).

Kamas

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	268	62	17	10
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	399	47	31	19
2004–2005	—	—	—	—	—	—	—	—

North Slope, Summit

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	101	—	—	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	215	48	58	23
2004–2005	—	—	—	—	—	—	—	—

North Slope, West Daggett

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	923	41	18	—
2001–2002	47	39	13	7	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	716	34	16	1
2004–2005	—	—	—	—	—	—	—	—

Elk classification and trend count data by subunit, Utah 1998–2005 (cont.).

North Slope, Three Corners

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	186	25	49	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	348	57	77	41
2004–2005	—	—	—	—	—	—	—	—

South Slope, Yellowstone

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	5758	—	14*	5*
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	3954	40	35	11
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	3305	37	19	6
2004–2005	—	—	—	—	—	—	—	—

*Bulls /100 antlerless.

South Slope, Vernal

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	1025	62	14	—
1999–2000	84	57	21	—	—	—	—	—
2000–2001	—	—	—	—	1244	47	15	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	783	50	9	1
2004–2005	—	—	—	—	—	—	—	—

Elk classification and trend count data by subunit, Utah 1998–2005 (cont.).

South Slope, Diamond Mountain

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	1758	51	18	—
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	1278	42	28	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	1067	36	47	27
2004–2005	—	—	—	—	—	—	—	—

Book Cliffs, Bitter Creek / Little Creek

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	—	—	—	—
2000–2001	424	43	28	15	2048	42	52	28
2001–2002	286	35	24	9	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	237	37	18	7	1396	41	54	25
2004–2005	391	37	19	8	—	—	—	—

Book Cliffs, South

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	—	47	72	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	—	31	74	29
2004–2005	—	—	—	—	—	—	—	—

Elk classification and trend count data by subunit, Utah 1998–2005 (cont.).

Nine Mile, Anthro

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	608	—	28*	12*
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	662	43	36	18
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	453	39	57	29
2004–2005	—	—	—	—	—	—	—	—

*Bulls /100 antlerless.

Nine Mile, Range Creek

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	416	40	—	—	—	—	—	—
1999–2000	656	42	13	7	—	—	—	—
2000–2001	329	40	14	3	1496	30	28	9
2001–2002	268	38	12	1	—	—	—	—
2002–2003	301	45	14	11	—	—	—	—
2003–2004	332	20	15	3	952	25	40	21
2004–2005	384	48	6	4	—	—	—	—

La Sal, La Sal Mountains

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	—	33	24	—
2000–2001	—	48	16	—	—	—	—	—
2001–2002	—	48	—	—	—	—	—	—
2002–2003	—	—	—	—	—	35	19	—
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	—	37	24	14

Elk classification and trend count data by subunit, Utah 1998–2005 (cont.).

La Sal, Dolores Triangle

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	1677	30	24	13
2000–2001	—	37	—	—	—	—	—	—
2001–2002	—	52	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	—	36	40	32

San Juan

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	946	47	65	41
2000–2001	—	53	22	—	—	—	—	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	33	79	—
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	—	42	65	51

Central Mountains, Nebo

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	1493	52	35	20	—	—	—	—
2000–2001	1411	45	18	3	—	51	20	15
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	—	—	—	—

Elk classification and trend count data by subunit, Utah 1998–2005 (cont.).

Central Mountains, Manti

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	2170	42	10	2	—	—	—	—
2000–2001	1509	56	15	3	—	29	16	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	42	11	—	—	—	—	—
2003–2004	—	42	16	—	—	31	15	11
2004–2005	—	—	—	—	—	—	—	—

Wasatch Mountains, Wasatch Mountains

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	3026	—	21*	11*
1999–2000	1381	56	26	11	—	—	—	—
2000–2001	1441	50	24	8	—	—	—	—
2001–2002	771	56	15	6	3220	—	28*	26*
2002–2003	566	54	12	4	—	—	—	—
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	2659	—	30*	21*

*Bulls /100 antlerless.

Wasatch Mountains, Currant Creek

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	1339	—	9*	2*
1999–2000	439	53	24	2	—	—	—	—
2000–2001	—	—	—	—	—	—	—	—
2001–2002	—	—	—	—	1413	—	15*	7*
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	853	—	14*	7*

*Bulls /100 antlerless.

Elk classification and trend count data by subunit, Utah 1998–2005 (cont.).

Wasatch Mountains, Avintaquin

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	937	—	23*	10*
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	—	—	—	—
2001–2002	—	—	—	—	1124	—	26*	18*
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	830	—	13*	7*

*Bulls /100 antlerless.

Oquirrh-Stansbury

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	452	33	46	39	—	—	—	—
1999–2000	190	45	41	40	541	57	81	62
2000–2001	210	44	30	29	320	—	80	63
2001–2002	319	53	52	37	—	—	—	—
2002–2003	—	—	—	—	351	—	42*	25*
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	—	—	—	—

*Bulls /100 antlerless.

West Desert, Deep Creek

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	351	31	41	28	—	—	—	—
1999–2000	—	—	—	—	—	—	—	—
2000–2001	76	66	51	20	—	—	—	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	112	—	28*	24*
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	—	—	—	—

*Bulls /100 antlerless.

Elk classification and trend count data by subunit, Utah 1998–2005 (cont.).

Southwest Desert

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	366	54	22	14	—	—	—	—
1999–2000	332	56	28	17	—	—	—	—
2000–2001	402	40	34	13	732	—	—	—
2001–2002	176	47	29	12	—	—	—	—
2002–2003	358	39	18	11	—	—	—	—
2003–2004	345	34	32	15	945	—	—	—
2004–2005	332	57	24	9	—	—	—	—

Fillmore, Pahvant

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	270	52	16	12	738	—	41*	29*
1999–2000	287	57	36	14	—	—	—	—
2000–2001	327	46	34	20	—	—	—	—
2001–2002	266	55	53	36	1136	55	56	33
2002–2003	283	39	45	33	—	—	—	—
2003–2004	246	49	32	19	—	—	—	—
2004–2005	191	52	63	45	929	—	—	—

*Bulls /100 antlerless.

Beaver

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	353	60	17	11	317	—	14*	9*
1999–2000	271	54	19	13	—	—	—	—
2000–2001	216	49	22	14	—	—	—	—
2001–2002	249	46	58	39	243	—	51	45
2002–2003	156	48	31	17	—	—	—	—
2003–2004	141	50	26	16	—	—	—	—
2004–2005	208	57	10	3	737	—	—	—

*Bulls /100 antlerless.

Elk classification and trend count data by subunit, Utah 1998–2005 (cont.).

Monroe

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	827	54	17	8	—	—	—	—
1999–2000	640	57	32	18	1420	—	36	27
2000–2001	937	52	37	27	—	—	—	—
2001–2002	299	50	51	35	920	—	—	—
2002–2003	572	44	45	36	1056	44	57	48
2003–2004	336	53	40	23	—	—	—	—
2004–2005	354	52	50	41	—	—	—	—

Mt. Dutton

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	376	48	30	17	—	—	—	—
1999–2000	461	57	60	42	—	—	—	—
2000–2001	243	49	44	26	1360	—	40	27
2001–2002	407	35	17	3	—	—	—	—
2002–2003	374	44	44	31	—	—	—	—
2003–2004	210	44	50	44	1308	—	—	—
2004–2005	301	58	83	58	—	—	—	—

Plateau, Fish Lake / Thousand Lakes

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	4840	—	22	16
2000–2001	1512	53	17	6	—	—	—	—
2001–2002	1465	42	26	12	1449	—	—	—
2002–2003	640	46	13	8	2210	—	—	—
2003–2004	791	53	26	19	—	—	—	—
2004–2005	446	44	25	18	—	—	—	—

Elk classification and trend count data by subunit, Utah 1998–2005 (cont.).

Plateau, Boulder

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	1675	—	—	—
2000–2001	—	—	—	—	—	—	—	—
2001–2002	—	—	—	—	1094	—	—	—
2002–2003	330	41	16	8	1219	—	—	—
2003–2004	248	48	33	26	—	—	—	—
2004–2005	306	55	32	22	—	—	—	—

Paunsaugunt

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	57	48	100	91	—	—	—	—
1999–2000	121	48	68	46	—	—	—	—
2000–2001	221	59	12	10	51	—	—	—
2001–2002	83	64	25	7	—	—	—	—
2002–2003	144	55	42	22	—	—	—	—
2003–2004	114	63	27	20	64	—	—	—
2004–2005	101	55	29	7	—	—	—	—

Panguitch Lake

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	563	54	26	17	—	—	—	—
1999–2000	125	53	97	63	—	—	—	—
2000–2001	282	56	79	55	731	—	99	14
2001–2002	372	48	15	11	—	—	—	—
2002–2003	276	44	41	33	—	—	—	—
2003–2004	176	51	35	29	851	—	—	—
2004–2005	191	62	22	7	—	—	—	—

Elk classification and trend count data by subunit, Utah 1998–2005 (cont.).

Zion

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	262	—	8*	3*
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	—	—	—	—
2001–2002	—	—	—	—	248	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	257	—	—	—

*Bulls /100 antlerless.

PRONGHORN



Prong Horn

Statewide pronghorn harvest statistics, Utah 1946–2004.

Year	Buck harvest	Doe / fawn harvest	Total harvest	Hunters afield
1946	62	0	62	66
1947	85	0	85	96
1948	—	—	—	—
1949	43	0	43	45
1950	26	0	26	35
1951	—	—	—	—
1952	—	—	—	—
1953	—	—	—	—
1954	39	25	64	75
1955	41	15	56	96
1956	47	0	47	102
1957	34	0	34	93
1958	33	0	33	84
1959	74	0	74	142
1960	99	0	99	161
1961	92	0	92	153
1962	74	0	74	122
1963	50	0	50	190
1964	56	0	56	96
1965	51	0	51	81
1966	73	0	73	105
1967	93	0	93	122
1968	114	0	114	151
1969	139	0	139	169
1970	158	0	158	181
1971	174	0	174	218
1972	198	0	198	251
1973	169	0	169	253
1974	183	0	183	254
1975	190	0	190	232
1976	180	0	180	224
1977	208	0	208	242
1978	276	0	276	314
1979	270	0	270	310
1980	280	2	282	310
1981	323	—	323	339
1982	365	35	400	445
1983	425	38	463	515
1984	500	169	669	733
1985	514	151	665	730

Statewide pronghorn harvest statistics, Utah 1946–2004 (cont.).

Year	Buck harvest	Doe / fawn harvest	Total harvest	Hunters afield
1986	491	288	779	859
1987	534	446	980	1054
1988	584	205	789	883
1989	617	373	990	1,092
1990	605	647	1252	1,347
1991	634	773	1407	1,577
1992	720	821	1541	1,730
1993	602	947	1549	1,873
1994	632	470	1102	1,301
1995*	605	195	800	1,310
1996	535	92	627	704
1997	514	294	808	928
1998	522	581	1103	1,195
1999	504	564	1068	1,195
2000	503	128	631	791
2001	493	235	728	826
2002	512	166	678	840
2003	345	272	617	717
2004	431	420	851	848

*Some hunters had 2-doe permits.

Total pronghorn harvest by management unit, Utah 2001.

Management unit	Buck harvest	Doe / fawn harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	28	4	32	36	2.5	88.9
Cache	18	52	70	111	1.7	63.1
Morgan-South Rich	20	54	74	77	1.8	96.1
North Slope	24	14	38	45	4.4	84.4
South Slope	69	77	146	154	1.4	94.8
Book Cliffs	58	8	66	78	5.4	84.6
Nine Mile	60	0	60	60	5.3	100.0
San Rafael	37	0	37	39	—	94.9
San Juan	3	0	3	3	—	100.0
West Desert	60	0	60	65	2.7	92.3
Southwest Desert / Beaver / Pine Valley	31	26	57	62	1.8	91.9
Mt. Dutton / Paunsaugunt	16	0	16	17	—	94.1
Plateau	65	0	65	75	—	86.7
Panguitch Lake	4	0	4	4	—	100.0
Statewide totals	493	235	728	826	2.9	88.1

Total pronghorn harvest by management unit, Utah 2002.

Management unit	Buck harvest	Doe / fawn harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	25	0	25	36	1.8	69.4
Cache	23	17	40	124	2.1	32.3
Morgan-South Rich	19	40	59	60	2.2	98.3
North Slope	27	23	50	53	1.9	94.3
South Slope	51	41	92	130	1.8	70.8
Book Cliffs	34	7	41	41	1.0	100.0
Nine Mile	39	0	39	47	1.9	83.0
San Rafael	37	0	37	39	—	94.9
San Juan	3	0	3	3	—	100.0
West Desert	76	0	76	78	1.3	97.4
Southwest Desert / Beaver / Pine Valley	60	38	98	109	2.9	89.9
Mt. Dutton / Paunsaugunt	24	0	24	24	—	100.0
Plateau	90	0	90	92	—	97.8
Panguitch Lake	4	0	4	4	—	100.0
Statewide totals	512	166	678	840	1.9	80.7

Total pronghorn harvest by management unit, Utah 2003.

Management unit	Buck harvest	Doe / fawn harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	20	5	25	22	2.3	95.5
Cache	22	7	29	37	2.7	73.0
Morgan-South Rich	15	38	53	58	1.3	25.9
North Slope	17	4	21	26	1.6	80.8
South Slope	34	32	66	73	2.3	80.8
Book Cliffs	14	0	14	20	2.7	70.0
Nine Mile	17	11	28	29	2.9	86.2
San Rafael	22	0	22	24	3.0	91.7
San Juan	2	0	2	2	1.0	100.0
Oquirrh-Stansbury	0	7	7	7	3.3	85.7
West Desert	46	9	55	61	2.1	90.2
Southwest Desert / Beaver / Pine Valley	32	0	32	45	3.0	71.1
Mt. Dutton / Paunsaugunt	20	0	20	24	2.6	83.3
Plateau	80	159	239	285	2.6	83.9
Panguitch Lake	4	0	4	4	4.0	100.0
Statewide totals	345	272	617	717	2.4	78.4

Total pronghorn harvest by management unit, Utah 2004.

Management unit	Buck harvest	Doe / fawn harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	29	5	34	40	2.4	85.0
Cache	27	7	34	37	1.7	91.9
Morgan-South Rich	29	87	116	126	1.6	92.1
North Slope	15	18	33	36	2.0	91.7
South Slope	33	16	49	84	1.8	58.3
Book Cliffs	15	0	15	17	2.2	88.2
Nine Mile	24	0	24	25	1.6	96.0
San Rafael	27	2	29	30	2.4	96.7
San Juan	2	0	2	2	1.5	100.0
Oquirrh-Stansbury	0	5	5	2	2.0	100.0
West Desert	56	11	67	74	2.9	90.5
Southwest Desert / Beaver / Pine Valley	38	0	38	44	2.5	86.4
Monroe	0	0	0	2	2.0	0.0
Mt. Dutton / Paunsaugunt	26	0	26	27	1.7	96.3
Plateau	106	269	375	297	2.0	87.9
Panguitch Lake	4	0	4	4	1.0	100.0
Statewide totals	431	420	851	848	2.0	86.6

Limited entry archery buck pronghorn harvest, Utah 2001.

Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder, Puddle Valley	1	1	1	—	100.0
Box Elder, Snowville	0	1	0	—	—
Cache, North Rich	0	4	4	7.0	0.0
North Slope, West Daggett / Three Corners	2	4	4	2.0	50.0
South Slope, Vernal	1	2	2	2.0	50.0
South Slope, Bonanza / Diamond Mountain	11	11	11	2.8	100.0
Book Cliffs, Bitter Creek	22	22	22	6.0	100.0
Book Cliffs, South	5	6	6	6.0	83.3
Nine Mile, Anthro	7	7	7	6.6	100.0
Nine Mile, Range Creek	2	2	2	6.6	100.0
San Rafael	7	7	7	—	100.0
West Desert, Riverbed	2	4	2	1.0	100.0
West Desert, Snake Valley	5	8	8	3.8	62.5
Southwest Desert / Beaver / Pine Valley	6	6	6	—	100.0
Mt. Dutton / Paunsaugunt	3	3	3	—	100.0
Plateau	3	12	12	—	25.0
Statewide totals	77	100	97	4.9	79.4

Limited entry archery buck pronghorn harvest, Utah 2002.

Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder, Puddle Valley	1	1	1	—	100.0
Box Elder, Snowville	1	1	1	—	100.0
Cache, North Rich	2	4	4	2.5	50.0
North Slope, West Daggett / Three Corners	4	4	4	6.0	100.0
South Slope, Vernal	1	1	1	1.0	100.0
South Slope, Bonanza / Diamond Mountain	3	8	8	2.6	37.5
Book Cliffs, Bitter Creek	2	2	2	1.0	100.0
Book Cliffs, South	4	4	4	1.0	100.0
Nine Mile, Anthro	4	4	4	1.0	100.0
Nine Mile, Range Creek	5	5	5	1.0	100.0
San Rafael	7	7	7	—	100.0
West Desert, Riverbed	6	6	6	2.0	100.0
West Desert, Snake Valley	3	4	4	3.0	75.0
Southwest Desert / Beaver / Pine Valley	12	12	12	—	100.0
Mt. Dutton / Paunsaugunt	4	4	4	—	100.0
Plateau	14	16	16	—	87.5
Statewide totals	73	83	83	2.9	88.0

Limited entry archery buck pronghorn harvest, Utah 2003.

Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder, Promontory	1	1	1	3.0	100.0
Box Elder, Puddle Valley	1	1	1	3.0	100.0
Box Elder, Snowville	—	1	—	—	—
Cache, North Rich	—	4	—	—	—
North Slope, West Daggett / Three Corners	0	3	2	3.0	0.0
South Slope, Vernal	—	1	—	—	—
South Slope, Bonanza / Diamond Mountain	5	5	5	1.0	100.0
Book Cliffs, Bitter Creek	—	2	—	—	—
Book Cliffs, South	0	3	3	3.5	0.0
Nine Mile, Anthro	0	2	2	4.5	0.0
San Rafael, North	2	5	4	3.0	50.0
San Rafael, Desert	1	1	1	5.0	100.0
West Desert, Riverbed	3	5	3	6.0	100.0
West Desert, Rush Valley	1	2	1	5.0	100.0
West Desert, Snake Valley	—	3	—	—	—
Southwest Desert / Beaver / Pine Valley	1	8	5	4.0	20.0
Mt. Dutton / Paunsaugunt	0	4	4	6.0	0.0
Plateau	6	15	12	6.3	50.0
Statewide totals	21	66	44	4.4	47.7

Limited entry archery buck pronghorn harvest, Utah 2004.

Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder, Pilot Mountain	0	1	1	1.0	0.0
Box Elder, Promontory	0	2	2	5.5	0.0
Box Elder, Puddle Valley	0	1	1	2.0	0.0
Box Elder, Snowville	1	2	1	8.0	100.0
Cache, North Rich	2	6	4	4.3	50.0
North Slope, West Daggett / Three Corners	2	3	2	7.0	100.0
South Slope, Vernal	1	1	1	15.0	100.0
South Slope, Bonanza / Diamond Mountain	5	5	5	2.8	100.0
Book Cliffs, Bitter Creek	1	1	1	3.0	100.0
Book Cliffs, South	1	3	3	4.7	33.3
Nine Mile, Anthro	2	2	2	1.0	100.0
San Rafael, North	4	5	4	6.8	100.0
San Rafael, Desert	1	1	1	7.0	100.0
West Desert, Riverbed	4	5	5	6.0	80.0
West Desert, Rush Valley	0	1	1	15.0	0.0
West Desert, Snake Valley	2	2	2	4.0	100.0
Southwest Desert / Beaver / Pine Valley	6	7	7	3.4	85.7
Mt. Dutton / Paunsaugunt	2	4	3	4.0	66.7
Plateau	11	19	17	3.4	64.7
Statewide totals	45	71	63	4.5	71.4

Limited entry any weapon buck pronghorn harvest, Utah 2001.

Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder, Pilot Mountain	4	4	4	1.0	100.0
Box Elder, Promontory	4	4	4	2.0	100.0
Box Elder, Puddle Valley	5	5	5	1.0	100.0
Box Elder, Snowville	5	5	5	5.4	100.0
Cache, North Rich	18	21	18	1.7	100.0
Morgan-South Rich	4	4	4	2.0	100.0
North Slope, Summit	2	2	2	3.0	100.0
North Slope, West Daggett / Three Corners	20	22	20	7.1	100.0
South Slope, Vernal	8	11	11	—	72.7
South Slope, Bonanza / Diamond Mountain	49	51	49	—	100.0
Book Cliffs, Bitter Creek	11	11	11	6.0	100.0
Book Cliffs, South	20	27	26	6.0	76.9
Nine Mile, Anthro	33	33	33	6.0	100.0
Nine Mile, Range Creek	7	7	7	6.0	100.0
San Rafael	30	32	32	—	93.8
San Juan, Hatch Point	3	3	3	—	100.0
West Desert, Riverbed	13	19	13	3.9	100.0
West Desert, Rush Valley	5	5	5	1.6	100.0
West Desert, Snake Valley	33	38	35	2.4	94.3
Southwest Desert / Beaver / Pine Valley	25	28	28	—	89.3
Mt. Dutton / Paunsaugunt	13	14	14	—	92.9
Plateau (early)	31	32	32	—	96.9
Plateau (late)	31	31	31	—	100.0
Panguitch Lake	4	4	4	—	100.0
Statewide totals	378	413	396	4.3	95.5

Limited entry any weapon buck pronghorn harvest, Utah 2002.

Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder, Pilot Mountain	4	4	4	1.5	100.0
Box Elder, Promontory	1	4	4	1.8	25.0
Box Elder, Puddle Valley	5	5	5	1.2	100.0
Box Elder, Snowville	5	5	5	1.0	100.0
Cache, North Rich	21	22	22	1.2	95.5
Morgan-South Rich	4	4	4	2.3	100.0
North Slope, Summit	1	1	1	1.0	100.0
North Slope, West Daggett / Three Corners	22	22	22	1.7	100.0
South Slope, Vernal	7	7	7	1.6	100.0
South Slope, Bonanza / Diamond Mountain	40	41	41	1.3	97.6
Book Cliffs, Bitter Creek	8	8	8	1.0	100.0
Book Cliffs, South	20	20	20	1.0	100.0
Nine Mile, Anthro	18	23	23	2.1	78.3
Nine Mile, Range Creek	6	6	6	2.1	100.0
San Rafael	30	32	32	—	93.8
San Juan, Hatch Point	3	3	3	—	100.0
West Desert, Riverbed	30	30	30	1.2	100.0
West Desert, Rush Valley	18	18	18	1.1	100.0
West Desert, Snake Valley	19	20	20	1.2	95.0
Southwest Desert / Beaver / Pine Valley	48	50	50	—	96.0
Mt. Dutton / Paunsaugunt	20	20	20	—	100.0
Plateau (early)	38	38	38	—	100.0
Plateau (late)	38	38	38	—	100.0
Panguitch Lake	4	4	4	—	100.0
Statewide totals	410	425	425	1.4	96.5

Limited entry any weapon buck pronghorn harvest, Utah 2003.

Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder, Pilot Mountain	3	3	3	3.5	100.0
Box Elder, Promontory	4	4	4	2.0	100.0
Box Elder, Puddle Valley	5	5	5	1.0	100.0
Box Elder, Snowville	5	5	5	2.3	100.0
Cache, North Rich	21	22	21	1.5	100.0
Morgan-South Rich	4	4	4	1.0	100.0
North Slope, Summit	1	1	1	1.0	100.0
North Slope, West Daggett / Three Corners	16	16	16	1.4	100.0
South Slope, Vernal	6	7	7	1.3	85.7
South Slope, Bonanza / Diamond Mountain	23	23	23	1.6	100.0
Book Cliffs, Bitter Creek	4	4	4	1.0	100.0
Book Cliffs, South	10	13	13	3.0	76.9
Nine Mile, Anthro	8	8	8	1.3	100.0
Nine Mile, Range Creek	4	4	4	1.0	100.0
San Rafael, North	16	18	16	2.9	100.0
San Rafael, Desert	3	4	3	3.0	100.0
San Juan, Hatch Point	2	2	2	1.0	100.0
West Desert, Riverbed	21	23	21	2.2	100.0
West Desert, Rush Valley	8	8	8	1.0	100.0
West Desert, Snake Valley	13	13	13	2.6	100.0
Southwest Desert / Beaver / Pine Valley	31	38	36	2.6	86.1
Mt. Dutton / Paunsaugunt	20	20	20	1.9	100.0
Plateau (early)	38	38	38	2.5	100.0
Plateau (late)	36	38	38	2.0	94.7
Panguitch Lake	4	4	4	4.0	100.0
Statewide totals	306	325	317	2.1	96.5

Limited entry any weapon buck pronghorn harvest, Utah 2004.

Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder, Pilot Mountain	4	5	4	2.0	100.0
Box Elder, Promontory	8	9	8	2.7	100.0
Box Elder, Puddle Valley	5	5	5	1.2	100.0
Box Elder, Snowville	9	10	10	1.9	90.0
Cache, North Rich	25	26	26	1.2	96.2
Morgan-South Rich	2	3	3	2.0	66.7
North Slope, Summit	1	1	1	3.0	100.0
North Slope, West Daggett / Three Corners	12	16	15	1.5	80.0
South Slope, Vernal	5	7	7	2.0	71.4
South Slope, Bonanza / Diamond Mountain	22	23	22	1.2	100.0
Book Cliffs, Bitter Creek	5	5	5	1.4	100.0
Book Cliffs, South	8	8	8	1.6	100.0
Nine Mile, Anthro	9	10	10	1.5	90.0
Nine Mile, Range Creek	3	3	3	2.0	100.0
San Rafael, North	18	19	18	1.6	100.0
San Rafael, Desert	4	5	5	1.4	80.0
San Juan, Hatch Point	2	2	2	1.5	100.0
West Desert, Riverbed	25	26	25	1.9	100.0
West Desert, Rush Valley	8	8	8	1.8	100.0
West Desert, Snake Valley	8	10	9	2.3	88.9
Southwest Desert / Beaver / Pine Valley	32	37	35	2.4	91.4
Mt. Dutton / Paunsaugunt	24	24	24	1.5	100.0
Plateau (early)	50	50	50	1.5	100.0
Plateau (late)	45	50	48	1.5	93.8
Panguitch Lake	4	4	4	1.0	100.0
Statewide totals	338	366	355	1.7	95.2

Limited entry doe / fawn pronghorn harvest, Utah 2001.

Hunt name	Doe / fawn harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder, Grouse Creek	4	10	8	3.3	50.0
Cache, North Rich	9	10	9	1.1	100.0
Cache, Crawford Mountain	43	110	80	1.5	53.8
North Slope, Summit	4	4	4	2.0	100.0
North Slope, Lucerne Point	10	22	15	2.3	66.7
South Slope, Diamond Mountain	21	25	23	1.3	91.3
South Slope, Bonanza	23	25	25	1.1	92.0
South Slope, Ashley Oil Field	33	33	33	1.2	100.0
Book Cliffs, Green River Valley	8	15	13	2.3	61.5
Southwest Desert, Pine Valley-Parowan Valley	26	30	28	1.8	92.9
Statewide totals	181	284	238	1.6	76.1

Limited entry doe / fawn pronghorn harvest, Utah 2002.

Hunt name	Doe / fawn harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder, Grouse Creek	0	10	5	3.0	0.0
Cache, North Rich	10	10	10	3.0	100.0
Cache, Crawford Mountain	7	110	88	2.3	8.0
North Slope, Summit	4	4	4	3.0	100.0
North Slope, Lucerne Point	19	22	22	1.1	86.4
South Slope, Diamond Mountain	19	25	25	3.0	76.0
South Slope, Ashley Oil Field	22	55	48	1.5	45.8
Book Cliffs, Green River Valley	7	10	7	1.0	100.0
Southwest Desert, Pine Valley-Parowan Valley	38	50	47	2.9	80.9
Statewide totals	126	296	256	2.2	49.2

Limited entry doe / fawn pronghorn harvest, Utah 2003.

Hunt name	Doe / fawn harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
North Slope, Summit	—	4	—	—	—
North Slope, Lucerne Point	4	11	7	1.5	57.1
South Slope, Diamond Mountain	19	25	19	1.0	100.0
Plateau	154	200	175	2.0	87.8
Statewide totals	177	240	201	1.9	88.1

Limited entry doe / fawn pronghorn harvest, Utah 2004.

Hunt name	Doe / fawn harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
North Slope, Lucerne Point	18	22	18	1.8	100.0
Plateau (early)*	145	100	94	2.2	93.1
Plateau (late)*	124	100	88	1.9	77.3
Statewide totals	287	222	200	2.0	86.5

*Permits were for 2 does. Success rates are per hunter.

CWMU buck pronghorn, Utah 2001.

CWMU	Unit	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Rose Ranch	1	3	3	3	1.7	100.0
Sanda Rosa	1	3	3	3	2.0	100.0
Golden Spike I	1	3	3	3	1.7	100.0
Deseret	4	16	19	19	3.0	84.2
Antelope Creek	11	8	8	8	1.5	100.0
Leland Bench	11	3	3	3	1.7	100.0
Red Cedar	19	2	2	2	1.0	100.0
Statewide totals		38	41	41	2.2	92.7

CWMU doe / fawn pronghorn harvest, Utah 2001.

CWMU	Unit	Doe / fawn harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Deseret	4	54	58	54	1.3	100.0

CWMU buck pronghorn, Utah 2002.

CWMU	Unit	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Rose Ranch	1	2	3	3	2.0	66.7
Sanda Rosa	1	2	3	3	1.7	66.7
Golden Spike I	1	4	6	5	2.0	80.0
Deseret	4	15	16	16	3.8	93.8
Antelope Creek	11	4	7	7	2.1	57.1
Leland Bench	11	2	2	2	1.0	100.0
Statewide totals		29	37	36	2.7	80.6

CWMU doe / fawn pronghorn harvest, Utah 2002.

CWMU	Unit	Doe / fawn harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Deseret	4	40	40	40	1.6	100.0

CWMU buck pronghorn, Utah 2003.

CWMU	Unit	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Rose Ranch	1	1	1	1	2.0	100.0
Sanda Rosa	1	—	1	—	—	—
Chournos-Legacy	2	1	1	1	1.0	100.0
Deseret	4	11	11	11	1.4	100.0
Antelope Creek	11	5	7	7	1.7	71.4
Statewide totals		18	21	20	1.5	90.0

CWMU doe / fawn pronghorn harvest, Utah 2003.

CWMU	Unit	Doe / fawn harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Deseret	4	38	47	43	1.3	88.3

CWMU buck pronghorn, Utah 2004.

CWMU	Unit	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Rose Ranch	1	—	4	—	—	—
Sanda Rosa	1	2	3	3	1.5	66.7
Deseret	4	27	30	29	2.4	93.1
Antelope Creek	11	6	6	6	2.0	100.0
Leland Bench	11	4	4	4	1.3	100.0
Allen's Ranch	19	3	3	3	1.5	100.0
West Lake	19	6	6	6	1.0	100.0
Statewide totals		48	56	51	2.0	94.1

CWMU doe / fawn pronghorn harvest, Utah 2004.

CWMU	Unit	Doe / fawn harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Deseret	4	85	97	90	1.3	94.4
West Lake	19	11	11	11	5.0	100.0
Statewide totals		96	108	101	1.7	95.0

Free mitigation pronghorn harvest, Utah 2003.

Management unit	Doe / fawn harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	5	10	2	3.5	50.0
Cache	4	31	10	4.4	20.0
South Slope	13	41	19	5.0	33.3
Nine Mile	11	19	8	6.0	100.0
San Rafael	—	3	—	—	—
Wasatch Mountains	—	2	—	—	—
Oquirrh-Stansbury	3	6	3	5.0	66.7
West Desert	—	25	—	—	—
Southwest Desert	—	16	—	—	—
Fillmore	—	5	—	—	—
Beaver	0	4	4	5.0	0.0
Plateau	2	33	14	9.3	14.3
Panguitch Lake	—	2	—	—	—
Statewide totals	38	197	60	6.0	35.0

*Some hunters had multiple permits. Success rates are per hunter.

Fee mitigation pronghorn harvest, Utah 2003.

Management unit	Doe / fawn harvest	Vouchers redeemed	Hunters afield	Mean days hunted	Success rate (%)
Cache	3	5	5	4.7	66.7
Oquirrh-Stansbury	4	4	4	2.0	100.0
West Desert	9	15	15	1.2	60.0
Southwest Desert	—	1	—	—	—
Plateau	3	8	8	1.7	33.3
Statewide totals	19	33	32	10	59.4

Free mitigation pronghorn harvest, Utah 2004.

Management unit	Doe / fawn harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	5	18	5	3.0	100.0
Cache	—	38	—	—	—
Morgan-South Rich	—	12	—	—	—
South Slope	16	81	49	1.7	33.3
Book Cliffs	—	2	—	—	—
Nine Mile	—	20	—	—	—
San Rafael	2	5	2	2.0	100.0
Oquirrh-Stansbury	5	5	2	2.0	100.0
West Desert	—	4	—	—	—
Southwest Desert	—	8	—	—	—
Beaver	—	6	—	—	—
Monroe	0	5	2	2.0	0.0
Plateau	—	26	—	—	—
Panguitch Lake	—	2	—	—	—
Pine Valley	—	4	—	—	—
Statewide totals	28	236	60	1.8	41.7

*Some hunters had multiple permits. Success rates are per hunter.

Fee mitigation pronghorn harvest, Utah 2004.

Management unit	Doe / fawn harvest	Vouchers redeemed	Hunters afield	Mean days hunted	Success rate (%)
Cache	7	7	7	2.0	100.0
Morgan-South Rich	2	4	4	2.5	50.0
West Desert	0	4	4	4.0	0.0
Southwest Desert	0	2	2	2.0	0.0
Pine Valley	0	1	1	2.0	0.0
Statewide totals	9	20	18	2.6	50.0

Total buck pronghorn harvest by subunit, Utah 1999–2004.

Unit	Unit name	Subunit name	1999	2000	2001	2002	2003	2004
1	Box Elder	Pilot Mountain	4	4	4	4	3	4
1	Box Elder	Promontory	2	3	7	5	5	8
1	Box Elder	Puddle Valley	6	6	6	6	6	5
1	Box Elder	Snowville	11	13	11	10	6	12
2	Cache	North Rich	27	21	18	23	22	27
4	Morgan-South Rich	Morgan-South Rich	32	24	20	19	15	29
8	North Slope	Summit	0	0	2	1	1	1
8	North Slope	West Daggett / Three Corners	21	22	22	26	16	14
9	South Slope	Vernal	11	11	9	8	6	6
9	South Slope	Bonanza / Diamond Mtn.	89	95	60	43	28	27
10	Book Cliffs	Bitter Creek	10	13	33	10	4	6
10	Book Cliffs	South	33	33	25	24	10	9
11	Nine Mile	Anthro	40	37	51	28	13	21
11	Nine Mile	Range Creek	10	9	9	11	4	3
12	San Rafael	North	32*	32*	37*	37*	18	22
12	San Rafael	Desert	—	—	—	—	4	5
14	San Juan	Hatch Point	0	3	3	3	2	2
19	West Desert	Riverbed	19	16	15	36	24	29
19	West Desert	Rush Valley	5	0	5	18	9	17
19	West Desert	Snake Valley	48	46	40	22	13	10
20–22–30	SW Desert / Beaver / Pine Valley	SW Desert / Beaver / Pine Valley	24	33	31	60	32	38
21	Fillmore	Black Rock Desert	0	0	0	0	0	0
24–27	Mt. Dutton / Paunsaugunt	Mt. Dutton / Paunsaugunt	9	17	16	24	20	26
25	Plateau	Plateau	67	62	34	52	44	106
26	Kaiparowits	Kaiparowits	0	0	31	38	36	0
28	Panguitch	Panguitch	4	4	4	4	4	4

*Harvest is for the entire unit.

Total doe / fawn pronghorn harvest by subunit, Utah 1999–2004.

Unit	Unit name	Subunit name	1999	2000	2001	2002	2003	2004
1	Box Elder	Pilot Mountain	0	10	4	0	0	0
1	Box Elder	Promontory	0	0	0	0	0	0
1	Box Elder	Puddle Valley	0	0	0	0	0	0
1	Box Elder	Snowville	0	0	0	0	0	0
2	Cache	North Rich	129	42	52	17	0	0
4	Morgan-South Rich	Morgan-South Rich	23	27	54	40	38	85
8	North Slope	Summit	3	2	4	4	0	0
8	North Slope	West Daggett / Three Corners	45	10	10	19	4	18
9	South Slope	Vernal	19	22	33	22	0	0
9	South Slope	Bonanza / Diamond Mtn.	158	25	44	19	19	0
10	Book Cliffs	Bitter Creek	42	0	0	0	0	0
10	Book Cliffs	South	0	0	8	7	0	0
11	Nine Mile	Anthro	145	0	0	0	0	0
11	Nine Mile	Range Creek	0	0	0	0	0	0
12	San Rafael	North	0	0	0	0	0	0
12	San Rafael	Desert	0	0	0	0	0	0
14	San Juan	Hatch Point	0	0	0	0	0	0
19	West Desert	Riverbed	0	0	0	0	0	0
19	West Desert	Rush Valley	0	0	0	0	0	11
19	West Desert	Snake Valley	0	0	0	0	0	0
20–22–30	SW Desert / Beaver / Pine Valley	SW Desert / Beaver / Pine Valley	0	0	26	38	0	0
21	Fillmore	Black Rock Desert	0	0	0	0	0	0
24–27	Mt. Dutton / Paunsaugunt	Mt. Dutton / Paunsaugunt	0	0	0	0	0	0
25	Plateau	Plateau	0	0	0	0	154	269
26	Kaiparowits	Kaiparowits	0	0	0	0	0	0
28	Panguitch	Panguitch	0	0	0	0	0	0

*Harvest does not include mitigation permits.

Total buck pronghorn hunters afield by subunit, Utah 1999–2004.

Unit	Unit name	Subunit name	1999	2000	2001	2002	2003	2004
1	Box Elder	Pilot Mountain	4	4	4	4	3	5
1	Box Elder	Promontory	3	3	7	9	5	10
1	Box Elder	Puddle Valley	6	6	6	6	6	6
1	Box Elder	Snowville	12	13	11	12	6	14
2	Cache	North Rich	29	25	22	26	22	30
4	Morgan-South Rich	Morgan-South Rich	35	24	23	20	15	32
8	North Slope	Summit	2	0	2	1	1	1
8	North Slope	West Daggett / Three Corners	21	22	24	26	18	17
9	South Slope	Vernal	13	11	13	8	7	8
9	South Slope	Bonanza / Diamond Mtn.	97	99	60	49	28	27
10	Book Cliffs	Bitter Creek	13	13	33	10	4	6
10	Book Cliffs	South	35	33	32	24	16	11
11	Nine Mile	Anthro	43	45	51	36	17	22
11	Nine Mile	Range Creek	10	9	9	11	4	3
12	San Rafael	North	36*	37*	39*	39*	20	22
12	San Rafael	Desert	—	—	—	—	4	6
14	San Juan	Hatch Point	0	3	3	3	2	2
19	West Desert	Riverbed	19	19	15	36	24	30
19	West Desert	Rush Valley	5	0	5	18	9	18
19	West Desert	Snake Valley	53	46	45	24	13	11
20–22–30	SW Desert / Beaver / Pine Valley	SW Desert / Beaver / Pine Valley	24	34	34	62	41	42
21	Fillmore	Black Rock Desert	0	0	0	0	0	0
24–27	Mt. Dutton / Paunsaugunt	Mt. Dutton / Paunsaugunt	9	17	17	24	24	27
25	Plateau	Plateau	71	73	44	54	50	115
26	Kaiparowits	Kaiparowits	0	0	31	38	38	0
28	Panguitch	Panguitch	4	4	4	4	4	4

*Hunters afield for the entire unit.

Total doe / fawn pronghorn hunters afield by subunit, Utah 1999–2004.

Unit	Unit name	Subunit name	1999	2000	2001	2002	2003	2004
1	Box Elder	Pilot Mountain	0	18	8	5	0	0
1	Box Elder	Promontory	0	0	0	0	0	0
1	Box Elder	Puddle Valley	0	0	0	0	0	0
1	Box Elder	Snowville	0	0	0	0	0	0
2	Cache	North Rich	137	122	89	98	0	0
4	Morgan-South Rich	Morgan-South Rich	29	30	54	40	43	90
8	North Slope	Summit	4	4	4	4	0	0
8	North Slope	West Daggett / Three Corners	53	22	15	22	7	18
9	South Slope	Vernal	26	33	33	48	0	0
9	South Slope	Bonanza / Diamond Mtn.	165	25	48	25	19	0
10	Book Cliffs	Bitter Creek	50	0	0	0	0	0
10	Book Cliffs	South	0	0	13	7	0	0
11	Nine Mile	Anthro	181	0	0	0	0	0
11	Nine Mile	Range Creek	0	0	0	0	0	0
12	San Rafael	North	0	0	0	0	0	0
12	San Rafael	Desert	0	0	0	0	0	0
14	San Juan	Hatch Point	0	0	0	0	0	0
19	West Desert	Riverbed	0	0	0	0	0	0
19	West Desert	Rush Valley	0	0	0	0	0	11
19	West Desert	Snake Valley	0	0	0	0	0	0
20–22–30	SW Desert / Beaver / Pine Valley	SW Desert / Beaver / Pine Valley	0	0	28	47	0	0
21	Fillmore	Black Rock Desert	0	0	0	0	0	0
24–27	Mt. Dutton / Paunsaugunt	Mt. Dutton / Paunsaugunt	0	0	0	0	0	0
25	Plateau	Plateau	0	0	0	0	175	182
26	Kaiparowits	Kaiparowits	0	0	0	0	0	0
28	Panguitch	Panguitch	0	0	0	0	0	0

*Does not include mitigation permits.

Pronghorn classification and trend count data by subunit, Utah 1999–2005.

Box Elder, Pilot Mountain

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	87	11	54	22	—
2000	—	—	—	23	6	13	4	—
2001	—	—	—	—	—	—	—	—
2002	—	—	—	—	—	—	—	—
2003	—	—	—	—	—	—	—	—
2004	—	—	—	116	19	62	35	—
2005	—	—	—	97	14	52	31	—

Box Elder, Promontory

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	37	5	25	7	—
2000	—	—	—	89	14	54	21	—
2001	—	—	—	61	11	36	14	—
2002	—	—	—	95	10	63	22	—
2003	—	—	—	—	—	—	—	—
2004	—	—	—	73	6	44	23	—
2005	—	—	—	138	17	74	47	—

Box Elder, Puddle Valley

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	—	—	—	—	—
2000	—	—	—	—	—	—	—	—
2001	91	35	54	183	39	144	—	—
2002	—	—	—	—	—	—	—	—
2003	48	12	77	75	26	49	—	—
2004	—	15	38	64	7	43	14	—
2005	—	21	71	—	—	—	—	—

Box Elder, Snowville

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	201	33	126	42	—
2000	—	—	—	144	27	95	22	—
2001	—	—	—	139	27	83	29	—
2002	—	—	—	192	18	115	51	8
2003	—	—	—	—	—	—	—	—
2004	—	—	—	104	20	55	29	—
2005	—	—	—	88	11	54	23	—

Pronghorn classification and trend count data by subunit, Utah 1999–2005 (cont.).

Cache, North Rich

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	206	75	42	71	—	—	—	71
2000	189	52	69	148	—	—	—	148
2001	189	72	51	143	—	—	—	143
2002	—	—	—	—	—	—	—	—
2003	—	—	—	—	—	—	—	—
2004	—	—	—	—	—	—	—	—
2005	—	—	—	—	—	—	—	—

Morgan-South Rich

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	—	—	—	—	—
2000	—	—	—	—	—	—	—	—
2001	—	—	—	—	—	—	—	—
2002	305	86	45	—	—	—	—	—
2003	—	—	—	471	—	—	—	471
2004	—	—	—	—	—	—	—	—
2005	—	—	—	—	—	—	—	—

North Slope, Summit

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	—	—	—	—	—
2000	—	—	—	—	—	—	—	—
2001	—	—	—	—	—	—	—	—
2002	—	—	—	—	—	—	—	—
2003	—	—	—	—	—	—	—	—
2004	—	—	—	—	—	—	—	—
2005	—	—	—	—	—	—	—	—

North Slope, West Daggett / Three Corners

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	187	40	27	—	—	—	—	—
2000	158	34	36	368	—	—	—	368
2001	145	59	54	—	—	—	—	—
2002	181	49	57	—	—	—	—	—
2003	200	72	39	280	33	239	—	8
2004	161	48	67	—	—	—	—	—
2005	224	56	60	489	80	409	—	—

Pronghorn classification and trend count data by subunit, Utah 1999–2005 (cont.).

South Slope, Vernal

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	508*	25*	47*	—	—	—	—	—
2000	149	29	33	263	62	201	—	—
2001	74	16	18	—	—	—	—	—
2002	195	24	49	—	—	—	—	—
2003	160	35	25	183	28	128	—	27
2004	74	16	18	—	—	—	—	—
2005	106	36	16	161	27	102	—	32

*Includes Vernal, Diamond Mountain, and Bonanza subunits.

South Slope, Diamond Mountain / Bonanza

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	508*	25*	47*	—	—	—	—	—
2000	295	30	37	896	—	—	—	896
2001	282	30	47	—	—	—	—	—
2002	201	21	57	—	—	—	—	—
2003	258	48	32	836	184	611	—	41
2004	174	26	54	—	—	—	—	—
2005	211	68	67	768	117	454	—	197

*Includes Vernal, Diamond Mountain, and Bonanza subunits.

Book Cliffs, East Bench

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	116	9	59	—	—	—	—	—
2000	64	18	43	369	99	270	—	—
2001	99	43	28	—	—	—	—	—
2002	89	11	24	—	—	—	—	—
2003	101	20	23	155	33	113	—	9
2004	72	40	40	—	—	—	—	—
2005	106	81	65	152	31	116	—	5

Book Cliffs, South

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	750	238	504	—	—
2000	—	—	—	536	153	383	—	—
2001	—	—	—	495	115	380	—	—
2002	—	—	—	343	76	267	—	—
2003	—	—	—	172	43	129	—	—
2004	—	—	—	339	43	296	—	—
2005	—	—	—	395	74	321	—	—

Pronghorn classification and trend count data by subunit, Utah 1999–2005 (cont.).

Nine Mile, Anthro

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	402	26	58	1158	—	—	—	1158
2000	246	5	41	637	163	474	—	—
2001	156	51	71	—	—	—	—	—
2002	116	15	78	—	—	—	—	—
2003	110	20	35	264	64	189	—	11
2004	132	46	39	—	—	—	—	—
2005	304	—	26	311	63	241	—	7

Nine Mile, Range Creek

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	249	68	181	—	—
2000	—	—	—	183	33	150	—	—
2001	—	—	—	248	56	192	—	—
2002	—	—	—	146	21	125	—	—
2003	—	—	—	164	33	131	—	—
2004	—	—	—	57	10	41	—	—
2005	—	—	—	179	38	141	—	—

San Rafael, North

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	697	159	538	—	—
2000	—	—	—	639	170	469	—	—
2001	—	—	—	674	182	492	—	—
2002	—	—	—	518	125	393	—	—
2003	—	—	—	482	123	359	—	—
2004	—	—	—	479	111	368	—	—
2005	—	—	—	418	100	318	—	—

San Rafael, Desert

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	106	36	70	—	—
2000	—	—	—	98	28	70	—	—
2001	—	—	—	—	—	—	—	—
2002	—	—	—	67	20	47	—	—
2003	—	—	—	54	22	32	—	—
2004	—	—	—	28	5	23	—	—
2005	—	—	—	104	26	78	—	—

Pronghorn classification and trend count data by subunit, Utah 1999–2005 (cont.).

San Juan, Hatch Point

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	168	34	134	—	—
2000	—	—	—	197	33	164	—	—
2001	—	—	—	154	25	129	—	—
2002	—	—	—	114	25	89	—	—
2003	—	—	—	132	26	106	—	—
2004	—	—	—	109	16	93	—	—
2005	—	—	—	126	18	108	—	—

West Desert, Riverbed

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	—	—	—	—	—
2000	—	—	—	—	—	—	—	—
2001	217*	58*	43*	866	231	635	—	—
2002	116	32	52	—	—	—	—	—
2003	—	55*	78*	66	29	37	—	—
2004	—	25*	—	139	14	125	—	—
2005	—	58*	75*	—	—	—	—	—

*Includes Riverbed and Snake Valley.

West Desert, Rush Valley

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	—	—	—	—	—
2000	—	—	—	—	—	—	—	—
2001	107	56	20	293	121	172	—	—
2002	99	23	37	—	—	—	—	—
2003	—	—	—	—	—	—	—	—
2004	—	23	32	—	—	—	—	—
2005	—	45	28	—	—	—	—	—

West Desert, Snake Valley

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	—	—	—	—	—
2000	—	—	—	—	—	—	—	—
2001	217*	58*	43*	430	115	315	—	—
2002	90	6	58	—	—	—	—	—
2003	—	55*	78*	—	—	—	—	—
2004	—	25*	—	80	4	76	—	—
2005	—	58*	75*	—	—	—	—	—

*Includes Riverbed and Snake Valley.

Pronghorn classification and trend count data by subunit, Utah 1999–2005 (cont.).

Southwest Desert / Beaver / Pine Valley

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	323	57	41	—	—	—	—	—
2000	340	57	41	1277	—	—	—	1277
2001	355	56	34	—	—	—	—	—
2002	164	14	32	1159	—	—	—	1159
2003	188	33	34	—	—	—	—	—
2004	227	48	33	1159	—	—	—	1159
2005	197	57	55	—	—	—	—	—

Fillmore, Black Rock Desert

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	—	—	—	—	—
2000	—	—	—	—	—	—	—	—
2001	—	—	—	—	—	—	—	—
2002	—	—	—	—	—	—	—	—
2003	—	—	—	—	—	—	—	—
2004	—	—	—	—	—	—	—	—
2005	99	51	51	—	—	—	—	—

Mt. Dutton / Paunsaugunt

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	274	58	27	381	—	—	—	381
2000	502	69	53	362	—	—	—	362
2001	275	43	32	483	—	—	—	483
2002	226	44	42	229	54	175	—	—
2003	221	54	22	438	—	—	—	438
2004	212	57	21	488	—	—	—	488
2005	248	62	25	608	—	—	—	608

Plateau

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	527	60	66	1364	—	—	—	1364
2000	580	47	54	1456	—	—	—	1456
2001	481	71	56	1272	—	—	—	1272
2002	823	30	31	1566	—	—	—	1566
2003	736	57	47	2130	—	—	—	2130
2004	646	95	67	2232	—	—	—	2232
2005	417	62	84	2230	—	—	—	2230

Pronghorn classification and trend count data by subunit, Utah 1999–2005 (cont.).

Kaiparowits

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	—	—	—	—	—
2000	—	—	—	—	—	—	—	—
2001	—	—	—	—	—	—	—	—
2002	—	—	—	—	—	—	—	—
2003	—	—	—	49	—	—	—	49
2004	—	—	—	65	—	—	—	65
2005	—	—	—	150	—	—	—	150

Panguitch Lake

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	182	60	45	125	—	—	—	125
2000	111	43	66	121	—	—	—	121
2001	120	41	41	109	—	—	—	109
2002	174	35	37	58	8	50	—	—
2003	75	42	15	99	—	—	—	99
2004	57	54	83	91	—	—	—	91
2005	56	58	75	115	—	—	—	115

MOOSE



Statewide moose harvest statistics, Utah 1958–2004.

Year	Bull harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
1958	7	—	7	10	—	70.0
1959	5	—	5	9	—	55.6
1960	10	—	10	19	—	52.6
1961	8	—	8	14	—	57.1
1962	7	—	7	15	—	46.7
1963	9	—	9	15	—	60.0
1964	8	—	8	14	—	57.1
1965	8	—	8	15	—	53.3
1966	5	—	5	9	—	55.6
1967	13	—	13	15	—	86.7
1968	14	—	14	15	—	93.3
1969	22	—	22	25	—	88.0
1970	24	—	24	34	—	70.6
1971	32	—	32	63	—	50.8
1972	71	—	71	105	—	67.6
1973	56	—	56	101	—	55.4
1974	16	—	16	25	—	64.0
1975	20	—	20	25	—	80.0
1976	55	—	55	60	—	91.7
1977	30	18	48	50	—	96.0
1978	65	16	81	89	—	91.0
1979	57	65	122	127	—	96.1
1980	81	21	102	118	—	86.4
1981	78	18	96	116	—	82.8
1982	94	0	94	106	—	88.7
1983	89	0	89	107	—	83.2
1984	113	0	113	130	—	86.9
1985	105	0	105	120	—	87.5
1986	134	15	149	155	—	96.1
1987	140	14	154	155	3.8	99.4
1988	141	26	167	176	3.6	94.9
1989	181	25	206	209	3.6	98.6
1990	192	90	282	283	3.3	99.6
1991	192	99	291	296	3.3	98.3
1992	198	100	298	303	2.7	98.3
1993	174	59	233	299	—	77.9
1994	110	47	157	157	—	100.0
1995	140	16	156	177	5.7	88.1

Statewide moose harvest statistics, Utah 1958–2004 (cont.).

Year	Bull harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
1996	139	11	150	153	5.5	98.0
1997	142	25	167	171	5.2	97.7
1998	137	27	164	170	4.1	96.5
1999	110	35	145	147	—	98.6
2000	97	26	123	123	—	100.0
2001	169	34	203	204	4.9	99.5
2002	174	56	230	233	4.4	98.7
2003	139	24	163	163	5.1	100.0
2004	201	14	215	228	4.4	94.3

Moose population estimates and objectives by management units, Utah 2000–2004.

Management unit	Population objective	Population estimate 2000	Population estimate 2004
Cache	200	200	300
Ogden	700	700	650
Morgan-South Rich	640	640	1050
East Canyon	150	150	350
Chalk Creek	550	550	575
Kamas	65	65	90
North Slope	400	300	200
South Slope	225	175	200
Book Cliffs	100	10	10
Nine Mile	40	10	0
Central Mountains	150	40	40
Wasatch Mountains	800	550	550
Plateau	150	25	20

Total moose harvest by management unit, Utah 2001.

Management unit	Bull harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Cache	16	3	19	19	5.0	100.0
Ogden	19	8	27	28	3.8	96.4
Morgan-South Rich	43	0	43	43	2.3	100.0
East Canyon	12	0	12	12	4.1	100.0
Chalk Creek	24	3	27	27	2.3	100.0
Kamas	4	0	4	4	6.3	100.0
North Slope	22	20	42	42	5.7	100.0
South Slope	6	0	6	6	7.0	100.0
Wasatch Mountains	23	0	23	23	4.8	100.0
Statewide totals	169	34	203	204	4.9	99.5

Total moose harvest by management unit, Utah 2002.

Management unit	Bull harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Cache	13	6	19	19	5.4	100.0
Ogden	25	10	35	35	2.6	100.0
Morgan-South Rich	39	0	39	39	3.0	100.0
East Canyon	18	7	25	25	6.1	100.0
Chalk Creek	25	3	28	28	3.0	100.0
Kamas	4	0	4	4	9.0	100.0
North Slope	20	20	40	42	4.7	95.2
South Slope	6	0	6	6	3.8	100.0
Wasatch Mountains	24	10	34	35	4.0	97.1
Statewide totals	174	56	230	233	4.4	98.7

Total moose harvest by management unit, Utah 2003.

Management unit	Bull harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Cache	14	0	14	14	9.6	100.0
Ogden	21	0	21	21	5.3	100.0
Morgan-South Rich	20	0	20	20	2.4	100.0
East Canyon	11	11	22	22	4.0	100.0
Chalk Creek	11	3	14	14	1.4	100.0
Kamas	4	0	4	4	3.3	100.0
North Slope	22	10	32	32	4.9	100.0
South Slope	6	0	6	6	12.8	100.0
Wasatch Mountains	28	0	28	28	6.9	100.0
Statewide	2	0	2	2	19.5	100.0
Statewide totals	139	24	163	163	5.1	100.0

Total moose harvest by management unit, Utah 2004.

Management unit	Bull harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Cache	22	0	22	22	5.8	100.0
Ogden	27	0	27	28	4.6	96.4
Morgan-South Rich	41	0	41	42	3.2	97.6
East Canyon	20	10	30	35	4.7	85.7
Chalk Creek	27	4	31	35	3.0	88.6
Kamas	4	0	4	4	7.0	100.0
North Slope	24	0	24	25	5.5	96.0
South Slope	9	0	9	9	2.9	100.0
Wasatch Mountains	27	0	27	28	5.8	96.4
Statewide totals	201	14	215	228	4.4	94.3

Once-in-a-lifetime bull moose harvest, Utah 2001.

Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Cache	16	16	16	5.0	100.0
Ogden	13	14	14	3.8	92.9
Morgan-South Rich	2	2	2	2.3	100.0
East Canyon	2	2	2	3.3	100.0
East Canyon, Morgan-Summit	2	2	2	4.8	100.0
Chalk Creek	3	3	3	2.3	100.0
Kamas	4	4	4	6.3	100.0
North Slope, Summit	11	11	11	5.1	100.0
North Slope, West Daggett	11	11	11	6.3	100.0
South Slope, Yellowstone	5	5	5	6.0	100.0
South Slope, Vernal / Diamond Mountain	1	1	1	12.0	100.0
Wasatch Mountains	19	19	19	4.8	100.0
Statewide totals	89	90	90	4.9	98.9

Once-in-a-lifetime bull moose harvest, Utah 2002.

Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Cache	13	13	13	5.4	100.0
Ogden	19	19	19	2.6	100.0
Morgan-South Rich	2	2	2	3.0	100.0
East Canyon	4	4	4	6.5	100.0
East Canyon, Morgan-Summit	4	4	4	5.8	100.0
Chalk Creek	4	4	4	3.0	100.0
Kamas	4	4	4	9.0	100.0
North Slope, Summit	10	11	11	2.0	90.9
North Slope, West Daggett	10	11	11	7.4	90.9
South Slope, Yellowstone	5	5	5	4.4	100.0
South Slope, Vernal / Diamond Mountain	1	1	1	1.0	100.0
Wasatch Mountains	22	23	23	4.0	95.7
Statewide totals	98	101	101	4.4	97.0

Once-in-a-lifetime bull moose harvest, Utah 2003.

Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Cache	14	14	14	9.6	100.0
Ogden	19	19	19	5.5	100.0
Morgan-South Rich	4	4	4	3.3	100.0
East Canyon	4	4	4	6.3	100.0
East Canyon, Morgan-Summit	4	4	4	7.3	100.0
Chalk Creek	3	3	3	1.0	100.0
Kamas	4	4	4	3.3	100.0
North Slope, Summit	10	10	10	5.6	100.0
North Slope, West Daggett	12	12	12	6.3	100.0
South Slope, Yellowstone	5	5	5	14.0	100.0
South Slope, Vernal / Diamond Mountain	1	1	1	6.8	100.0
Wasatch Mountains	25	25	25	7.5	100.0
Statewide	2	2	2	19.5	100.0
Statewide totals	107	107	107	6.7	100.0

Once-in-a-lifetime bull moose harvest, Utah 2004.

Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Cache	21	21	21	6.0	100.0
Ogden	19	20	20	5.6	95.0
Morgan-South Rich	4	4	4	5.5	100.0
East Canyon	4	4	4	11.0	100.0
East Canyon, Morgan-Summit	8	8	8	4.4	100.0
Chalk Creek	3	4	3	4.7	100.0
Kamas	4	4	4	7.0	100.0
North Slope, Summit	10	10	10	3.8	100.0
North Slope, West Daggett	12	14	12	6.6	100.0
South Slope, Yellowstone	4	6	4	4.5	100.0
South Slope, Vernal / Diamond Mountain	5	5	5	1.7	100.0
Wasatch Mountains	21	22	21	4.8	100.0
Statewide	—	1	—	—	—
Statewide totals	115	123	116	5.4	99.1

Limited entry antlerless moose harvest, Utah 2001.

Hunt name	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Cache	2	2	2	—	100.0
Ogden, North	4	4	4	—	100.0
Ogden, South	2	2	2	—	100.0
Chalk Creek, Private Lands	3	3	3	—	100.0
North Slope, Henry's Fork	10	10	10	—	100.0
North Slope, West Summit	10	10	10	—	100.0
Statewide totals	31	31	31	—	100.0

Limited entry antlerless moose harvest, Utah 2002.

Hunt name	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Cache	5	5	5	—	100.0
Ogden, North	5	5	5	—	100.0
Ogden, South	5	5	5	—	100.0
East Canyon, Morgan-Summit	2	2	2	—	100.0
East Canyon, Davis-North Salt Lake	5	5	5	—	100.0
Chalk Creek, Private Lands	3	3	3	—	100.0
North Slope, Henry's Fork	10	10	10	—	100.0
North Slope, West Summit	10	10	10	—	100.0
Wasatch Mtns., Park City	10	10	10	—	100.0
Statewide totals	55	55	55	—	100.0

Limited entry antlerless moose harvest, Utah 2003.

Hunt name	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
East Canyon, Morgan-Summit	2	2	2	1.0	100.0
East Canyon, Davis-North Salt Lake	9	9	9	3.0	100.0
Chalk Creek, Private Lands	3	3	3	1.0	100.0
North Slope, Henry's Fork-Burnt Fork	5	5	5	2.0	100.0
North Slope, West Summit	5	5	5	3.0	100.0
Statewide totals	24	24	24	2.4	100.0

Limited entry antlerless moose harvest, Utah 2004.

Hunt name	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
East Canyon, Morgan Summit	5	5	5	2.0	100.0
East Canyon, Davis-North Salt Lake	5	8	8	6.0	62.5
Chalk Creek, Private Lands	0	4	4	5.0	0.0
North Slope, Henry's Fork-Burnt Fork	*	3	*	*	*
North Slope, West Summit	*	3	*	*	*
Statewide totals	10	23	17	4.6	58.8

*No data available.

CWMU bull moose harvest, Utah 2001.

CWMU	Unit	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Broadmouth	3	3	3	3	—	100.0
Porcupine Cache	3	3	3	3	—	100.0
Cedar Canyon	4	3	3	3	—	100.0
Cottonwood	4	5	5	5	—	100.0
Deseret	4	5	5	5	—	100.0
Dry Bread	4	3	3	3	—	100.0
Durst Mountain	4	5	5	5	—	100.0
Folley Ridge	4	5	5	5	—	100.0
Gildersleeve	4	2	2	2	—	100.0
Hell Canyon	4	2	2	2	—	100.0
Middle Ridge	4	3	3	3	—	100.0
Skull Crack	4	5	5	5	—	100.0
Woodruff Creek	4	3	3	3	—	100.0
Big Mountain	5	3	3	3	—	100.0
Hardscrabble	5	5	5	5	—	100.0
East Fork Chalk Creek	6	3	3	3	—	100.0
Ensign Ranches	6	5	5	5	—	100.0
State Corner	6	2	2	2	—	100.0
Two Bear	6	3	3	3	—	100.0
Weber-Florence Creek	6	8	8	8	—	100.0
Coyote-Little Pole	17	1	1	1	—	100.0
Little Red Creek	17	1	1	1	—	100.0
Three C	17	2	2	2	—	100.0
Statewide totals		80	80	80	—	100.0

CWMU bull moose harvest, Utah 2002.

CWMU	Unit	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Broadmouth	3	3	3	3	—	100.0
South Canyon	3	3	3	3	—	100.0
Cedar Canyon	4	3	3	3	—	100.0
Cottonwood	4	5	5	5	—	100.0
Deseret	4	3	3	3	—	100.0
Dry Bread	4	3	3	3	—	100.0
Durst Mountain	4	5	5	5	—	100.0
Folley Ridge	4	5	5	5	—	100.0
Gildersleeve	4	2	2	2	—	100.0
Middle Ridge	4	3	3	3	—	100.0
Skull Crack	4	5	5	5	—	100.0
Woodruff Creek	4	3	3	3	—	100.0
Big Mountain	5	3	3	3	—	100.0
Hardscrabble	5	5	5	5	—	100.0
Lonetree-Taylor Hollow	5	2	2	2	—	100.0
East Fork Chalk Creek	6	3	3	3	—	100.0
Ensign Ranches	6	5	5	5	—	100.0
State Corner	6	2	2	2	—	100.0
Two Bear	6	3	3	3	—	100.0
Weber-Florence Creek	6	8	8	8	—	100.0
Three C	17	2	2	2	—	100.0
Statewide totals		76	76	76	—	100.0

CWMU bull moose harvest, Utah 2003.

CWMU	Unit	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
SJ Ranch	2	*	1	*	*	*
Broadmouth	3	1	1	1	4.0	100.0
South Canyon	3	1	1	1	3.0	100.0
Beaver Hollow	4	1	1	1	1.0	100.0
Cedar Canyon	4	1	1	1	2.0	100.0
Cottonwood	4	*	1	*	*	*
Deseret	4	4	4	4	2.3	100.0
Dry Bread	4	2	2	2	3.0	100.0
Durst Mountain	4	2	2	2	2.5	100.0
Folley Ridge	4	*	2	*	*	*
Guildersleeve	4	1	1	1	3.0	100.0
Middle Ridge	4	2	2	2	1.0	100.0
Skull Crack	4	2	2	2	2.0	100.0
Woodruff Creek	4	1	1	1	2.0	100.0
Big Mountain	5	1	1	1	2.0	100.0
Hardscrabble	5	2	2	2	1.0	100.0
Lonetree-Taylor Hollow	5	*	1	*	*	*
Grass Valley	6	*	1	*	*	*
East Fork Chalk Creek	6	1	1	1	2.0	100.0
Ensign Ranches	6	2	2	2	2.0	100.0
State Corner	6	1	1	1	2.0	100.0
Two Bear	6	1	1	1	2.0	100.0
Weber-Florence Creek	6	3	3	3	1.3	100.0
Elizabeth Mountain	8	*	1	*	*	*
Coyote-Little Pole	17	1	1	1	2.0	100.0
Three C	17	1	1	1	2.0	100.0
Wallsburg	17	1	1	1	2.0	100.0
Statewide totals		32	39	32	2.0	100.0

*Data not available.

CWMU bull moose harvest, Utah 2004.

CWMU	Unit	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
SJ Ranch	2	1	1	1	1.0	100.0
Broadmouth	3	3	3	3	1.5	100.0
La Plata	3	3	3	3	2.0	100.0
South Canyon	3	2	2	2	3.0	100.0
Beaver Hollow	4	2	2	2	2.5	100.0
Cedar Canyon	4	3	3	3	4.0	100.0
Cottonwood	4	2	3	3	3.5	66.7
Deseret	4	3	3	3	5.0	100.0
Dry Bread	4	3	3	3	2.0	100.0
Durst Mountain	4	5	5	5	2.0	100.0
Folley Ridge	4	5	5	5	2.3	100.0
Middle Ridge	4	3	3	3	1.7	100.0
Skull Crack	4	8	8	8	3.0	100.0
Woodruff Creek	4	3	3	3	4.0	100.0
Big Mountain	5	3	3	3	3.0	100.0
Hardscrabble	5	3	5	5	2.8	60.0
Lonetree-Taylor Hollow	5	2	2	2	2.0	100.0
Grass Valley	6	3	3	3	2.0	100.0
East Fork Chalk Creek	6	3	3	3	1.5	100.0
Ensign Ranches	6	5	5	5	3.5	100.0
State Corner	6	2	2	2	3.0	100.0
Two Bear	6	3	3	3	3.5	100.0
Weber-Florence Creek	6	8	8	8	2.3	100.0
Elizabeth Mountain	8	2	3	3	7.0	66.7
Coyote-Little Pole	17	2	2	2	2.0	100.0
Little Red Creek	17	1	1	1	3.0	100.0
Moon's Ranch	17	1	1	1	3.0	100.0
Three C	17	1	2	2	24.5	50.0
Wallsburg	17	1	1	1	3.0	100.0
Statewide totals		86	91	91	3.3	94.5

CWMU antlerless moose harvest, Utah 2001.

CWMU	Unit	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
SJ Ranch	2	1	1	1	—	100.0
Porcupine Cache	3	2	2	2	—	100.0
Statewide totals		3	3	3	—	100.0

CWMU antlerless moose harvest, Utah 2002.

CWMU	Unit	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
SJ Ranch	2	1	1	1	—	100.0

CWMU antlerless moose harvest, Utah 2003.

CWMU	Unit	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Skull Crack	4	*	3	*	*	*

*Data not available.

CWMU antlerless moose harvest, Utah 2004.

CWMU	Unit	Antlerless harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Skull Crack	4	*	3	*	*	*
Cottonwood	4	*	1	*	*	*
East Fork Chalk Creek	6	2	2	2	2.0	100.0
Grass Valley	6	2	2	2	2.0	100.0
Statewide totals		4	8	4	2.0	100.0

*Data not available.

Total bull moose harvest by subunit, Utah 1999–2004.

Unit		Unit name	Subunit name	1999	2000	2001	2002	2003	2004
2	A	Cache	Cache	15	15	16	13	14	22
3	A	Ogden	Ogden	15	20	19	25	21	27
4	A	Morgan-South Rich	Morgan-South Rich	18	9	43	39	20	41
5	A	East Canyon	East Canyon	7	4	12	18	11	20
6	A	Chalk Creek	Chalk Creek	11	5	24	25	11	27
7	A	Kamas	Kamas	4	4	4	4	4	4
8	A	North Slope	Summit	13	12	11	10	10	12
8	BC	North Slope	West Daggett / Three Corners	8	8	11	10	12	12
9	A	South Slope	Yellowstone	4*	4*	5	5	5	4
9	BC	South Slope	Vernal / Diamond Mountain	—	—	1	1	1	4
17	A	Wasatch Mountains	Wasatch Mountains	11	8	11	13	17	15
17	BC	Wasatch Mountains	Currant Creek / Avintaquin	8	8	12	11	11	12

*Harvest is for the entire unit.

Total antlerless moose harvest by subunit, Utah 1999–2004.

Unit		Unit name	Subunit name	1999	2000	2001	2002	2003	2004
2	A	Cache	Cache	6	6	3	6	0	0
3	A	Ogden	Ogden	17	6	8	10	0	0
4	A	Morgan-South Rich	Morgan-South Rich	0	0	0	0	0	0
5	A	East Canyon	East Canyon	0	0	0	7	11	10
6	A	Chalk Creek	Chalk Creek	0	0	3	3	3	4
7	A	Kamas	Kamas	0	0	0	0	0	0
8	A	North Slope	Summit	12	12	20	20	10	0
8	BC	North Slope	West Daggett / Three Corners	0	0	0	0	0	0
9	A	South Slope	Yellowstone	0	0	0	0	0	0
9	BC	South Slope	Vernal / Diamond Mountain	0	0	0	0	0	0
17	A	Wasatch Mountains	Wasatch Mountains	0	0	0	10	0	0
17	BC	Wasatch Mountains	Currant Creek / Avintaquin	0	0	0	0	0	0

Total bull moose hunters afield by subunit, Utah 1999–2004.

Unit		Unit name	Subunit name	1999	2000	2001	2002	2003	2004
2	A	Cache	Cache	15	15	16	13	14	22
3	A	Ogden	Ogden	15	20	20	25	21	28
4	A	Morgan-South Rich	Morgan-South Rich	20	9	43	39	20	42
5	A	East Canyon	East Canyon	7	4	12	18	11	22
6	A	Chalk Creek	Chalk Creek	11	5	24	25	11	27
7	A	Kamas	Kamas	4	4	4	4	4	4
8	A	North Slope	Summit	13	12	11	11	10	13
8	BC	North Slope	West Daggett / Three Corners	8	8	11	11	12	14
9	A	South Slope	Yellowstone	4*	4*	5	5	5	4
9	BC	South Slope	Vernal / Diamond Mountain	—	—	1	1	1	4
17	A	Wasatch Mountains	Wasatch Mountains	11	8	11	14	17	16
17	BC	Wasatch Mountains	Currant Creek / Avintaquin	8	8	12	11	11	12

*Hunters afield for the entire unit.

Total antlerless moose hunters afield by subunit, Utah 1999–2004.

Unit		Unit name	Subunit name	1999	2000	2001	2002	2003	2004
2	A	Cache	Cache	6	6	3	6	0	0
3	A	Ogden	Ogden	17	6	8	10	0	0
4	A	Morgan-South Rich	Morgan-South Rich	0	0	0	0	0	0
5	A	East Canyon	East Canyon	0	0	0	7	11	13
6	A	Chalk Creek	Chalk Creek	0	0	3	3	3	8
7	A	Kamas	Kamas	0	0	0	0	0	0
8	A	North Slope	Summit	12	12	20	20	10	0
8	BC	North Slope	West Daggett / Three Corners	0	0	0	0	0	0
9	A	South Slope	Yellowstone	0	0	0	0	0	0
9	BC	South Slope	Vernal / Diamond Mountain	0	0	0	0	0	0
17	A	Wasatch Mountains	Wasatch Mountains	0	0	0	10	0	0
17	BC	Wasatch Mountains	Currant Creek / Avintaquin	0	0	0	0	0	0

Moose trend count data by subunit, Utah 1998–2005.

Cache

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	—	—	—	—
1999	148	72	45	59
2000	—	—	—	—
2001	—	—	—	—
2002	—	—	—	—
2003	122	33	16	102
2004	—	—	—	—
2005	275	39	20	96

Ogden

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	—	—	—	—
1999	579	47	26	83
2000	—	—	—	—
2001	—	—	—	—
2002	—	—	—	—
2003	420	25	14	78
2004	—	—	—	—
2005	541	52	30	74

Morgan-South Rich

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	—	—	—	—
1999	511	39	23	72
2000	—	—	—	—
2001	—	—	—	—
2002	—	—	—	—
2003	844	39	19	106
2004	—	—	—	—
2005	—	—	—	—

East Canyon

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	126	62	33	90
1999	—	—	—	—
2000	—	—	—	—
2001	—	—	—	—
2002	—	—	—	—
2003	—	—	—	—
2004	284	44	21	106
2005	—	—	—	—

Moose trend count data by subunit, Utah 1998–2005 (cont.).

Chalk Creek

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	—	—	—	—
1999	438	52	29	77
2000	—	—	—	—
2001	542	30	17	75
2002	—	—	—	—
2003	—	—	—	—
2004	478	37	20	86
2005	—	—	—	—

Kamas

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	51	83	59	39
1999	—	—	—	—
2000	—	—	—	—
2001	59	67	31	114
2002	—	—	—	—
2003	—	—	—	—
2004	70	44	21	115
2005	—	—	—	—

North Slope, Summit

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	229	23	15	54
1999	—	—	—	—
2000	—	—	—	—
2001	243	32	15	106
2002	—	—	—	—
2003	—	—	—	—
2004	150	49	27	82
2005	—	—	—	—

North Slope, West Daggett / Three Corners

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	84	16	10	70
1999	—	—	—	—
2000	—	—	—	—
2001	109	44	17	156
2002	—	—	—	—
2003	—	—	—	—
2004	107	29	13	121
2005	—	—	—	—

Moose trend count data by subunit, Utah 1998–2005 (cont.).

South Slope, Yellowstone

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	—	—	—	—
1999	35	46	17	172
2000	—	—	—	—
2001	31	50	11	300
2002	—	—	—	—
2003	29	—	—	—
2004	76	35	13	158
2005	—	—	—	—

South Slope, Vernal / Diamond Mountain

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	—	—	—	—
1999	—	—	—	—
2000	—	—	—	—
2001	12	20	9	120
2002	—	—	—	—
2003	—	—	—	—
2004	69	17	8	121
2005	—	—	—	—

Wasatch Mountains, Wasatch Mountains

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	—	—	—	—
1999	181	45	31	46
2000	—	—	—	—
2001	—	—	—	—
2002	221	—	—	72
2003	—	—	—	—
2004	—	—	—	—
2005	188	44	25	74

Wasatch Mountains, Currant Creek / Avintaquin

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	—	—	—	—
1999	66	44	22	100
2000	—	—	—	—
2001	—	—	—	—
2002	68	31	17	81
2003	—	—	—	—
2004	—	—	—	—
2005	63	41	21	92

BISON



FREDERIC REMINGTON

Statewide bison harvest statistics, Utah 1950–2004.

Year	Permits			Harvest				Hunters afield	Success rate (%)
	Hunter's choice	Cow	Total	Bull	Cow	Calf	Total		
1950	10	—	10	6	4	0	10	10	100.0
1951	—	—	—	—	—	—	—	—	—
1952	—	—	—	—	—	—	—	—	—
1953	—	—	—	—	—	—	—	—	—
1954	—	—	—	—	—	—	—	—	—
1955	—	—	—	—	—	—	—	—	—
1956	—	—	—	—	—	—	—	—	—
1957	—	—	—	—	—	—	—	—	—
1958	—	—	—	—	—	—	—	—	—
1959	—	—	—	—	—	—	—	—	—
1960	10	—	10	7	3	0	10	10	100.0
1961	12	—	12	8	4	0	12	12	100.0
1962	20	—	20	9	11	0	20	20	100.0
1963	14	—	14	1	6	0	7	14	50.0
1964	—	—	—	—	—	—	—	—	—
1965	—	—	—	—	—	—	—	—	—
1966	10	—	10	7	3	0	10	10	100.0
1967	10	—	10	4	6	0	10	10	100.0
1968	15	—	15	15	0	0	15	15	100.0
1969	10	—	10	8	0	0	8	10	80.0
1970	10	—	10	6	0	0	6	10	60.0
1971	15	—	15	8	2	0	10	15	66.7
1972	—	—	—	—	—	—	—	—	—
1973	—	—	—	—	—	—	—	—	—
1974	10	—	10	4	3	0	7	9	77.8
1975	10	—	10	7	2	0	9	9	100.0
1976	10	—	10	8	2	0	10	10	100.0
1977	10	—	10	9	1	0	10	10	100.0
1978	22	—	22	11	9	1	21	22	95.5
1979	27	—	27	14	12	1	27	27	100.0
1980	27	—	27	16	6	1	23	27	85.2
1981	27	—	27	20	5	0	25	27	92.6
1982	28	—	28	16	10	2	28	28	100.0
1983	28	—	28	20	8	0	28	28	100.0
1984	36	—	36	28	7	0	35	36	97.2
1985	45	—	45	29	12	0	41	45	91.1
1986	56	—	56	39	17	0	56	56	100.0
1987	56	—	56	40	14	1	55	56	98.2
1988	45	22	67	32	32	0	64	67	95.5
1989	45	22	67	31	28	1	60	67	89.6
1990	55	129	184	47	103	0	150	184	81.5

Statewide bison harvest statistics, Utah 1950–2004 (cont.).

Year	Permits			Harvest				Hunters afield	Success rate (%)
	Hunter's choice	Cow	Total	Bull	Cow	Calf	Total		
1991	70	22	92	44	32	2	78	91	85.7
1992	18	—	18	17	1	0	18	18	100.0
1993	51	—	51	41	7	0	48	51	94.1
1994	24	66	90	20	58	2	80	90	88.9
1995	36	66	102	32	44	0	76	102	74.5
1996	48	—	48	38	7	0	45	48	93.8
1997	29	27	56	24	28	0	52	56	92.9
1998	47	34	81	39	35	0	74	81	91.4
1999	37	66	103	30	52	0	82	102	80.4
2000	28	25	53	21	24	0	45	52	86.5
2001	62	30	92	39	38	0	77	92	83.7
2002	32	15	47	26	17	0	43	47	91.5
2003	41	19	60	34	14	0	48	60	80.0
2004	22	19	41	17	24	0	41	41	100.0

Once-in-a-lifetime bison harvest, Utah 2001.

Hunt name	Bull harvest	Cow harvest	Total harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Henry Mountains (early)	18	8	26	29	29	6.2	89.7
Henry Mountains (late)	16	9	25	29	29	6.5	86.2
Henry Mountains, cow only	1	20	21	29	29	5.9	72.4
Conservation permits	4	1	5	5	5	1.8	100.0
Totals	39	38	77	92	92	6.0	83.7

Once-in-a-lifetime bison harvest, Utah 2002.

Hunt name	Bull harvest	Cow harvest	Total harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Henry Mountains (early)	10	2	12	14	14	4.6	85.7
Henry Mountains (late)	12	1	13	14	14	4.6	92.9
Henry Mountains, cow only	0	13	13	14	14	5.6	92.9
Conservation permits	4	1	5	5	5	3.0	100.0
Totals	26	17	43	47	47	4.7	91.5

Once-in-a-lifetime bison harvest, Utah 2003.

Hunt name	Bull harvest	Cow harvest	Total harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Henry Mountains (early)	16	2	18	19	19	—	94.7
Henry Mountains (late)	15	3	18	19	19	—	94.7
Henry Mountains, cow only	0	9	9	19	19	—	47.4
Conservation permits	3	0	3	3	3	—	100.0
Totals	34	14	48	60	60	—	80.0

Once-in-a-lifetime bison harvest, Utah 2004.

Hunt name	Bull harvest	Cow harvest	Total harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Henry Mountains (early)	7	2	9	9	9	4.6	100.0
Henry Mountains (late)	7	2	9	9	9	4.8	100.0
Henry Mountains, cow only	0	19	19	19	19	3.9	100.0
Conservation permits	3	1	4	4	4	1.0	100.0
Totals	17	24	41	41	41	4.3	100.0

Historic bison population estimates, Henry Mountains, Utah 1949–2005.

Year	Estimated Adults	Estimated calves	Total population estimate
1949	35	5	40
1950	30	12	42
1951	32	3	35
1952	26	3	29
1953	28	4	32
1954	31	4	35
1955	28	7	35
1956	20	3	23
1957	40	3	43
1958	35	12	47
1959	38	10	48
1960	60	14	74
1961	63	13	76
1962	68	18	86
1963	58	15	73
1964	45	14	59
1965	64	13	77
1966	75	17	92
1967	74	10	84
1968	—	—	—
1969	82	12	94
1970	—	—	75
1971	56	17	73
1972	49	12	61
1973	99	22	121
1974	92	47	139
1975	95	31	126
1976	67	17	84
1977	—	—	151
1978	196	47	243
1979	232	64	296
1980	232	68	300
1981	211	63	274
1982	191	61	252
1983	246	62	308
1984	245	69	314
1985	328	37	365
1986	224	128	352
1987	222	146	368
1988	322	73	395
1989	272	73	345
1990	479	80	559

Historic bison population estimates, Henry Mountains, Utah 1949–2005 (cont.).

Year	Estimated Adults	Estimated calves	Total population estimate
1991	368	58	426
1992	270	54	324
1993	381	93	474
1994	393	77	470
1995	314	46	360
1996	350	66	416
1997	342	55	397
1998	374	86	460
1999	345	75	420
2000	368	65	433
2001	341	38	379
2002	318	74	392
2003	318	34	352
2004	268	67	335
2005	196	69	265

Historic bison classification, Henry Mountains, Utah, 1997–2005.

Year	n	Calves / 100 cows	Bulls / 100 cows
1997	397	25	55
1998	460	35	54
1999	420	36	65
2000	433	28	57
2001	379	18	57
2002	392	36	56
2003	352	17	56
2004	335	42	42
2005	265	49	38

DESERT BIGHORN SHEEP



Statewide desert bighorn sheep harvest statistics, Utah 1967–2004.

Year	Ram harvest	Permits issued	Hunters afield	Mean days hunted	Success rate (%)
1967	9	10	9	2.7	100.0
1968	3	10	10	5.2	30.0
1969	6	10	10	5.5	60.0
1970	4	10	10	7.4	40.0
1971	1	10	10	—	10.0
1972	1	10	8	—	12.5
1973	—	—	—	—	—
1974	—	—	—	—	—
1975	2	5	5	6.2	40.0
1976	4	10	10	8.7	40.0
1977	10	25	25	9.0	40.0
1978	7	23	23	8.6	30.4
1979	3	18	18	13.1	16.7
1980	10	19	19	12.7	52.6
1981	5	18	18	12.6	27.8
1982	6	11	11	9.9	54.5
1983	9	10	10	15.0	90.0
1984	5	14	14	13.4	35.7
1985	12	15	15	8.3	80.0
1986	10	14	14	8.0	71.4
1987	7	12	12	8.2	58.3
1988	12	15	15	8.1	80.0
1989	10	12	12	10.5	83.3
1990	12	15	15	7.1	80.0
1991	10	13	13	12.2	76.9
1992	10	11	11	6.5	90.9
1993	17	17	17	7.9	100.0
1994	18	19	19	0.0	94.7
1995	30	32	30	0.0	100.0
1996	28	29	29	8.7	96.6
1997	28	29	29	7.5	96.6
1998	31	31	31	8.4	100.0
1999	31	32	32	8.5	96.9
2000	33	33	33	6.3	100.0
2001	30	31	30	11.4	100.0
2002	39	40	40	6.4	97.5
2003	43	44	44	7.3	97.7
2004	40	42	42	8.7	95.2

Total desert bighorn sheep harvest by hunt, Utah 2001.

Hunt Name	Ram harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
San Rafael, North	8	8	8	15.1	100.0
San Rafael, South	6	6	6	10.3	100.0
La Sal, Potash	3	3	3	4.7	100.0
San Juan, South	3	3	3	13.7	100.0
San Juan, Lockhart	1	1	1	2.0	100.0
Kaiparowits, Kaiparowits	4	5	4	—	100.0
Kaiparowits, Escalante	5	5	5	—	100.0
Pine Valley, Virgin River	—	0	—	—	—
Statewide totals	30	31	30	11.4	100.0

*Conservation permits were added to the hunt where the harvest occurred.

Total desert bighorn sheep harvest by hunt, Utah 2002.

Hunt Name	Ram harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
San Rafael, North	12	12	12	5.4	100.0
San Rafael, South	9	9	9	7.6	100.0
La Sal, Potash	3	3	3	12.0	100.0
San Juan, South	4	4	4	3.3	100.0
San Juan, Lockhart	0	1	1	3.0	0.0
Kaiparowits, Kaiparowits	5	5	5	—	100.0
Kaiparowits, Escalante	5	5	5	—	100.0
Pine Valley, Virgin River	1	1	1	—	100.0
Statewide totals	39	40	40	6.4	97.5

*Conservation permits were added to the hunt where the harvest occurred.

Total desert bighorn sheep harvest by hunt, Utah 2003.

Hunt Name	Ram harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
San Rafael, North	11	11	11	5.5	100.0
San Rafael, South	10	10	10	5.9	100.0
San Rafael, Dirty Devil	3	3	3	7.0	100.0
La Sal, Potash	3	3	3	12.0	100.0
San Juan, South	2	2	2	10.0	100.0
San Juan, Lockhart	1	1	1	8.0	100.0
Kaiparowits, East	2	2	2	9.5	100.0
Kaiparowits, West	4	4	4	3.0	100.0
Kaiparowits, Escalante	6	7	7	11.0	85.7
Pine Valley, Virgin River	1	1	1	—	100.0
Statewide totals	43	44	44	7.3	97.7

*Conservation permits were added to the hunt where the harvest occurred.

Total desert bighorn sheep harvest by hunt, Utah 2004.

Hunt Name	Ram harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
San Rafael, North	11	11	11	9.9	100.0
San Rafael, South	8	8	8	7.9	100.0
San Rafael, Dirty Devil	1	2	2	9.5	50.0
La Sal, Potash	3	3	3	9.3	100.0
San Juan, South	3	3	3	4.0	100.0
San Juan, Lockhart	1	1	1	1.0	100.0
Kaiparowits, East	4	4	4	11.8	100.0
Kaiparowits, West	0	1	1	3.0	0.0
Kaiparowits, Escalante	7	7	7	7.0	100.0
Pine Valley, Virgin River	2	2	2	16.5	100.0
Statewide totals	40	42	42	8.7	95.2

*Conservation permits were added to the hunt where the harvest occurred.

Total ram desert bighorn sheep harvest by hunt, Utah 1996–2004.

Unit	Hunt name	1996	1997	1998	1999	2000	2001	2002	2003	2004
12	San Rafael, North	6	7	7	8	9	8	12	11	11
12	San Rafael, South	7	6	8	6	5	6	9	10	8
12	San Rafael, Dirty Devil	—	—	—	—	—	—	—	3	1
13	La Sal, Potash	3	4	4	4	4	3	3	3	3
14	San Juan, South	1	1	2	3	4	3	4	2	3
14	San Juan, Lockhart	—	—	1	1	2	1	0	1	1
26	Kaiparowits, East	3*	5*	9**	9**	4*	4*	5*	2	4
26	Kaiparowits, West	—	—	—	—	—	—	—	4	0
26	Kaiparowits, Escalante	7	5	—	—	5	5	5	6	7
30	Pine Valley, Virgin River	—	—	—	—	—	—	1	1	2

*Includes Kaiparowits East and West.

**Includes Kaiparowits East, West, and Escalante.

Total ram desert bighorn sheep hunters afield by hunt, Utah 1996–2004.

Unit	Hunt name	1996	1997	1998	1999	2000	2001	2002	2003	2004
12	San Rafael, North	6	7	7	8	9	8	12	11	11
12	San Rafael, South	7	6	8	6	5	6	9	10	8
12	San Rafael, Dirty Devil	—	—	—	—	—	—	—	3	2
13	La Sal, Potash	3	4	4	4	4	3	3	3	3
14	San Juan, South	1	1	2	3	4	3	4	2	3
14	San Juan, Lockhart	—	—	1	1	2	1	1	1	1
26	Kaiparowits, East	3*	6*	9**	10**	4*	4*	5	2	4
26	Kaiparowits, West	—	—	—	—	—	—	—	4	1
26	Kaiparowits, Escalante	7	5	—	—	5	5	5	7	7
30	Pine Valley, Virgin River	—	—	—	—	—	—	1	1	2

*Includes Kaiparowits East and West.

**Includes Kaiparowits East, West, and Escalante.

Desert bighorn sheep trend count data by subunit, Utah 1996–2004.

San Rafael, North / South

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	—	—	—
1997	416	46	84
1998	—	—	—
1999	429	47	59
2000	—	—	—
2001	641	38	74
2002	—	—	—
2003	456	42	67
2004	—	—	—

San Rafael, Dirty Devil

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	—	—	—
1997	—	—	—
1998	47*	11*	22*
1999	—	—	—
2000	39	13	147
2001	—	—	—
2002	62	23	83
2003	—	—	—
2004	77	48	85

*Includes Dirty Devil and Little Rockies.

La Sal, Potash

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	116	44	98
1997	—	—	—
1998	147	57	84
1999	—	—	—
2000	85	33	69
2001	—	—	—
2002	102	31	78
2003	—	—	—
2004	123	53	79

Desert bighorn sheep trend count data by subunit, Utah 1996–2004 (cont.).

San Juan

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	104	22	52
1997	—	—	—
1998	156	49	64
1999	—	—	—
2000	140	46	67
2001	—	—	—
2002	135	33	52
2003	—	—	—
2004	230	46	56

Henry Mountains

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	—	—	—
1997	—	—	—
1998	47*	11*	22*
1999	—	—	—
2000	50**	41**	44**
2001	—	—	—
2002	54**	33**	67**
2003	—	—	—
2004	66**	25**	62**

*Includes Dirty Devil and Little Rockies.

**Includes Little Rockies and North Wash.

Kaiparowits, East / West

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	—	—	—
1997	198*	43*	70*
1998	203*	47*	69*
1999	108	33	51
2000	—	—	—
2001	123	39	32
2002	—	—	—
2003	84	61	54
2004	—	—	—

*Includes East, West, and Escalante.

Desert bighorn sheep trend count data by subunit, Utah 1996–2004 (cont.).

Kaiparowits, Escalante

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	126	49	72
1997	198*	43*	70*
1998	203*	47*	69*
1999	—	—	—
2000	123	42	74
2001	—	—	—
2002	144	41	68
2003	—	—	—
2004	151	55	70

*Includes East, West, and Escalante.

Pine Valley, Virgin River

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	—	—	—
1997	—	—	—
1998	—	—	—
1999	35	30	45
2000	—	—	—
2001	—	—	—
2002	72	33	167
2003	—	—	—
2004	55	46	12

ROCKY MOUNTAIN BIGHORN SHEEP



Carrie Breitbach

Statewide Rocky Mountain bighorn sheep harvest statistics, Utah 1991–2004.

Year	Ram harvest	Permits issued	Hunters afield	Mean days hunted	Success rate (%)
1991	3	3	3	—	100.0
1992	3	3	3	—	100.0
1993	6	6	6	—	100.0
1994	6	6	6	6.7	100.0
1995	6	6	6	—	100.0
1996	5	6	6	5.0	83.3
1997	3	3	3	5.0	100.0
1998	5	5	5	10.2	100.0
1999	4	4	4	—	100.0
2000	9	9	9	—	100.0
2001	12	12	12	—	100.0
2002	12	13	13	—	92.3
2003	13	13	13	17.1	100.0
2004	12	12	12	8.6	100.0

Total Rocky Mountain bighorn sheep harvest by hunt, Utah 2001.

Hunt name	Ram harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
North Slope, West Daggett (Sheep Creek)	1	1	1	—	100.0
North Slope, Three Corners (Bare Mountain)	1	1	1	—	100.0
Book Cliffs, South (Rattlesnake)	5	5	5	—	100.0
Nine Mile, Range Creek (Bighorn Mountain)	5	5	5	—	100.0
Statewide totals	12	12	12	—	100.0

*Conservation permits were added to the hunt where the harvest occurred.

Total Rocky Mountain bighorn sheep harvest by hunt, Utah 2002.

Hunt name	Ram harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
North Slope, Three Corners (Bare Mountain)	2	2	2	—	100.0
Book Cliffs, South (Rattlesnake)	4	4	4	—	100.0
Nine Mile, Range Creek (Bighorn Mountain)	6	7	7	—	85.7
Statewide totals	12	13	13	—	92.3

*Conservation permits were added to the hunt where the harvest occurred.

Total Rocky Mountain bighorn sheep harvest by hunt, Utah 2003.

Hunt name	Ram harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
North Slope, West Daggett (Sheep Creek)	1	1	1	20.0	100.0
North Slope, Three Corners (Bare Mountain)	2	2	2	11.0	100.0
Book Cliffs, South (Rattlesnake)	5	5	5	—	100.0
Nine Mile, Range Creek (Bighorn Mountain)	5	5	5	19.0	100.0
Statewide totals	13	13	13	17.1	100.0

*Conservation permits were added to the hunt where the harvest occurred.

Total Rocky Mountain bighorn sheep harvest by hunt, Utah 2004.

Hunt name	Ram harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
North Slope, Three Corners (Bare Mountain)	2	2	2	2.5	100.0
Book Cliffs, South (Rattlesnake)	5	5	5	12.4	100.0
Nine Mile, Range Creek (Bighorn Mountain)	5	5	5	7.3	100.0
Statewide totals	12	12	12	8.6	100.0

*Conservation permits were added to the hunt where the harvest occurred.

Total ram Rocky Mountain bighorn sheep harvest by hunt, Utah 1996–2004.

Unit	Hunt name	1996	1997	1998	1999	2000	2001	2002	2003	2004
8	North Slope, West Daggett (Sheep Creek)	1	0	1	1	1	1	0	1	0
8	North Slope, Three Corners (Bare Mountain)	1	0	1	1	1	1	2	2	2
10	Book Cliffs, South (Rattlesnake)	3	3	3	2	5	5	4	5	5
11	Nine Mile, Range Creek (Bighorn Mountain)	0	0	0	0	2	5	6	5	5

Total ram Rocky Mountain bighorn sheep hunters afield by hunt, Utah 1996–2004.

Unit	Hunt name	1996	1997	1998	1999	2000	2001	2002	2003	2004
8	North Slope, West Daggett (Sheep Creek)	1	0	1	1	1	1	0	1	0
8	North Slope, Three Corners (Bare Mountain)	1	0	1	1	1	1	2	2	2
10	Book Cliffs, South (Rattlesnake)	3	3	3	2	5	5	4	5	5
11	Nine Mile, Range Creek (Bighorn Mountain)	0	0	0	0	2	5	7	5	5

Rocky Mountain bighorn sheep trend count data by subunit, Utah 1996–2004.

North Slope, West Daggett (Sheep Creek)

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	33	50	86
1997	26	21	64
1998	33	77	77
1999	40	25	42
2000	41	78	50
2001	52	52	56
2002	52	74	52
2003	46	65	106
2004	43	61	78

North Slope, Three Corners (Bare Mountain)

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	57	62	35
1997	52	57	91
1998	59	57	40
1999	54	44	56
2000	91	50	57
2001	92	51	97
2002	62	63	67
2003	61	62	73
2004	72	63	77

North Slope, West Daggett (Carter Creek / South Red Canyon)

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	—	—	—
1997	—	—	—
1998	—	—	—
1999*	10	13	13
2000	29	32	21
2001	33	61	22
2002	29	67	27
2003	40	77	59
2004	37	61	44

*Start of a transplanted population.

Rocky Mountain bighorn sheep trend count data by subunit, Utah 1996–2004 (cont.).

North Slope, Three Corners (Goslin Mountain)

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	—	—	—
1997	—	—	—
1998	—	—	—
1999	—	—	—
2000	—	—	—
2001	—	—	—
2002	—	—	—
2003	—	—	—
2004*	34	19	12

*Start of a transplanted population.

Book Cliffs, South (Rattlesnake)

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	—	—	—
1997	118	47	67
1998	—	—	—
1999	187	49	66
2000	—	—	—
2001	108	44	64
2002	—	—	—
2003	111	44	64
2004	—	—	—

Nine Mile, Range Creek (Bighorn Mountain)

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	—	—	—
1997	56	80	100
1998	106	47	69
1999	—	—	—
2000	128	53	72
2001	179	54	70
2002	—	—	—
2003	213	39	69
2004	—	—	—

ROCKY MOUNTAIN GOAT



Statewide Rocky Mountain goat harvest statistics, Utah 1981–2004.

Year	Billy harvest	Nanny harvest	Total harvest	Permits issued	Hunters afield	Mean days hunted	Success rate (%)
1981	1	0	1	1	1	2.0	100.0
1982	0	1	1	1	1	2.0	100.0
1983	3	0	3	3	3	4.3	100.0
1984	2	1	3	4	4	4.0	75.0
1985	3	0	3	3	3	5.3	100.0
1986	2	2	4	4	4	6.5	100.0
1987	3	1	4	4	4	3.8	100.0
1988	3	1	4	4	4	3.5	100.0
1989	4	1	5	5	5	3.6	100.0
1990	4	0	4	6	6	4.8	66.7
1991	3	3	6	6	6	7.0	100.0
1992	8	0	8	8	8	5.8	100.0
1993	6	1	7	7	7	4.3	100.0
1994	10	0	10	10	10	—	100.0
1995	10	2	12	12	12	—	100.0
1996	16	2	18	19	19	4.2	94.7
1997	17	2	19	19	19	—	100.0
1998	18	0	18	19	19	3.5	94.7
1999	18	2	20	20	20	—	100.0
2000	19	9	28	29	29	3.2	96.6
2001	21	9	30	30	30	—	100.0
2002	25	10	35	36	36	—	97.2
2003	32	9	41	41	41	2.3	100.0
2004	31	15	46	46	46	2.6	100.0

Total Rocky Mountain goat harvest by hunt, Utah 2001.

Hunt Name	Billy harvest	Nanny harvest	Total harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Ogden, Willard Peak	1	0	1	1	1	—	100.0
Kamas / North Slope / South Slope	2	3	5	5	5	—	100.0
Wasatch Mtns., Lone Peak	5	2	7	7	7	—	100.0
Wasatch Mtns., Box Elder Peak	4	1	5	5	5	—	100.0
Wasatch Mtns., Timpanogos	3	2	5	5	5	—	100.0
Wasatch Mtns., Provo Peak	4	1	5	5	5	—	100.0
Beaver	2	0	2	2	2	—	100.0
Statewide totals	21	9	30	30	30	—	100.0

*Conservation permits were added to the hunt where the harvest occurred.

Total Rocky Mountain goat harvest by hunt, Utah 2002.

Hunt Name	Billy harvest	Nanny harvest	Total harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Ogden, Willard Peak	1	0	1	1	1	—	100.0
Kamas / North Slope / South Slope	7	3	10	11	11	—	90.9
Wasatch Mtns., Lone Peak	4	3	7	7	7	—	100.0
Wasatch Mtns., Box Elder Peak	3	2	5	5	5	—	100.0
Wasatch Mtns., Timpanogos	4	1	5	5	5	—	100.0
Wasatch Mtns., Provo Peak	4	1	5	5	5	—	100.0
Beaver	2	0	2	2	2	—	100.0
Statewide totals	25	10	35	36	36	—	97.2

*Conservation permits were added to the hunt where the harvest occurred.

Total Rocky Mountain goat harvest by hunt, Utah 2003.

Hunt Name	Billy harvest	Nanny harvest	Total harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Ogden, Willard Peak	1	0	1	1	1	1.0	100.0
Kamas / Chalk Creek	1	0	1	1	1	1.0	100.0
North Slope / South Slope							
High Uintas West	4	1	5	5	5	2.2	100.0
High Uintas Central	3	0	3	3	3	1.0	100.0
High Uintas East	3	0	3	3	3	3.0	100.0
High Uintas Liedy Peak	3	0	3	3	3	1.3	100.0
Wasatch Mtns., Lone Peak	4	0	4	4	4	5.5	100.0
Wasatch Mtns., Box Elder Peak	6	0	6	6	6	1.8	100.0
Wasatch Mtns., Timpanogos	3	1	4	4	4	3.3	100.0
Wasatch Mtns., Provo Peak	2	1	3	3	3	2.0	100.0
Beaver	2	0	2	2	2	—	100.0
Wasatch Mtns., Timpanogos (Female)	0	4	4	4	4	1.0	100.0
Beaver (Female)	0	2	2	2	2	—	100.0
Statewide totals	32	9	41	41	41	2.3	100.0

*Conservation permits were added to the hunt where the harvest occurred.

Total Rocky Mountain goat harvest by hunt, Utah 2004.

Hunt Name	Billy harvest	Nanny harvest	Total harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Ogden, Willard Peak	1	0	1	1	1	2.0	100.0
Kamas / Chalk Creek	1	0	1	1	1	1.0	100.0
North Slope / South Slope							
High Uintas West	1	4	5	5	5	3.0	100.0
High Uintas Central	3	0	3	3	3	1.7	100.0
High Uintas East	3	0	3	3	3	3.7	100.0
High Uintas Liedy Peak	3	0	3	3	3	2.7	100.0
Wasatch Mtns., Lone Peak	6	1	7	7	7	3.3	100.0
Wasatch Mtns., Box Elder Peak	5	0	5	5	5	1.8	100.0
Wasatch Mtns., Timpanogos	4	0	4	4	4	5.0	100.0
Wasatch Mtns., Provo Peak	1	1	2	2	2	1.0	100.0
Beaver	3	0	3	3	3	2.0	100.0
Wasatch Mtns., Box Elder Peak (Female)	0	5	5	5	5	1.8	100.0
Beaver (Female)	0	4	4	4	4	1.8	100.0
Statewide totals	31	15	46	46	46	2.6	100.0

*Conservation permits were added to the hunt where the harvest occurred.

Total billy Rocky Mountain goat harvest by hunt, Utah 1996–2004.

Unit	Hunt name	1996	1997	1998	1999	2000	2001	2002	2003	2004
3	Ogden, Willard Peak	0	0	0	0	0	1	1	1	1
7	Kamas / Chalk Creek	0	1	1*	1	1	1	0	1	1
8–9	North Slope / South Slope									
	High Uintas West	0	0	—	0	1	0	4	4	1
	High Uintas Central	0	0	—	0	0	0	1	3	3
	High Uintas East	0	0	—	0	0	1	2	3	3
	High Uintas Liedy Peak	0	1	—	1	0	0	0	3	3
17	Wasatch Mtns., Lone Peak	4	5	4	4	4	5	4	4	6
17	Wasatch Mtns., Box Elder Peak	4	5	6	5	4	4	3	6	5
17	Wasatch Mtns., Timpanogos	5	4	4	3	5	3	4	3	4
17	Wasatch Mtns., Provo Peak	1	0	2	3	3	4	4	2	1
22	Beaver	1	1	1	1	1	2	2	2	3

*Include Kamas, North Slope, and South Slope areas.

Total nanny Rocky Mountain goat harvest by hunt, Utah 1996–2004.

Unit	Hunt name	1996	1997	1998	1999	2000	2001	2002	2003	2004
3	Ogden, Willard Peak	0	0	0	0	0	0	0	0	0
7	Kamas / Chalk Creek	1	0	0	0	0	2	1	0	0
8–9	North Slope / South Slope									
	High Uintas West	0	0	0	0	1	0	0	1	4
	High Uintas Central	0	0	0	0	0	0	1	0	0
	High Uintas East	0	0	0	0	0	1	1	0	0
	High Uintas Liedy Peak	0	0	0	0	0	0	0	0	0
17	Wasatch Mtns., Lone Peak	1	0	0	0	2	2	3	0	1
17	Wasatch Mtns., Box Elder Peak	0	0	0	0	2	1	2	0	5
17	Wasatch Mtns., Timpanogos	0	1	0	2	2	2	1	5	0
17	Wasatch Mtns., Provo Peak	0	1	0	0	2	1	1	1	1
22	Beaver	0	0	0	0	0	0	0	2	4

Total Rocky Mountain goat hunters afield by hunt, Utah 1996–2004.

Unit	Hunt name	1996	1997	1998	1999	2000	2001	2002	2003	2004
3	Ogden, Willard Peak	0	0	0	0	0	1	1	1	1
7	Kamas / Chalk Creek	2	1	2*	1	1	3	2	1	1
8–9	North Slope / South Slope									
	High Uintas West	0	0	—	0	2	0	4	5	5
	High Uintas Central	0	0	—	0	0	0	2	3	3
	High Uintas East	0	0	—	0	0	2	3	3	3
	High Uintas Liedy Peak	0	1	—	1	0	0	0	3	3
17	Wasatch Mtns., Lone Peak	5	5	4	4	7	7	7	4	7
17	Wasatch Mtns., Box Elder Peak	4	5	6	5	6	5	5	6	10
17	Wasatch Mtns., Timpanogos	5	5	4	5	7	5	5	8	4
17	Wasatch Mtns., Provo Peak	1	1	2	3	5	5	5	3	2
22	Beaver	1	1	1	1	1	2	2	4	7

*Include Kamas, North Slope, and South Slope areas.

Rocky Mountain goat trend count data by subunit, Utah 1996–2004.

Ogden, Willard Peak

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
1996	—	—	—	—	—
1997	17	—	—	—	17
1998	13	—	—	6	7**
1999	—	—	—	—	—
2000*	28	—	—	9	19**
2001*	26	—	—	10	16**
2002	32	—	—	10	22**
2003	46	—	—	—	46
2004	105	—	—	35	70**

*Data based on ground counts.

**Unclassified adults.

Kamas / Chalk Creek

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
1996	—	—	—	—	—
1997	—	—	—	—	—
1998	—	—	—	—	—
1999	—	—	—	—	—
2000	—	—	—	—	—
2001	8	2	4	2	—
2002	—	—	—	—	—
2003	—	—	—	—	—
2004	34	7	19	8	—

North Slope / South Slope, High Uintas West

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
1996	—	—	—	—	—
1997	—	—	—	—	—
1998	—	—	—	—	—
1999	—	—	—	—	—
2000	—	—	—	—	—
2001	46	3	32	11	—
2002*	171	—	—	51	120**
2003*	156	—	—	42	114**
2004	131	26	72	33	—

*Includes all North Slope and South Slope areas.

**Unclassified adults.

Rocky Mountain goat trend count data by subunit, Utah 1996–2004 (cont.).

North Slope / South Slope, High Uintas Central

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
1996	—	—	—	—	—
1997	—	—	—	—	—
1998	—	—	—	—	—
1999	—	—	—	—	—
2000	—	—	—	—	—
2001	62	6	41	15	—
2002*	171	—	—	51	120**
2003*	156	—	—	42	114**
2004	183	15	121	47	—

*Includes all North Slope and South Slope areas.

**Unclassified adults.

North Slope / South Slope, High Uintas East

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
1996	—	—	—	—	—
1997	—	—	—	—	—
1998	—	—	—	—	—
1999	—	—	—	—	—
2000	—	—	—	—	—
2001	59	3	42	14	—
2002*	171	—	—	51	120**
2003*	156	—	—	42	114**
2004	139	24	81	34	—

*Includes all North Slope and South Slope areas.

**Unclassified adults.

North Slope / South Slope, High Uintas Liedy Peak

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
1996	—	—	—	—	—
1997	—	—	—	—	—
1998	—	—	—	—	—
1999	—	—	—	—	—
2000	—	—	—	—	—
2001	40	7	24	9	—
2002*	171	—	—	51	120**
2003*	156	—	—	42	114**
2004	96	9	63	24	—

*Includes all North Slope and South Slope areas.

**Unclassified adults.

¹Rocky Mountain goat trend count data by subunit, Utah 1996–2004 (cont.).

Wasatch Mountains, Lone Peak

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
1996	227	—	—	77	150*
1997	—	—	—	—	—
1998	—	—	—	—	—
1999	130	25	69	36	—
2000	—	—	—	—	—
2001	—	—	—	—	—
2002	99	—	—	—	99
2003	—	—	—	—	—
2004	165	20	77	42	26

*Unclassified adults.

Wasatch Mountains, Box Elder Peak

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
1996	—	—	—	—	—
1997	—	—	—	—	—
1998	—	—	—	—	—
1999	143	16	85	42	—
2000	—	—	—	—	—
2001	—	—	—	—	—
2002	161	—	—	—	161
2003	—	—	—	—	—
2004	50	8	16	4	22

Wasatch Mountains, Timpanogos

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
1996	79	—	—	21	58*
1997	84	—	—	—	84
1998	—	—	—	—	—
1999	87	18	40	29	—
2000	—	—	—	—	—
2001	—	—	—	—	—
2002	102	—	—	—	102
2003	—	—	—	—	—
2004	109	7	72	23	7

*Unclassified adults.

Rocky Mountain goat trend count data by subunit, Utah 1996–2004 (cont.).

Wasatch Mountains, Provo Peak

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
1996	29	—	—	—	29
1997	37	—	—	—	37
1998	—	—	—	—	—
1999	94	12	54	28	—
2000	—	—	—	—	—
2001	—	—	—	—	—
2002	69	—	—	—	69
2003	—	—	—	—	—
2004	88	3	16	11	58

Beaver

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
1996	—	—	—	—	—
1997	—	—	—	—	—
1998	69	14	36	19	—
1999	79	15	46	18	—
2000	104	14	71	19	—
2001	95	19	58	18	—
2002	90	35	41	14	—
2003	128	44	56	28	—
2004	133	46	57	30	—